

PASCO® SCIENCE AND TECHNOLOGY

Transforming Science Education

- Essential Science Curriculum
- OpenSciEd Certified Kits
- New Wireless Sensors
- STEM Solutions
- New Lab Bundles
- And Much More



A&P INSTRUMENT®
科藝儀器

An Easier Way to do Boyle's Law

Featuring! Wireless Absolute Pressure-Temperature Sensor & Ideal Gas Law Apparatus

NEW!



Science & STEM Simplified With PASCO's Growing Line of Wireless Sensors

These powerful sensors provide students with an immersive and engaging method for collecting and analyzing data without requiring an interface or wires. With our new OLED line, we offer the convenience of onboard digital displays.




NEW! OLED Sensors

- Pressure-Temperature
- Voltage-Current
- Barometer

NEW!

WIRELESS SENSOR VOLTAGE-CURRENT

(See Page 110)



The Wireless Voltage-Current Sensor is a smart alternative to a traditional multimeter.

It can be used as a standalone unit by using the built-in display, or connected to a computing device to output measurements to PASCO software for graphical analysis.

NEW

Wireless Voltage-Current (Page 110)

**NEW**

Wireless Absolute Pressure- Temperature Sensor (Page 61)



Table of Contents

PASCO Solution Overview	2
K-8 Solutions.....	8
STEM/Coding	16
Engineering.....	30
Biology	36
Chemistry	52
Environmental.....	74
Physics	86
OpenSciEd Solutions	118
Sensors, Interfaces, and Dataloggers.....	122
Equipment Storage	138
Index.....	140
Terms & Conditions	146
Support & Professional Development	147
Contacts & Consulting	Inside Back Cover

NEW

Wireless Hand Dynamometer (Page 50)





PASCO PORTAL

FOR SCIENCE EDUCATION



CONTENT



SOFTWARE



EQUIPMENT



SUPPORT




HOW TO'S



TRAINING



PRO DEV



PASCO Portal is a Gateway to Science Designed by Teachers for Teachers

Introducing a new digital learning resource to power your modern science lab. PASCO Portal supports hands-on learning through standards-based lessons, labs, and professional development.



- ✓ Reduce your prep time
- ✓ Complete PD on your own schedule
- ✓ Get back to doing science

Compatible with Your Device & Learning Management Systems

 ClassLink  Clever

 Google Classroom

 canvas

Blackboard

D2L

 BRIGHTSPACE

 schoology



Sign up for **PASCO PORTAL®** and realize the full potential of PASCO's hands-on science solutions.

PASCO Portal provides instructors and lab managers with ready-to-use activities and content, suitable for core and supplemental curriculum. PASCO Portal keeps your teaching tools and professional learning resources in one place, facilitating seamless transition between instruction, assessment, and lab management practices. Utilize PASCO's award-winning hands-on solutions in science, STEM, and engineering programs, easier than ever before.



Access and distribute Essential Science or OpenSciEd curriculum labs or assignments right within your Learning Management System (LMS).



Search the PASCO Portal Lab Library which contains hundreds of engaging, standards-based lab activities for all science disciplines, including STEM.



Choose from PASCO's award-winning software, including PASCO Capstone, SPARKvue, and Chemvue—FREE with your PASCO Portal license



Tap into PASCO's 21st Century lab equipment and technologies. Our hands-on solutions are more accessible than ever with the PASCO Portal platform.



Get toll-free phone, email, and live chat support for PASCO Portal. Plus, easily search products and technical manuals all within PASCO Portal.




Take advantage of a robust collection of how-to videos designed to assist you with your PASCO equipment, technologies, and lab activities.



New science teacher? No problem! With PASCO Portal, you are equipped to dive into hands-on science learning experiences with on-demand training & professional development. Learn the technology, get tips for instruction, and earn certificates. Explore PASCO Portal's professional resources designed to enhance your knowledge and hone your skills in applying PASCO's hands-on science and STEM solutions to your lab. These resources have been pre-recorded and are available on-demand for your convenience.

PASCO Portal is wrapped in modern technology, compatible with most Learning Management Systems (LMS) including Google Classroom, Canvas, D2L Brightspace, Blackboard, and Schoology. Sign-On through Google, ClassLink, and Clever.



SSO Support

LMS Support

Award-Winning Hands-On Science Solutions

With PASCO Portal and our award-winning hands-on science solutions, you get the content and equipment you want, plus the functionality and support you expect. Basically, this is the science learning environment you've been looking for!



Sensor Technology

Our innovative, wireless sensors are rugged, low-cost, and easy to use. These powerful sensors provide students with an immersive and engaging method for collecting and analyzing data, eliminating the need for wires or interfaces. Explore our growing line of more than 35 wireless sensors!




Complete Lab Stations

PASCO Lab Stations make it easy to use sensor-based technology in your science classroom. Discover Lab Stations for Biology, Chemistry, Agricultural Science, Physics, Middle School Science, and K-5 Science.



STEM & Coding Solutions

STEM Sense solutions promote early excellence in science and STEM education with cross-curricular investigations that help young learners build strong foundations in science, programming, and data literacy.



Data Collection & Analysis Software

PASCO's SPARKvue is an award-winning tool for collecting and analyzing experimental data. The user-friendly platform optimizes data collection and provides tools for in-depth analysis within a compact yet powerful workspace. Works on all platforms.



Curriculum Solutions

The Essential curriculums are the only curricular solutions that include a Student Textbook, an e-Book, Teacher e-Resources, Lab Manuals, and equipment kits. PASCO also offers a complete OpenSciEd solution featuring PASCO equipment kits.



Storage & Classroom Management

Use these rolling carts and storage trays to decrease your classroom management time and increase teaching and learning time.

Data Collection and Coding

A photograph of a SPARKvue data collection setup. In the center is a white data logger with a small screen and a color calibration target. To the left is a tablet displaying a bar chart of light intensity. Behind the tablet is a computer monitor showing a bar chart with the following data: Violet (0.6), Blue (0.8), Green (1.1), Yellow (1.4), Orange (1.09), and Red (0.7). To the right is a laptop showing a similar bar chart. The background is a blurred laboratory setting.

SPARKvue® Launch now as a Web App **PWA**

Windows • Mac OS • iOS • chrome • **ANDROID**

This **FREE** award-winning data collection and analysis software now works on any platform! Launch SPARKvue right within your web browser.

SPARKvue®

SPARKvue's intuitive design has made it an award-winning tool for collecting and analyzing experimental data. The user-friendly platform optimizes data collection and provides tools for in-depth analysis within a compact yet powerful workspace.

SPARKvue features Blockly coding, allowing students to use block-based code for sense and control of PASCO devices, including any of our sensors.

SPARKvue is for general purpose data collection and analysis. PASCO also offers the following dedicated physics and chemistry applications.



PASCO capstone (pp.116-119)
Advanced data collection for physics.





chemvue® (pp.76-77)
The optimal chemistry lab experience

Student Data Collection...MADE EASY!

Student-Entered Data & Graphing MADE EASY!

Choose manual data collection to record live values with the click of a button.

Make a mistake? No problem! Simply select a data point to replace it.





Graph & Analyze Student-Entered Data

Collecting & Graphing Sensor Data


MADE EASY!

Automate sensor data collection to monitor measurements in real-time.


Save time with pre-made experiment files or easily build your own displays. You and your students will be up and running in minutes.




Rapid, Real-Time Data Collection & Analysis



Digits Display



Bar Graph Display



Meter Display



GIS Map Display

Free award-winning data collection and analysis software now runs in your browser!

We're excited to announce SPARKvue is now available **FREE** of charge on all your devices as a browser-based application. This new version of our software as a Progressive Web Application (PWA) means you have free access to all the features of SPARKvue from Google Chrome and Microsoft Edge browsers. That's right: No download fees, subscription fees, or update fees, even for Windows® and Mac®. Plus, the app is always updated to the latest version automatically, so you never have to worry about it.

Go to sparkvue.pasco.com to access the PWA. SPARKvue is also available as a **FREE** app for iPad®, Android™ tablets, and Apple® and Android™ smartphones.

 **SPARKvue**®

Launch now as
a Web App

 +


 Download on the
App Store

 ANDROID APP ON
Google play

Looking for additional options? See pasco.com/sparkvue for more details.

K-8 SCIENCE

Innovative Solutions for
hands-on Science



PASCO PORTAL ROSEVILLE HIGH SCHOOL

Experiment Library: PASCO Collection

Lab Collections > Middle School Science Lab Station Activities

Middle School Science Lab Station Activities

This collection of labs supports the experiments in the Middle school Lab Station equipment kits and includes activities for the wireless force and acceleration, motion, light, sound, temperature, pH, weather, and carbon dioxide sensors.

Grade Level: Middle School Subject: Earth Science

Related Products

Activities (10)

Search by name or description

01 **Describing Motion**
Students will use a motion sensor to investigate how position, velocity, and acceleration.

02 **Humidity and Dew Point**
Students use a weather sensor to examine the differences between absolute and relative humidity and relate those.

03 **Night and Day**

Select resource(s) to download or share

Share to Google Classroom

OR

canvas Blackboard schoology D2L BRIGHTSPACE



Realize the full potential of PASCO's hands-on science solutions with **PASCO PORTAL**.

Hands-On Science

Our wireless sensors and engaging activities are the perfect way to introduce K-8 students to inquiry-based discovery learning without overwhelming them. With our solutions, students of all ages can engage in the active learning process as they navigate their way through hands-on exercises that form lasting STEM foundations.



PASCO PORTAL


Add PASCO PORTAL for amplified hands-on learning. PASCO Portal seamlessly integrates hands-on activities with lessons and simulations, ensuring students get the best of both worlds. And, whether you're just starting out with a few PASCO sensors or you use our fully supported curriculum solutions, PASCO Portal is an invaluable resource for your science classroom.



Elementary Science Starter Lab Station

PS-3314

The Elementary Science Starter Lab Station makes it easy and affordable to begin using sensor-based technology in your elementary science class. Inside the Starter Lab Station are the wireless sensors used to perform seven activities from the Essential Elementary Science Lab Manual. Available separately is the Elementary Science Extension Lab Station (PS-3315) which, when combined with the Elementary Science Starter Lab Station, comprises all the wireless sensors used to perform the ten labs inside the Essential Elementary Science Lab Manual. Once comfortable, you can explore our growing set of over 40 elementary labs in our online experiment library!



Elementary Science Lab Station with extension sensors

Starter Station Lab Titles (1-7)

1. Temperature and Change
2. Evidence of Chemical Reactions
3. Thermal Insulators and Conductors
4. Can Plants Survive Without Light?
5. How a Greenhouse Works: Heat
6. How a Greenhouse Works: Light
7. MatchGraph

Extension Station Lab Titles (8-10)

8. Determining Sound Levels
9. Weather and Climate: Microclimates
10. Weather and Climate: Monitoring Weather



The Elementary Science Starter Lab Station is a complete solution that includes these wireless sensors and materials:

- Temperature
- Light
- Motion
- Storage Case
- Lab Manual

The Elementary Science Extension Lab Station has the additional wireless sensors (Sound PS-3227 and Weather PS-3209) needed to perform all 10 labs inside the Essential Elementary Science Lab Manual.

Order Information

Elementary Science Starter Lab StationPS-3314

Elementary Science Extension Lab Station.....PS-3315




STEM GREENHOUSE KIT

Explore modern greenhouse technologies with sense and control capabilities. This solution includes all of the sensors, data collection, coding tools, and equipment you need to get started. (See pages 28-29)

Middle School Science Starter Lab Station

PS-3312

The Middle School Science Starter Lab Station makes it easy and affordable to begin using sensor-based technology with your middle school students. Inside the Starter Lab Station are the wireless sensors used to perform six activities from the Essential Middle School Science Lab Manual. Available separately is the Middle School Science Extension Lab Station (PS-3313) which, when combined with the Middle School Science Starter Lab Station, comprises all the wireless sensors used to perform all 10 labs included inside the Essential Middle School Science Lab Manual, as well as many of the Middle School labs in PASCO's online experiment library.



Middle School Science Lab Titles

The Middle School Science Starter Lab Station supports 6 of the 10 labs. Add the Extension Lab Station* to do all 10 lab titles.

1. Describing Motion
2. Humidity and Dew Point*
3. Night and Day
4. Seasons and Temperatures



5. Thermoregulation

6. Introduction to Acids
7. Photosynthesis*
8. Acid Rain and Weathering
9. Forces and Interactions*
10. Waves and Energy*

The Middle/Secondary School Science Starter Lab Station includes these wireless sensors and materials:

- Temp
- Light
- pH
- Motion
- Storage Case
- Lab Manual

The Middle School Science Extension Lab Station has the additional wireless sensors (CO₂ PS-3208 and Weather PS-3209) needed to perform all 10 labs inside the Essential Middle School Science Lab Manual.



Middle School Science Lab Station with extension sensors

Order Information

Middle School Science Starter Lab StationPS-3312



Middle School Science Extension Lab Station.....PS-3313

Wireless Temperature Sensor



PS-3201

Welcome to the modern thermometer. Now, students can access real-time data that continuously monitors, logs, and plots temperature measurements on nearly any device. When lab time ends but the experiment continues, students can set the sensor to log data autonomously for days, then download it for analysis later. This durable, wireless sensor features a stainless steel probe for the most demanding of applications, as well as a battery that lasts up to a year. It can be used in a wide array of experiments and activities because it measures small but significant temperature changes produced by chemical reactions, convection currents, and even skin temperatures.



Order Information

Wireless Temperature Sensor PS-3201

Wireless Temperature Sensor Pack PS-3330

Note: Price for multi-sensor packs includes 8 sensors and custom storage case.

Wireless pH Sensor



PS-3204

The Wireless pH Sensor is a must-have for any science course. Equally capable in the lab or field, the sensor eliminates the hassle of cables, reducing spills and improving safety. Plus, it rarely requires charging; the sensor's coin cell battery lasts for 2-3 years in most labs and costs about one dollar to replace. It can transmit data in real time, or store data for days when continuous monitoring is required. The Wireless pH Sensor enhances countless activities, including acid-base titrations, investigations into household chemicals, analyses of chemical reactions, water quality studies, and much more.



Order Information

Wireless pH Sensor PS-3204

Wireless pH Sensor Pack PS-3331


Note: Price for multi-sensor packs includes 8 sensors and custom storage case.

Wireless CO₂ Sensor



PS-3208

Measure changes in carbon dioxide (CO₂) gas levels quickly and easily with the Wireless CO₂ Sensor. This temperature-compensated sensor can operate in high humidity environments, such as the included 250-mL sample bottle, and employs live data to make core labs, such as photosynthesis, cellular respiration, and metabolism experiments engaging and impactful. With the ability to store more than 55,000 data points, the sensor also supports long-term studies of carbon cycling that span the course of a single night or an entire weekend.



Order Information

Wireless CO₂ Sensor (Carbon Dioxide) PS-3208Wireless CO₂ Sensor Pack PS-3341**Note:** Price for multi-sensor packs includes 8 sensors and custom storage case.

Wireless Weather Sensor with GPS



PS-3209

The Wireless Weather Sensor is an all-in-one instrument for monitoring complex environmental conditions. It houses several sensing elements within a single unit to provide 19 different measurements. Use the sensor in logging mode with the Weather Vane Accessory for long-term monitoring, or use it as a handheld instrument to study microclimates and local, environmental phenomena.



Weather Vane Accessory
sold separately.



Order Information

Wireless Weather Sensor with GPS PS-3209


Weather Vane Accessory PS-3553

Wireless Motion Sensor



PS-3219

The Wireless Motion Sensor connects to your device via Bluetooth® or USB, and uses ultrasound to measure the position, velocity, and acceleration of objects. This enables students to take turns measuring their own distance from the sensor, while the class observes their motion materializing as a graph in real time. The sensor can detect objects ranging from 15 cm to 4.0 m away, and with no cables to get in the way, students can explore handheld and ceiling-mounted applications.



FREE MatchGraph! Software

Download Mac®, Windows®, and Android™ versions at pasco.com. iOS version available on Apple App Store.



Order Information

Wireless Motion SensorPS-3219

Wireless Motion Sensor PackPS-3337

Note: Price for multi-sensor packs includes 8 sensors and custom storage case.


Wireless Force Acceleration Sensor

PS-3202

Capable of simultaneously measuring force, acceleration, and rotational velocity, this sensor is ideal for experiments involving rotating platforms, moving carts, spring oscillations, collisions, or impulse. The wireless design offers improved measurement accuracy by eliminating cords that affect data collection. Students can use the finger-holes for handheld applications, or mount it onto a cart or rod for more complex experiments.



The Wireless Force Acceleration Sensor is perfect for explorations of Newton's 3rd Law.



Order Information

Wireless Force Acceleration SensorPS-3202

Wireless Force Acceleration Sensor PackPS-3339




Smart Cart (Red & Blue)



ME-1240/ME-1241

The patented Smart Cart is the ultimate tool for studying kinematics, dynamics, Newton's Laws, and more. It is based on a durable ABS body with nearly frictionless wheels, just like our high quality PAScarts. Now, we've added built-in sensors that measure force, position, velocity, and acceleration. The versatile Smart Cart can collect measurements on or off a track and transmit the data wirelessly over Bluetooth®. In essence, it is a wireless dynamics cart that combines all the necessary sensors, without requiring any additional hardware.



U.S. Patent No. 10,481,173

Order Information

Smart Cart (Red)ME-1240

Smart Cart (Blue)ME-1241

Constant Velocity Car

SE-8028A

Turn on the Constant Speed Buggy and watch it go. When it reaches a wall, it flips over and changes directions. This low-cost solution features flashing lights and a sporty appearance. Requires two "C" batteries that are not included. Actual product may vary from picture.




Order Information

Constant Velocity Car (Constant Speed Buggy)SE-8028A

Wireless Sound Sensor

PS-3227

The Wireless Sound Sensor is two sensors in one wireless package: a sound wave sensor capable of measuring changes in frequency as pitch changes, and a sound level sensor to determine and compare loudness.



Easily observe and measure beat frequencies




Order Information

Wireless Sound Sensor PS-3227

Wireless Sound Sensor Pack PS-3342

Note: Price for multi-sensor packs includes 8 sensors and custom storage case.



Single Section Wave Motion Demonstrator

SE-9601

The Single Section Wave Motion Demonstrator produces mechanical waves to illustrate many of the properties and behaviors associated with different wave types. Students can explore how the velocity, frequency, and wavelength interact, visualize the superposition of waves, and easily study resonance conditions that cause standing waves.

Order Information

Single Section Wave Motion Demonstrator SE-9601

Wireless Light and Color Sensor

PS-3248

The Wireless Light and Color Sensor features two separate apertures: One measures ambient light from the side of the box, and the other measures percent color of directional light at the end of the box.



Order Information

Wireless Light and Color Sensor PS-3248

Wireless Light Sensor Pack PS-3338


Note: Price for multi-sensor packs includes 8 sensors and custom storage case.

Color Mixer

OS-8496

With three independently controllable LEDs, the Color Mixer offers a simple way to explore light and color with your students. It functions as both a demonstration tool and an expansion piece to the Basic Optics System.

The intensity of the red, green, and blue LEDs can easily be varied, either individually or all together. Demonstrating additive color mixing is as simple as using any flat surface to project the light upon.



Use it as a projector in classroom demonstrations. Individually adjust the intensity of the super bright red, green, and blue LEDs.



Order Information

Color Mixer OS-8496



Standard Compound Optical Microscope

SE-6213

Standard optical microscope great for general viewing of cell structures at 40x, 100x, 400x viewing. Gives insights to topics from Biology, Life Science, Anatomy and Physiology, Cellular and Field Biology. High quality optical lenses allow for fine details in high contrast can be studied in appropriate detail for starter to experienced microscope users. Perfect for establishing labs with sets of durable equipment classes can use for years. Compatible with student or professionally prepared slide set like the Microscope Slide Kingdom survey (SE-6214) gives students a solid start to explore cellular features and concepts across all living kingdoms.

Features:

- Observe small specimens like plant, animal, and bacterial cells, translucent objects such as insect larvae, or fine particles like powder
- 10 x eye piece
- 10x eyepiece and 4x, 10x, and 40x (oil) objective lenses provide magnification options of 40x, 100x, and 400x
- Adjustable focus between coarse and fine settings
- Dual light source (upper and lower LED) provides adjustable brightness
- Cord or cordless power options (External AC/DC Adaptor or 3xAA Batteries)
- Equipped with a plain stage with clip and single lens condenser with disc diaphragm



Sample imagery above captured with standard eyepiece USB camera. Slides from the *Kingdoms Survey, Prepared Slide Set* (sold separately)



EcoZone System

ME-6668

PASCO's EcoZone System is designed to help students model and understand the complex interactions within and among different ecosystems. The three clear acrylic EcoChambers are specially designed to accommodate PASCO sensors, making qualitative and quantitative measurements very easy to observe.

With three interconnected chambers, students can model the interaction between three different ecosystems. Choose the traditional terrestrial, aquatic, and decomposition environments or create unique biomes to model and measure. Decouple the system for isolated investigations. How does the availability of light affect the ecosystem? Students can create two identical ecosystems for precise control of variable impact.

Order Information

EcoZone SystemME-6668



Renewable Energy Kit

ST-7611

Using PASCO's renewable energy kit, students will be challenged to create a designs for solar and/or wind power that maximize energy output under explored sets of conditions. Students have full control of blade number, blade angles, electric loads, solar incidence, affect of dust on solar cells in order to find the optimal orientation for power generation. This is a great way to leverage the knowledge they've acquired for an engineering design challenge and bring STEM into your classroom.

Order Information

Renewable Energy KitST-7611



Basic Modular Circuits Kit

EM-3535

These circuit modules are designed specifically for introductory circuits investigations. For students who have never wired a circuit, this modular system makes it easy for them to see their circuit physically laid-out exactly as it appears in their circuit diagram.

Each module connects mechanically to another by sliding the tabs into each other. It works on any tabletop. No special surface is required. To electrically connect two modules, students insert a jumper clip, which emphasizes that an electrical connection has been made. The large size of the modules (8 cm x 8 cm) enables all the students around the table to see and understand the completed circuit.



Each module connects mechanically to another by sliding the tabs into each other. To make them visible, many of the components are mounted on top of the module or in a well for protection.



Order Information

Basic Modular Circuits Kit EM-3535

STEM SENSE SOLUTIONS



STEM Sense solutions help foster early success in science and STEM education with cross-curricular investigations that help learners build strong foundations in science, programming, and data literacy. Each complete kit includes an easy-to-use coding device, award-winning software with Blockly coding, hands-on and phenomena-based investigations, and the equipment and supplies students need to complete each activity.





Student Activities and Teacher Resources

Whether they're new programmers or hobby hackers, STEM Sense Kits make it easy to support students of all learning levels with a variety of scaffolded activities and open-ended challenges. Each lesson is based upon the latest science standards and incorporates cross-curricular connections to reinforce key concepts in computer science, mathematics, and language arts.

SPARKvue + Block-Based Programming

SPARKvue offers all the benefits of a visual coding environment with additional features for data collection, visualization, and analysis. When students execute a program in SPARKvue, they can monitor sensor data collection in real time, displaying it in digits, graphs, and/or text. Students can also combine PASCO sensors and coding devices, such as the //code.Node, to create programs that interact with the physical world. With PASCO and Blockly, students can learn how to create, modify, and execute block-based coding programs while developing the skills they'll need to progress on to traditional text programming languages like Java, Python, and C++.

Coding & Control Devices + Equipment

The //code.Node and //control.Node bridge the gap between science and computer science to provide students with hands-on learning opportunities that promote literacy in science, programming, and data collection. All PASCO coding devices integrate with our sensors and data collection and coding software, enabling students to perform basic coding with technology activities as well as more advanced sense and control investigations. STEM Sense Kits come ready-to-use with all the additional equipment and supplies required to do the activities, including magnets, tuning forks, the //code.Node Cart, the PASCObot, and much more.



PASCObot Sense & Control Kit



Greenhouse Sense & Control Kit



//control.Node Sense & Control Kit

SPARKvue & Blockly Coding: Computational Thinking Meets Data Literacy

The Integration of Blockly into SPARKvue software provides science and STEM teachers with an intuitive coding platform that fits their needs. Rather than introducing students to coding independently, Blockly integrates computational thinking into the exploration of phenomena to provide learners with a new world of STEM opportunity.

With Blockly, students can create custom data collection parameters, feedback loops, data displays, and so much more.

Use Blockly in SPARKvue to:

- Introduce students to computational thinking
- Investigate phenomena while learning to code
- Create data-driven feedback loops
- Program data collection parameters for any PASCO sensor or interface

Create code that collects, displays, and responds to sensor data! Interact with the physical world using the PASCO //code.Node or //control.Node.

Support computational thinking in science with ready-to-use Blockly extension activities.

Free award winning data collection and analysis software now runs in your browser!

We're excited to announce SPARKvue is now available free of charge on all your devices as a browser-based application. This new version of our software as a Progressive Web Application (PWA) means you have free access to the powerful features of SPARKvue from *any Chromium-based browser*. **Go to sparkvue.pasco.com to access the PWA**. SPARKvue is also available as a FREE app for Chromebook™, iPad®, Android™ tablets, and Apple® and Android™ smartphones.

 SPARKvue®

Launch now as
a Web App



Download on the
App Store



Available in the
Chrome Web Store



Looking for additional options? See pasco.com/sparkvue for more details.

PASCO's award-winning data collection and analysis software includes Blockly coding with data displays!


Getting started with //code.Node is quick and easy. Simply connect the //code.Node to SPARKvue and begin coding instructions for its sensor inputs and device outputs. As the code is executed, SPARKvue displays real-time data from the //code.Node's active sensors, which triggers a response from the //code.Node's lights and sounds. Other PASCO sensors may also be used in Blockly programs, enabling students to explore a new world of opportunity.



Explore more advanced coding applications with the //control.Node.




Use Blockly with any PASCO Wireless Sensor!



Select one or more //code.Node sensor inputs and a device output.

Pair //code.Node to your device, or use it in standalone mode.




Drag and drop coding blocks to create a functioning program. Then execute it!

HELLO

Meet //code.Node!

The //code.Node is a hands-on coding device with interactive sensors, lights, and sounds that make learning to code a real-life STEM adventure. Designed for ages eight to fourteen, the //code.Node helps kids harness their natural curiosity to create block-based programs that bring their ideas to life.

Whether they're interested in cars, robots, sports, or science, //code.Node allows students to explore the things they love through coding. Together, the //code.Node, interactive activities, and step-by-step video lessons enable new coders to master the basics at their own pace while the accessories and wrist-strap ensure confident coders never run out of possibilities.





Coding with Sensor Technologies Kit

ST-7800

The Coding with Sensor Technologies Kit introduces students to coding and includes ten hands-on investigations that explore science phenomena using the //code.Node's programmable sensors, lights, and sounds.

Student Activities and Video Lessons

The Coding with Sensor Technologies Kit includes ten investigations with video lessons, printed student worksheets, and an interactive digital flipbook that presents the resources in an engaging, student-friendly format. Each lesson is based upon the latest science standards and incorporates cross-curricular connections to reinforce key concepts in computer science, mathematics, and language arts.



Activities and Video Lessons

- Magnetic Polarity
- Random Number Cube
- Automatic Nightlight
- Light Bulb Efficiency
- Clap On
- What's the Origin?
- Investigating Sound Levels
- Step Counter
- Intruder Alarm
- Digital Thermometer

Build career awareness with activities that make real-world connections to:


- Engineering with real-life sensors
- Designing “smart” home technology
- Programming and developing sensor-based safety features

Help students develop competency in:

- Problem-solving, logical reasoning, and critical thinking
- Computational thinking
- Data collection and analysis
- Mathematics
- Technology and programming

Block-Based Coding

Blockly simplifies the programming process for new coders. Visual coding blocks connect like puzzle pieces to help students master the basics of programming without having to worry about syntax.



Coding with Sensor Technologies Equipment

The Coding with Sensor Technologies Kit includes a //code.Node, two painted bar magnets, and a //code.Node Holder with wrist-strap. Wireless and easy-to-use, the //code.Node includes six sensor inputs, a speaker, RGB light, and an LED Array, all of which enable students to explore exciting phenomena using block-based programs that collect, display, and respond to data.



Includes:

- //code.Node
PS-3231
- //code.Node Holder
PS-3233
- Painted Bar Magnet (Pair)
SE-7593
- Color-Printed Booklet of Student Activities

Order Information

Coding with Sensor Technologies Kit.....ST-7800

Coding with Sensor Technologies Kit
(without //code.Node)ST-7801



Coding with Vehicle Sensor Technologies Kit

ST-7820

Explore the science and sensors behind today's modern vehicles while teaching students about physical science as they design, test, measure, and code with sensors that mimic real-world vehicle technology.

Student Activities and Video Lessons

This complete kit includes five investigations with video lessons, printed student worksheets, and an interactive, browser-based flipbook that presents the resources in an engaging, student-friendly format. Each lesson is based upon the latest science standards and incorporates cross-curricular connections to reinforce key concepts in computer science, mathematics, and language arts.



Activities and Video Lessons

- Crash Test - Impact Alert System
- Investigating Odometers
- Engineering Turn Signals
- 3-2-1 Launch!
- The Need for Speed - Radar Detectors



Build career awareness with activities that make real-world connections to:

- Automotive engineering
- Real-life vehicle sensors
- Crash test engineering


Help students develop competency in:

- Problem-solving, logic, and critical thinking
- Computational thinking
- Data collection and analysis
- Mathematics
- Technology and programming



Block-Based Coding

Blockly simplifies the programming process for new coders. Visual coding blocks connect like puzzle pieces to help students master the basics of programming without having to worry about syntax.



Coding with Vehicle Sensor Technologies Equipment

The Coding with Vehicle Sensor Technologies Kit comes classroom-ready with all the equipment, accessories, and software needed to complete the included activities. The complete kit includes a //code.Node, a //code.Node Cart, a color-printed booklet of student activities, two light spring bumpers, six 50-g masses; a 1.5-m roll of measuring tape, a spool of thread, and two block person figurines.



Includes:

- //code.Node PS-3231
- //code.Node Cart PS-3235
- Color-Printed Booklet of Student Activities
- Light Spring Bumpers (Qty. 2)
- 50-g Masses (Qty. 6)
- Soft Measuring Tape, 1.5 m
- Spool of Thread
- Block Person Figurines (Qty. 2)

Order Information

Coding with Vehicle Sensor Technologies KitST-7820

Coding with Vehicle Sensor Technologies Kit
(without //code.Node)ST-7821




Coding with Sound and Light Sensor Technologies Kit

ST-7830

The Coding with Sound and Light Sensor Technologies Kit engages students in the exploration of light and sound with five hands-on coding investigations that use familiar phenomena and real-world sensors to bring concepts to life.

Student Activities and Video Lessons

This complete kit includes five investigations with video lessons, printed student worksheets, and an interactive, browser-based flipbook that presents the resources in an engaging, student-friendly format. Each lesson is based upon the latest science standards and incorporates cross-curricular connections to reinforce key concepts in computer science, mathematics, and language arts.



Activities and Video Lessons

- What is a Color Sensor?
- RGB LED - How to Program Color
- Engineering Sound Level Meters
- Detect an Intruder - Home Alarm Systems
- Investigating Electronic Tuners



Build career awareness with activities that make real-world connections to:

- Audio engineering and light technicians
- Programming and developing sensor-based security features
- Real-world innovations in sound and light technology


Help students develop competency in:

- Problem-solving, logic, and critical thinking
- Computational thinking
- Data collection and analysis
- Mathematics
- Technology and programming



Block-Based Coding

Blockly simplifies the programming process for new coders. Visual coding blocks connect like puzzle pieces to help students master the basics of programming without having to worry about syntax.



Coding with Sound and Light Sensor Technologies Equipment

The Coding with Sound and Light Sensor Technologies Kit includes everything students need to explore concepts in light and sound through STEM. The complete kit includes: a //code.Node; a //code.Node Holder with wrist strap; two tuning forks of different frequencies; a small flashlight; a color-printed booklet of student activities; a set of colored paper; and five sheets of aluminum foil.



Includes:

- //code.Node PS-3231
- //code.Node Holder PS-3233
- Color-Printed Booklet of Student Activities
- Small Flashlight
- Tuning Fork, Various Frequency (Qty. 2)
- Colored Paper, Various 4" x 4" Sheets (Qty. 35)
- Aluminum Foil Sheet, 4" x 4" Sheets (Qty. 5)

Order Information

Coding with Sound and Light Sensor Technologies Kit ST-7830

Coding with Sound and Light Sensor Technologies Kit (without //code.Node) ST-7831


PASCObot

SENSE & CONTROL KIT


When nestled inside the PASCObot, the //control.Node serves as a brain, providing both power to the bot and memory storage for students' code.



Build your bot in minutes with simple components and connector pieces that bring power to its wheels.



Navigate custom paths, obstacles, and more with code blocks that drive the bot forwards, backwards, or around corners and curves.




Create programs that control how the PASCObot identifies and responds to objects! Pick up a can, stack cups, or avoid objects entirely with the included Range Finder.

Stream code to the bot in real time or use the rechargeable //control.Node to run programs autonomously!

Designed for ages 11+, the PASCObot Sense & Control Kit includes everything students need to explore STEM through coding and robotics. Whether they're new programmers or hobby hackers, the PASCObot makes it easy to support students of all levels with a variety of scaffolded and open-ended activities.

This complete kit includes a PASCObot and //control.Node, as well as all the accessories needed to program how the bot interacts with its environment. From simple movements and spins to object avoidance to complex obstacle courses, there's no limit to what students can create with PASCObot.



The Line Follower Module lets the PASCObot detect and respond to custom line paths that students create using the included tape.



The Range Finder Module gives the PASCObot sight, allowing it to locate, avoid, and respond to objects based on code.


The PASCObot's motion is controlled by two Stepper Motors, which connect to the bot's wheels. Compatible with other STEM Sense products, the Stepper Motors can be controlled individually to move the bot forwards, backwards, and around corners and curves.



Wireless and rechargeable, the //control.Node has two ports for stepper motors, two ports for servo motors, and one port for digital sensors.



Design custom obstacle courses using the included cups and tape. Then create code to navigate the bot through the course!



The PASCObot Gripper Accessory opens a new world of opportunity by enabling students to program the bot to move, pick up, or even stack a variety of objects. When used with the included Range Finder, the PASCObot Gripper Accessory allows students to control how the bot identifies and interacts with objects.



Order Information

PASCObot PS-2994

PASCObot Sense & Control Kit ST-7840

The PASCObot Sense & Control Kit (shown above) comes with the PASCObot (body, wheels, stepper motors and //control.Node) and all of the modules and accessories shown above. See below and right for individual ordering.

PASCObot Line Follower Module PS-3320

Order Information

PASCObot Range Finder Module PS-3321

PASCObot Gripper Accessory PS-3325

PASCObot Servo Motor SE-2975

Black and White Tape (rolls) SE-2953

Colored Plastic Cup Set (5) SE-2952



Greenhouse Sense & Control Kit

ST-2997

Designed for the exploration of biological and ecological concepts, the Greenhouse Sense & Control Kit includes everything students need to design, build, program, and study their very own greenhouse.

Student Activities

The Greenhouse Sense & Control Kit includes five student activities that can be edited to fit your course needs. Each activity focuses on a key concept in biology or environmental science and includes extensions to engineering and design practices.



Student Activities

- Program a Sunny Day for Plants
- Code a Cooling Breeze
- Program Perfectly Timed Rain
- Optimize Water Movement
- Program a Greenhouse Sense and Control System

Build career awareness with activities that make real-world connections to:

- Agricultural monitoring
- Ecological management
- Plant physiology

Help students develop competency in:

- Coding
- Problem solving
- Data collection and analysis
- Ecological concepts
- Science and Engineering practices



Block-Based Coding

The Blockly integration within SPARKvue software makes it easy for students to master the basics of programming, without having to worry about syntax. Rather than overwhelming students with options, Blockly focuses on building coding literacy through a library of customizable, drag-and-drop coding blocks.

As they combine coding blocks, students are provided with visual feedback that lets them know whether two coding blocks are compatible. After mastering the basics, students can go on to create their own programs, complete with custom conditions, commands, data displays, and more. With Blockly and STEM Sense, students can pursue all types of investigations—from single-day experiments to semester-long studies.

Greenhouse Sense & Control Kit Equipment

This complete kit includes an EcoChamber and //control.Node, Soil Moisture Probe, Power Output Module, USB Fan, and Water Pump, PASCO Grow Light, tubing with drip-watering ends, and a Greenhouse Sensor that measures light, temperature, humidity, and soil moisture.




Order Information

Greenhouse Sense and Control Kit ST-2997

Create your own ecosystem, optimize growth, and more!

Support authentic science practices while conserving time with automated sensor measurements that make daily observations quick and easy.



Ideal for studies in biology, environmental science, and STEM, the Greenhouse Sense & Control Kit comes fully customizable, enabling students to explore countless interactions between plants and environmental factors.

Potential topics of study include soil moisture, humidity, temperature fluctuations, light availability, inter- and intraspecies competition, wind disturbance, and so much more.

//control.Node

SENSE & CONTROL KIT

The //control.Node Sense & Control Kit helps students discover the engineering and design process through a series of exploratory STEM challenges. It includes a wide variety of programmable components—ranging from smart coding devices and accessories to servo motors and supplies. A collection of six scaffolded, starter projects is also included to help students practice applying elements of the engineering and design process to various real-world scenarios.



//control.Node Sense & Control Kit

PS-5050

The //control.Node Sense and Control Kit empowers students to create and explore through code. This kit includes a //control.Node and accessories that students can use to turn on lights, run a cooling fan, open doors, launch rubber bands, and much more. The kit also includes materials and instructions for six projects:

- Night Light
- Game with Meter
- Automatic Door Opener
- Thermostat-Controlled Fan
- Light-Activated Winch
- Remote Control Rubber Band Launcher

These projects use elements of the engineering design process:

- Define the problem
- Research solutions
- Design a prototype
- Test solution
- Iterative design and improvement





GET STARTED

Learn about the components of PASCO's //control.Node Sense & Control Kit (PS-5050) and how to program them with Blockly code, included with SPARKvue software.

//control.Node Sense & Control Kit




Motor Bracket and Stand

USB Fan
PS-6206Power Output Module
PS-3324//control.Node PS-3232
(ships in separate box)Servo Motor
SE-2975//code.Node
PS-3231Lightbulb & Stand
with CableStepper Motor
PS-2976

Pulley



Small Magnet

Jumbo Paper Clips
Qty. 10Rubber Bands
Qty. 10

House and Meter Paper Templates

Note: Not pictured are 4 bolts and 4 nuts.

**Includes:**


- //control.Node
- //code.Node
- Servo Motor
- High Speed Stepper Motor
- Fan (USB)
- Lightbulb and Stand
- Motor Bracket and Stand
- Power Output Module
- Physics String (not pictured)
- Small Magnet
- Pulley
- Electrical Wires (2)
- Rubber Bands (10)
- Paper Clips for Servo Pushrods (10)
- Mounting Bolts and Nuts for Motors
- House and Meter Paper Templates
- Phillips Screwdriver (not pictured)

Order Information

//control.Node Sense and Control Kit..... PS-5050

Sense and Control Kit (without //control.Node) PS-5051

This kit is intended for courses that already have a //control.Node. The kit is identical to PS-5050 except it does not include a //control.Node (PS-3232).



Building Better Bridges Kit

ME-3581

Now is the perfect time for your students to learn about bridge-building and how bridges really work. This complete STEM kit allows students to learn and apply engineering design concepts. They can use the included I-Beams to build bridges and structures that behave like the real thing! And, with the included Wireless Load Cell, students can measure forces under tension or compression anywhere in their structures.

Concepts:

- Forces in Equilibrium
- Internal Forces
- Moments in Equilibrium
- Strength of Members
- Truss Analysis

Includes:


- Lab Activities (Qty. 1)
- Wireless Load Cell and Accelerometer (Qty. 1)
- Truss Connector (Qty. 16)
- Truss Screw (Qty. 80)
- Sliding Connector (Qty. 1)
- Mass Hanger (Qty. 1)
- Weight Set (Qty. 1)
- #1 Flexible I-Beam Member (Qty. 6)
- #2 Flexible I-Beam Member (Qty. 2)
- #3 Flexible I-Beam Member (Qty. 10)
- #4 Flexible I-Beam Member (Qty. 18)
- #5 Flexible I-Beam Member (Qty. 8)
- Gratnells® Storage Tray and Foam Liner (Qty. 1)

Building Better Bridges includes everything students need to build, measure, and test a truss bridge—plus a Gratnells® Storage Tray to keep it all organized.



Order Information


Building Better Bridges Kit ME-3581



With the PASCO Structures System, students can quickly build, test, and redesign their structures while learning about the engineering process. Construction is easy: Simply fit an I-beam into a Connector, and secure it with thumbscrews.



Wireless Load Cells can be placed anywhere in your structure to make real-time measurements of tension and compression.



PASCO software lets students create live graphs of forces over time, compare measurements from different points, and analyze their results.

Motorized Crane

ME-7030

The Motorized Crane is made using PASCO Structures and is controlled and powered by the //control.Node. Students program the controller to run the stepper motor and servo motors using Blockly coding embedded in PASCO Capstone or SPARKvue software.

The crane picks up objects with an electromagnet which is also controlled and powered by the //control.Node. Students can vary the duty cycle to control the power of the electromagnet to explore the minimum power required to pick up different objects.

Steel washers are included with stickers to adhere to non-ferrous objects (such as paper cups) so the electromagnet can pick them up.



The crane includes three sets of gears to explore the effect of gear ratios (1:1, 2:1, 4:1) on speed and lifting capability.

Activities:

- Build the Motorized Crane
- Introduction to Stepper and Servo Motors
- Position Boom Angle and Electromagnet height to reach a position
- Pick up a ball and drop it into a cup on a different level
- Effect of Gear Ratios on Speed
- Effect of Duty Cycle on the Load the Electromagnet Can Lift
- Effect of Spool Diameter

Features:

- The controller can execute its code via Bluetooth® or USB connection to a computer or autonomously via uploaded code.
- The motors and electromagnet on the crane are powered by the rechargeable battery in the //control.Node.
- The position and speed of the stepper motor and electromagnet can be displayed in the software while the code is executed.
- The cable spool has two diameters to learn about mechanical advantage.
- The //code.Node accelerometer is used as a joystick to move the crane so the crane can learn the locations of certain positions.
- Students build the crane and can change the design using additional Structures parts.
- Any PASCO sensor can be used with the crane to expand its capabilities.



Includes:

- //control.Node (PS-3232)
- //code.Node (PS-3231)
- Low Speed Stepper Motor (PS-2978)
- Power Output Module (PS-3324)
- Servo Motor (2) (SE-2975)
- Gear Set (ME-7021)
- Turntable (ME-7024)
- Electromagnet (ME-7027)
- Structures I-Beams (45)
- Structures Connectors (26)
- Structures Counterweight (ME-7037)
- Truss Set Screws (2 sets of 75) (ME-6994)
- Axles (4)
- Small Pulley (2)
- Motor Mount (set of 2) (ME-7020)
- Spool and Bearings (2) (ME-7022)
- //control.Node Platform (ME-7042)
- 0.625-inch Steel Ball (2)
- Storage Box

Order Information

Motorized Crane ME-7030



Motorized Drawbridge

ME-7028

Build this drawbridge from PASCO Structures, add a stepper motor and gears, and raise and lower it using code you write. This bridge kit also includes a Wireless Load Cell/Accelerometer that can be used to measure forces within the bridge while it moves.

Activities:

- Build the drawbridge.
- Raise and lower the drawbridge.
- Measure forces in top and bottom beams.
- Measure support forces.
- Explore the effect of the counterweight on motor acceleration.
- Explore the effects of different gear ratios.
- Use the load cell as a limit switch.
- Operate the drawbridge in response to a signal.



The load on the front bridge support (blue), the load on the back bridge support (red), and the total of the two loads (green) are plotted in real time as the bridge is raised and lowered.



Includes:

- //control.Node (PS-3232)
- Wireless Load Cell and Accelerometer (PS-3216)
- Low Speed Stepper Motor (PS-2978)
- Gear Set (ME-7021)
- Structures Counterweight (ME-7037)
- Structures I-Beams (40)
- Structures Connectors (18)
- Structures 6-32 Screws (100)
- Structures Long Axle (1)
- Motor Mount (1)
- Storage Box

Order Information

Motorized DrawbridgeME-7028

Robot Car Kit

ME-7029

The Robot Car is built by students using PASCO Structures. The stepper motors and servo motors that make it move are controlled using a //control.Node connected to a computer through Bluetooth®. Students program the bot using Blockly coding embedded in PASCO Capstone or SPARKvue software.

Activities:


- Build the Robot Car.
- Move the Robot Car forward and backward.
- Turn the Robot Car.
- Power steer the front wheel.
- Move objects with the Gripper.
- Build a two-wheel Robot Car.

Further Exploration:

- Add a Wireless Motion Sensor to avoid obstacles.
- Add two Light Sensors to follow a line.
- Add a //code.Node to steer the Bot.
- Add a //code.Node for turn signals.
- Add a Wireless Light Sensor to sort colored objects.

Features:

- Multiple configurations: With and without the gripper, two wheels or three wheels, front-wheel steering or dual back-wheel steering
- Adjustable: Add other PASCO Structures components to change the Robot Car's design
- Expandable: Add other PASCO sensors to expand the car's capabilities



Includes:

- //control.Node (PS-3232)
- High Speed Stepper Motor (2) (PS-2976)
- Servo Motor (2) (SE-2975)
- Structures Gripper (ME-7025)
- Gear Set (ME-7021)
- Caster Wheel (ME-7023)
- Structures Hinge (ME-7026)
- Truss Set Screws (set of 75)
- Structures I-Beams (14)
- Structures Connectors (7)
- Structures Full-Round Connector (2)
- Structures Wheels with Tires (2)
- Structures Medium Axle
- Motor Mount (3)
- //control.Node Platform

Order Information

Robot Car ME-7029

Motor Mount (Set of 2)

ME-7020

Mount motors to PASCO Structures using the Motor Mount. The Motor Mount fits either a PASCO Stepper Motor or regular size servo motor.

The included spline shaft adapter fits onto the spline of the motor to create a shaft that fits through a hole in the Motor Mount. The motor attaches to the Motor Mount with four screws. The Motor Mount has the same connection features (pin and screw hole) that the Structures I-beams have so it can be attached to any Structures connector.

The Motor Mount is also used to mount the gripper arms on the Structures Gripper.



Order Information

Motor Mount (Set of 2) ME-7020

Spool and Bearings

ME-7022

This two-step spool is used to make a powered winch with PASCO Structures. The spool is secured onto a Structures axle with the included anti-backlash screw. The axle passes through the two included plastic bearings that are screwed to the Structures connectors. These bearings ensure smooth rotation of the axle.

String can be wrapped around either step of the spool to explore the difference in speed and torque made by the spool's diameter.



Order Information

Spool and Bearings ME-7022

Gear Set

ME-7021

These three pairs of gears are driven by stepper motors or servo motors to make PASCO Structures move. These three pairs enable three different gear ratios (1:1, 2:1, 4:1) with the same shaft separation, making it easy to change gear ratios.

The gears are secured on the motor shaft or PASCO Structures axles using the included anti-backlash screws.

The 60T and 72T gears have the hole and threaded hole features that allow a Structures I-beam to be attached directly to the gear.



Order Information

Gear Set ME-7021

Caster Wheel

ME-7023

The Caster Wheel is part of the Motorized Robot Car but can also be purchased separately to add to your own PASCO Structures designs.



Turntable

ME-7024

The Turntable is designed to rotate cranes made from PASCO Structures. Add a stepper motor to drive the gear mechanism. Connect any structure built with a square composed of #3 I-beams and connectors.



Order Information

Caster Wheel ME-7023

Turntable ME-7024

Structures Gripper

ME-7025

Add the Gripper to PASCO Structures to grab objects. Attach a stepper motor or servo motor to the Gripper to drive the gear that opens and closes the Gripper arms. The Gripper has the same pin and screw features used to connect a Structures I-beam to a connector, making it easy to attach the Gripper to any existing PASCO Structure.

Features:

- Gripper mounts to PASCO Structures using the same pin and screw features that are used to connect an I-beam
- Elastic bands add gripping friction
- The //control.Node can detect the increase in servo current so you can tell when the Gripper has closed on an object.



Order Information

Structures Gripper ME-7025

Structures Hinge

ME-7026

Use the Hinge with the Structures to make movable joints. The Hinge is designed to be used with the PASCO Structures axles and the Hinge can be locked into place on the axle with two screws. The Hinge has attachment features for up to three Structures I-beams.



Structures Counterweight

ME-7037


The Counterweight is used to offset the weight of drawbridges and cranes, making them more balanced and requiring less torque to move. Each side has a 6-32 threaded hole and two non-threaded holes that match the same form factor as the Structures I-beam connectors. This allows the Counterweight to be held onto the Structures using I-beams and 6-32 screws.



Order Information

Structures Hinge ME-7026

Structures Counterweight ME-7037



Electromagnet

ME-7027

This Electromagnet can be attached to a winch on a Structures crane to pick up objects. The Electromagnet is powered using a Power Output Module plugged into a //control.Node.

The Electromagnet includes steel washers and stickers to attach to an object so the Electromagnet will be able to pick up a non-ferrous object such as a paper cup.

Vary the power to the Electromagnet by varying the duty cycle of the applied 5 volts.




Order Information

Electromagnet ME-7027

BIOLOGY

Visualize data of living systems for better understanding



Select resource(s) to download or share

Share to Google Classroom

OR

canvas Blackboard schoology D2L BRIGHTSPACE

SPARKvue

SPARKvue

Biology Starter Lab Station

Ten labs for the Starter Lab Station equipment.

Grade Level: High School | Subject: Biology | Topic: Anatomy & Physiology, +7

Related Products

Activities (10)

Search for activities by name or description

01 Enzyme Action - Pressure Sensor

02 Membrane Permeability (pH sensor)

03 Osmosis



CURRICULUM



CONTENT



SOFTWARE



EQUIPMENT



SUPPORT



HOW TO'S



TRAINING



PRO DEV

Realize the full potential of PASCO's hands-on science solutions with **PASCO PORTAL**.


Hands-On Science

Engage your biology students in the thrill of discovery with world-class solutions from PASCO. Our reliable sensors, labs, and software empower students to think like real-life biologists as they form hypotheses, investigate phenomena, and analyze data to make sense of the world around them. With flexible solutions for General, AP®, IB®, and Honors Biology courses, you're sure to find a PASCO solution that's right for you.



PASCO PORTAL

Add PASCO PORTAL for amplified hands-on learning. PASCO Portal seamlessly integrates hands-on activities with lessons and simulations, ensuring students get the best of both worlds. And, whether you're just starting out with a few PASCO sensors or you use our fully supported curriculum solutions, PASCO Portal is an invaluable resource for your science classroom.



Biology Starter Lab Station

EB-6334

The Biology Starter Lab Station makes it easy and affordable to begin using sensor-based technology in your biology lab or classroom. Designed for convenience, the Biology Lab Stations contain the wireless sensors used to perform 10 biology labs, plus many of the labs in our Essential Biology Lab Manual. The ten explorations range from the cellular to organismal level and investigate processes such as respiration, photosynthesis, enzymatic activity, membrane permeability, and osmosis. Students can also investigate cell size, body regulation, and the impacts of environmental factors on reaction rates and organism responses.



Biology Station Lab Titles

The Biology Starter Lab Station supports 7 of the 10 labs. Add the Extension Lab Station* to do all 10 lab titles.

1. Enzyme Action
2. Membrane Permeability
3. Osmosis
4. Plant Respiration & Photosynthesis*

5. Respiration of Germinating Seeds

6. Acid Rain

7. Regulation of Body Heat

8. Plant Pigments*

9. Cell Size*

10. Cellular Respiration in Yeast



The Biology Starter Lab Station

The Biology Starter Lab Station includes these wireless sensors and materials:

• Temperature	• CO ₂
• Pressure	• Storage Case
• pH	• Lab Manual

*To do the remaining 3 labs listed above and another 4 labs from the Essential Biology Lab Manual, add the Extension Lab Station (see page 35) and the Essential Biology Through Inquiry Lab Manual.

Order Information

Biology Starter Lab Station.....	EB-6334
Essential Biology Teacher Lab Manual.....	EB-6331
Biology Extension Lab Station	EB-6335

Advanced Biology Through Inquiry Labs for AP® & IB®

PASCO's award-winning Advanced Biology through Inquiry Teacher Guide is newly revised and contains 18 labs that have been specifically designed to support student inquiry, as well as AP® and IB® curriculum*. This manual is available in a print version and an all-digital version.

- Most labs can be completed in one lab session with readily available materials, including the Biology Lab Stations on the opposite page.
- Easy and meaningful data collection leads to increased time for data analysis and discussion.
- Labs integrate high-order analysis and synthesis questions.
- Includes sample data for investigations and inquiry, answers to analysis and synthesis questions, an assessment rubric, teacher tips, lab preparation information, and more.

Advanced Biology Lab Experiments	Starter Lab Station (EB-6334)	Starter and Extension Lab Stations (EB-6334, EB-6335)	IB® Standards*	Targeted AP® Learning Objectives*
1A. Enzyme Activity (Oxygen)	●	●	2.5	1-2.B; 2-1.F; 2-1.G; 4-3.A
1B. Enzyme Activity (Pressure)		●	2.5	1-2.B; 2-1.F; 2-1.G; 4-3.A
1C. Enzyme Activity (Spectrometer)**		●	2.5	1-2.B, 2-1.F, 2-1.G, 4-3.A
2. Diffusion	●	●	1.4; 10.3	2-1.C; 2-2.C; 2-2.F; 2-2.I
3. Osmosis		●	1.4	2-1.C; 2-2.C; 2-2.F; 2-2.H; 2-2.I; 2-3.A; 2-3.B; 2-3.D; 3-3.A; 3-3.B
4. Plasmolysis		●	1.4	2-2.D; 2-2.F; 2-2.H; 2-2.I
5. Cell Size		●	1.1	1-2.B; 2-1.A; 2-1.B; 2-2.I
6. Homeostasis	●	●	N/A	2-1.M; 2-3.A; 2-3.B; 2-3.D; 3-3.A; 4-3.D
7. Cellular Respiration	●	●	2.8	1-2.B; 2-1.H; 2-1.K; 2-2.K; 4-1.E; 4-1.F
8. Photosynthesis	●	●	2.9	2-1.A; 2-1.I; 2-1.J; 2-1.O; 4-3.A
9. Plant Pigments		●	2.9	2-1.A; 2-1.I; 2-1.J; 2-2.A; 2-2.K; 2-4.C; 4-1.F; 4-3.A
10. Transpiration	●	●	9.1	2-1.A; 2-2.H; 2-2.I; 2-3.A; 2-3.D; 4-3.D
11. Mitosis	No sensors required		1.6	3-1.B; 3-1.C; 3-1.D; 3-1.K
12. Meiosis			3.3; 10.1	3-1.F; 3-1.G; 3-1.H; 3-1.I; 3.1.K; 3-4.A; 4-3.C
13. Energy Dynamics	●	●	4.2	2-1.A; 2-1.H; 2-1.I; 2-4.B; 4-1.G
14. Artificial Selection		No sensors required	N/A	1-1.C; 1-1.D; 1-1.E; 1-1.F; 1-3.A
15. BLAST Bioinformatics			3.1; B.5	1-1.H; 1-1.M; 1-1.N; 1-2.B; 1-2.C; 1-3.A; 1-3.B; 1-3.C
16. Population Genetics			10.3	1-1.C; 1-1.H; 1-1.I; 1-1.K; 1-1.M
17. Mathematical Modeling of Evolution			10.3	1-1.C; 1-1.E; 1-1.H; 1-1.K; 1-1.L; 1-3.A
18. Animal Behavior			A.4	2-3.D; 2-4.B; 3-5.A; 4-1.G

* AP is a registered trademark of the College Board, which was not involved in the production of, and does not endorse, this product. IB is a registered trademark of the International Baccalaureate Organization, which was not involved in the production of, and does not endorse, this product.

** Requires Spectrometer (PS-2600), sold separately.

Order Information

Advanced Biology Through Inquiry Teacher Guide PS-2852A

Includes lab prep instructions, expected answers/results, and editable student files. Manual is available in eco-friendly digital format or in print.



Biology Lab Stations Support Advanced Biology

The Biology Starter and Extension Lab Stations, together with PASCO's *Advanced Biology Through Inquiry Lab Manual*, offer a truly complete Biology solution. With over 25 sensor-based labs that cover a range of Biology and Advanced Biology topics, plus all of the equipment and apparatus required to conduct the labs hands-on, inquiry with data collection and analysis has never been easier or more affordable. For investigations in Physiology, add the Physiology Bundle and extend your studies even further.



Biology Station Lab Titles

Together, the Biology Starter and Extension Lab Stations support over 20 Advanced Biology labs. Conduct the 10 labs below right out of the box.

1. Enzyme Action
2. Membrane Permeability
3. Osmosis
4. Plant Respiration & Photosynthesis
5. Respiration of Germinating Seeds
6. Acid Rain
7. Regulation of Body Heat
8. Plant Pigments
9. Cell Size
10. Cellular Respiration in Yeast



Biology Starter (left) and Extension Lab Stations (right)

Order Information

Biology Starter Lab Station.....EB-6334
Biology Extension Lab Station.....EB-6335
Wireless Physiology Extension Bundle.....PS-2935D

Biology Starter and Extension Lab Stations come standard with 10 Essential Biology Through Inquiry Labs. The Advanced Biology Through Inquiry Lab Manual is sold separately (see page 38 for order information).



Physiology Extension Bundle

PS-2935D

The Physiology Extension Bundle enables students to study the heart cycle, lung function, human respiration, stimulus and response, homeostasis, and more! This bundle includes a Wireless EKG Sensor, a Wireless Spirometer, Spirometer Mouth Pieces, a Wireless Blood Pressure Sensor with Standard Cuff, and a Wireless Hand-Grip Heart Rate Sensor.

1. Wireless EKG Sensor PS-3236
2. Hand-Grip Heart Rate PS-3206
3. Wireless Blood Pressure PS-3218
4. Wireless Spirometer PS-3234
5. Spirometer Mouth Pieces PS-2522






Wireless Weather Sensor with GPS

PS-3209

The Wireless Weather Sensor is an all-in-one instrument for monitoring complex environmental conditions. It houses several sensing elements within a single unit to provide 19 different measurements. Use the sensor in logging mode with the Weather Vane Accessory for long-term monitoring, or use it as a handheld instrument to study microclimates and local phenomena. The collected data can be wirelessly exported to most devices, including classroom device dashboards, making it easier to support group activities that are constrained by time. Plus, with the built-in GPS, students can collect and analyze location data using the SPARKvue map display, powered by ESRI ArcGIS.



Student-friendly weather dashboard to visualize its multiple sensors.



Special map display for analyzing spatial data



With ESRI's ArcGIS online you can visualize data in seconds with a FREE account!



Weather Vane Accessory sold separately.

Order Information

Wireless Weather Sensor with GPS PS-3209

Wireless Weather Sensor with GPS Pack PS-3340

Note: Price for multi-sensor packs includes 8 sensors and custom storage case.

Weather Vane Accessory PS-3553

Wireless Soil Moisture Sensor

PS-3228

The Wireless Soil Moisture Sensor measures the volumetric water content (%VWC) of soil, reporting data in real time or storing it onboard the sensor's memory for long-term experiments. Durable and easy to use, the Wireless Soil Moisture Sensor is the perfect tool for monitoring controlled experiments in the classroom and long-term experiments outdoors. From experiments in evaporation and soil composition to water consumption and plant competition, the Wireless Soil Moisture Sensor makes it easy for students to investigate a wide array of topics over the course of minutes, hours, or days!

Features:

- Collect and display data in real time within PASCO Capstone or SPARKvue software
- Automate data collection for hours, days, or weeks with remote Logging Mode
- Bluetooth connectivity enables use in the classroom, lab, or field
- Supports use of GPS data from a mobile device for GIS mapping activities
- Selectable calibrations for predominantly sandy soils, clay soils, and loamy soils



Order Information

Wireless Soil Moisture Sensor PS-3228




Wireless Temperature Sensor

PS-3201

This durable, wireless sensor features a stainless steel probe for the most demanding of applications, as well as a battery that lasts over a year*. It can be used in a wide array of experiments and activities because it measures small, but significant temperature changes produced by chemical reactions, convection currents, and even skin temperatures.

Features:

- Simply pair and go, no cables or adapters to manage
- Variable sampling rate for capturing small, fast changes or experiments that run for hours, days, or weeks
- Bluetooth® connectivity and long-lasting coin cell battery
- Logs temperature data directly onto the sensor for long-term experiments
- Dust, dirt, and sand-proof and water resistant (IP-X7 certified)



NEW

Now available with built-in digital display (OLED). See page 134.

Order Information

Wireless Temperature Sensor.....PS-3201

Wireless Temperature Sensor PackPS-3330

Note: Price for multi-sensor packs includes 8 sensors and custom storage case.



Wireless pH Sensor

PS-3204

Equally capable in the lab or field, the Wireless pH Sensor eliminates the hassle of cables, reducing spills and improving safety. Plus, it rarely requires charging; the sensor's coin cell battery lasts for 2-3 years in most labs and costs about one dollar to replace. It can transmit data in real time, or store data for days when continuous monitoring is required.

Features:

- Simply pair and go, no cables or interfaces to manage
- Compatible with ion-selective electrodes (ISE) and the oxidation reduction probe (ORP)
- Bluetooth® connectivity and a long-lasting coin cell battery
- Logs pH data directly onto the sensor for long-term experiments
- Wirelessly connects to SPARKvue and PASCO Capstone for convenient analysis and lab reports



Order Information

Wireless pH Sensor.....PS-3204

Wireless pH Sensor PackPS-3331

Note: Price for multi-sensor packs includes 8 sensors and custom storage case.




Wireless Conductivity Sensor

PS-3210A

The Wireless Conductivity Sensor measures the electrical conductivity of an aqueous solution. It is ideal for investigating the properties of solutions, including total dissolved solids (TDS) for water quality inquiry. Because it is temperature compensated, calibrations are less frequent and can be applied across a range of temperatures. With an improved range of 0 to 40,000 $\mu\text{S}/\text{cm}$, this sensor can be utilized for chemical, biological, and environmental studies.

Features:

- Measure conductivity and total dissolved solids
- Automatic temperature compensation
- Battery life >1 year
- Remote logging with built-in memory
- Dust-proof, sand-proof, and water-resistant (1 meter for 30 minutes)

**NEW**

Now available with built-in digital display (OLED). See page 126.




Wireless Pressure Sensor

PS-3203

The Wireless Pressure Sensor allows students to easily collect accurate gas pressure data for a wide range of applications. Included is a 60cc syringe, tubing, and connectors that facilitate experiments such as Boyle's Law or measuring pinch-grip strength. Within PASCO's software, students can easily select their desired units from a list containing kPa, mmHg, inHg, mbar, psi, atm, and torr.

Features:

- Measures pressure even when the pressure within the system drops below ambient pressure
- Supports common units (kPa, atm, psi, mmHg, or N/m²) for many applications
- Bluetooth® connectivity and long-lasting rechargeable battery



Order Information

Wireless Conductivity Sensor PS-3210A

Wireless Conductivity Sensor Pack PS-3332

Note: Price for multi-sensor packs includes 8 sensors and custom storage case.



Wireless Light and Color Sensor

PS-3248

The Wireless Light and Color Sensor features two separate apertures: One measures ambient light from the side of the box, and the other measures percent color of directional light at the end of the box.

Features:

- Wirelessly connects to computers, Chromebooks, tablets, and smartphones
- Simply pair and go, no cables or adapters to manage
- On-board memory enables the sensor to function as an independent datalogger
- Variable sampling rate for short, precise experiments or lengthy, multi-day data collection
- Bluetooth® connectivity and long-lasting coin cell battery
- Indirect PAR measurements for biological studies



Order Information

Wireless Light and Color Sensor.....PS-3248

Wireless Light Sensor Pack.....PS-3338

Note: Price for multi-sensor packs includes 8 sensors and custom storage case.



Diffusion/Osmosis Kit

ME-6942

It is an image that appears in practically every biology text to help students with conceptual understanding: a U-shaped tube with a permeable membrane separating a hypotonic and hypertonic solution. And yet few classroom methods of studying osmosis take advantage of this simple and elegant design for lab work.

Features:

- Plastic rather than glass columns for durability and student safety
- Free standing unit requires no additional lab equipment to hold it in place
- Air tight joints prevent pressure leaks
- Membranes are quick and easy to replace when compromised
- Graduated transparent columns allow changes in volume to be seen and quantified
- The U-shaped design provides familiarity for students and the straight columns keep the volume of gas above the fluid constant
- Great for determining colligative effects on osmotic pressure

Wireless Temperature Sensor Link

PS-3222

The Wireless Temperature Sensor Link enables wireless connection for any PASCO temperature probe with a 3.5 mm connection. The link comes with a Fast Response Temperature Probe, but it can also connect to the Stainless Steel Temperature Probe, Skin/Surface Temperature Probe, the Absolute Zero Sphere, and the Ideal Gas Law Apparatus.



Order Information

Diffusion/Osmosis Kit.....ME-6942

Wireless Temperature Sensor Link.....PS-3222



Wireless CO₂ Sensor



PS-3208

Measure changes in carbon dioxide (CO₂) gas levels quickly and easily with the Wireless CO₂ Sensor. This temperature-compensated sensor can operate in high humidity environments and employs live data to make core labs, such as photosynthesis, cellular respiration, and metabolism experiments engaging and impactful. With the ability to store more than 55,000 data points, the Wireless CO₂ Sensor also supports long-term studies of carbon cycling that span the course of a single night or an entire weekend. Includes 250-mL sample bottle that allows gases to be analyzed with multiple sensors.

Features:

- Logging ability for long-term experiments, store up to 55,000 data points
- Integrated stopper for use with included sample bottle and common glassware
- Temperature compensated for increased accuracy



Order Information

Wireless CO₂ Sensor (Carbon Dioxide)PS-3208Wireless CO₂ Sensor PackPS-3341Dissolved CO₂ Waterproof SleevePS-3545

Note: Price for multi-sensor packs includes 8 sensors and custom storage case.

Wireless Oxygen Gas Sensor




PS-3217

The Wireless Oxygen Gas Sensor measures gaseous O₂ concentrations as well as humidity and air temperature for a range of biology, environmental science, and physiology activities.

The Wireless Oxygen Gas Sensor is accurate and easy to use, making it the perfect sensor for studying combustion, respiration, decomposition, or oxygen cycling in a closed or open system. With remote logging, experiments can go beyond the lab period and easily give students hours or days of data for analysis. In addition to measuring oxygen gas levels, the Wireless Oxygen Gas Sensor also contains sensors to measure ambient temperature and humidity.

Features:

- Bluetooth® and USB connectivity
- 0-100% Oxygen Gas Concentration
- $\pm 1\%$ Oxygen at constant temperature and pressure
- Also reports ambient temperature and humidity
- 2-3 year operating life with replaceable sensing element



Metabolism Chamber

ME-6936

The Metabolism Chamber is a 250 mL sample bottle with 2 holes cut specifically for PASCO gas sensors to allow simultaneous measurements of carbon dioxide gas and oxygen gas.



Order Information

Wireless Oxygen Gas SensorPS-3217

Metabolism ChamberME-6936



Wireless Optical Dissolved Oxygen Sensor



PS-3246

The Wireless Optical Dissolved Oxygen (ODO) Sensor is ideal for monitoring DO_2 in the lab or field. The Wireless Optical DO Sensor contains three different probes. In addition to the dissolved oxygen sensor, it also includes probes for measuring atmospheric pressure and water temperature. The optical technology is accurate, fast, and does not require stirring, filling solutions, warm-up, or frequent calibration.

NOTE: The included waterproof probe is submersible to a depth of 2.5m. The (white) wireless sensor box is not waterproof.



Photosynthesis Chamber

PS-3251

PASCO's Wireless Optical Dissolved Oxygen Sensor (PS-3246) allows students to monitor most common photosynthesis experiments. Typical experiments require students to infer photosynthetic rate changes by using chloroplasts and dye. Help your students better understand photosynthesis via direct measure of oxygen while controlling light, temperature or nutrients. Ideal for exploring aquatic plants, algal beads, and even the consumption of oxygen by respiration. An adapter is included to hold the waterproof sleeve on the CO_2 sensor snuggly in the chamber (sensor and sleeve sold separately).

The lid features three convenient ports for sensors; stoppers are included to maintain a closed system. The ports will accommodate Wireless Temperature Sensor (PS-3201), Wireless Conductivity (PS-3210A), Wireless pH Sensor (PS-3204) or other ion selective electrodes for additional measurements. A clear inner chamber allows full sunlight exposure, or set into an outer cover chamber to block out light.



Dual chambers allow sample to set in temperature controlling water bath.

Nine separate LED lights (white, red, green or blue) allow students to test these variables and others such as plant nutrient uptake and elimination

Order Information

Photosynthesis Chamber PS-3251

Order Information

Wireless Optical Dissolved Oxygen Sensor PS-3246


EcoZone System

ME-6668

PASCO's EcoZone System is designed to help students model and understand complex interactions within, and among, different ecosystems. The three clear, acrylic EcoChambers are specially designed to accommodate PASCO sensors, making qualitative and quantitative measurements easily accessible. The three chambers connect to allow students to study up to three different ecosystems.

Features:


- Total volume of each chamber is 4534 cubic centimeters
- Sturdy construction designed for easy setup and cleanup
- Quantitatively study the interaction of different ecosystems
- Custom molded for use with PASCO sensors
- Clear acrylic allows for observations from all sides



Order Information

EcoZone System ME-6668

EcoChamber ME-6667



Wireless Ethanol Sensor

PS-4252

The Wireless Ethanol Sensor measures the concentration of gaseous ethanol up to 3%. In biology and environmental science labs, students can learn about anaerobic respiration by measuring the production of ethanol by bacterial or yeast fermentation. Physics students can begin to explore combustion and thermodynamics. Chemistry students can compare vapor composition over simple solutions. Connect your students to studies of fermentation, respiration, solutions, and generation of alternative energy sources with the wireless Ethanol Sensor.

Note: This is a gas sensor - it should not be submerged in liquids. If exposed to gases with ethanol concentrations above the recommended maximum of 3% the sensor element's life span may be shortened.

Specifications:

Rated Range (w/o shortening lifespan): 0 to 3% gaseous ethanol

Auto Shut-Off: 1 hour

Resolution: 0.01%

Cross Sensitivities: H₂, CO, CH₄, Isobutane

Battery Type: Rechargeable LiPo

Logging: Yes

Connectivity: Bluetooth 5.2

Waterproof: no (splash resistant), use teflon tape over sensor



Wireless Colorimeter & Turbidity Sensor

PS-3215

The Wireless Colorimeter & Turbidity Sensor simultaneously measures the absorbance and transmittance of six different wavelengths.

The sensor can be used to study Beer's Law (absorbance vs. concentration), enzyme activity, photosynthesis, and the rates of chemical reactions (absorbance vs. time). After a simple calibration, students can quickly begin viewing live measurements as they materialize across the visible spectrum at 415 nm (violet), 445 nm (indigo), 480nm (blue), 515 nm (green), 555 nm (yellow/green), 590 nm (yellow), 630 nm (orange), 680 nm (red).

This sensor also functions as a high-quality turbidimeter for water quality analysis. Rather than simply measuring transmitted light, the Wireless Colorimeter and Turbidity Sensor measures light scattered at a 90° angle from the sample, resulting in accurate and repeatable measurements. When used with our ezSample water test kits, chemical concentrations can be determined using the calibration curves included in PASCO software.

Features:

- Stabilized light source for consistent readings
- PASCO software displays the absorbance & transmittance at each wavelength in the appropriate color
- Quick and easy calibration
- Functions as both a colorimeter and turbidimeter
- Built-in calibrations report concentrations of Ammonia, Nitrate, Phosphate, and Iron in parts per million using ezSample Kits.



Measure the absorbance and transmittance of a solution at six different wavelengths... simultaneously!

WARNING! This product can expose you to chemicals including Formaldehyde, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Order Information

Wireless Colorimeter & Turbidity SensorPS-3215


Includes USB charging cable, 9 cuvettes, 2 cuvette racks, and one 100 NTU calibration cuvette.

Wireless Colorimeter & Turbidity Sensor PackPS-3334

Note: Price for multi-sensor packs includes 8 sensors and custom storage case.

Order Information

Wireless Ethanol SensorPS-4252




Wireless Spectrometer (VIS)

PS-2600A

The award-winning PASCO Wireless Spectrometer is specifically designed for modern chemistry, biology, and physics labs. It connects to student devices via USB or Bluetooth Low Energy and includes free Spectrometry software with built-in tools for spectral analysis. Scan times are fast, enabling students to collect a full spectrum of data in less than a second. Three plots are provided for common applications, including Absorbance vs. Wavelength (or Intensity vs. Wavelength), Absorbance vs. Concentration (Beer's law), and Absorbance vs. Time (kinetics).

Perform these labs with the PASCO Spectrometer:

- Photosynthesis with DPIP
- Absorption spectra of plant pigments
- Concentration of proteins in solution
- Rate of an enzyme-catalyzed reaction
- Growth of a cell culture



Order Information

Wireless Spectrometer (Vis) PS-2600A



UV-Vis Spectrometer

SE-3607

The SE-3607 is an easy-to-use, wide range UV-Vis spectrometer that delivers fast, accurate and reliable performance for routine analyses in chemistry and biochemistry teaching labs. With USB connectivity and cross-platform Spectrometry Software, the PASCO UV-Vis Spectrometer improves collaboration between lab members, enabling data collected on a computer or laptop to be analyzed on tablets, iPads, and Chromebooks*. Additional accessories, such as the Quartz Fiber Optic Cable Set, can be used to extend the spectrometer's capabilities for the analysis of emission spectra, light sources, and the classification of lasers.

Highlights:

- Spectral scans from 180 to 1050 nm
- Award-winning Spectrometry software
- One-click light and dark calibrations
- Adjustable scan averaging, signal integration time, and smoothing
- Displays entire spectra with each scan
- Graphs Absorbance vs. Wavelength
- Graphs Intensity vs. Wavelength (emission spectra)
- Graphs Absorbance vs. Concentration (Beer's Law)
- Graphs Absorbance vs. Time (kinetics)



Order Information

UV-Vis Spectrometer SE-3607

UV Quartz Cuvettes (Qty. 2) SE-3611

UV-Vis Fiber Optic Kit SE-7182



Wireless Hand-Grip Heart Rate Sensor

PS-3206

With these wireless hand grips, conducting physiology labs on the cardiovascular system or homeostasis is easier than ever before. Continuously monitor heart rate during exercise, or use the sensor to take initial and final measurements with fast and reliable heart rate detection.



Order Information

Wireless Hand-Grip Heart Rate SensorPS-3206

Wireless Exercise Heart Rate Sensor

PS-3207

The Wireless Exercise Heart Rate Sensor has a chest strap and will transmit data wirelessly up to 10 m away! The electrode belt fits around the ribcage (worn against the skin for best results, but can be worn over a shirt if a drop of saline solution is applied under the electrodes). Live and recorded data can be analyzed using any device with PASCO software installed.



Order Information

Wireless Exercise Heart Rate SensorPS-3207



Wireless Blood Pressure Sensor with Standard Cuff

PS-3218

PASCO's Wireless Blood Pressure Sensor allows students to quickly and easily measure both systolic and diastolic arterial blood pressure (mmHg) as well as heart rate (pulse in bpm). Comparing the digits display for systolic and diastolic pressure with the display of blood pressure from the real-time graph helps students gain a contextual understanding of the physiology of blood pressure.



Observe heart rate plus systolic and diastolic blood pressure



Order Information

Wireless Blood Pressure Sensor with Standard Cuff.....PS-3218




Wireless Spirometer

PS-3234

The Wireless Spirometer Sensor makes it safe and easy for students to collect respiratory measurements, including flow rate, pressure, and lung volume. Ideal for studies in health and human physiology, the Wireless Spirometer Sensor streamlines experiments by providing students with real-time data, interactive graphs, and intuitive analysis tools right on their devices. The disposable mouthpieces are designed for use with a single student and feature exchangeable filters that protect the sensor from particulates for maximum safety. Additional mouthpieces are available in convenient packs of ten.

Features:

- Bi-directional air flow (inspiration and expiration)
- Minimal resistance to air flow
- Displays volume in liters
- Exchangeable filter and disposable, hygienic mouthpieces



Order Information

Wireless Spirometer.....PS-3234
Spirometer Mouthpiece Replacements (10).....PS-2522


Wireless EKG Sensor

PS-3236

The Wireless EKG Sensor measures electrical signals produced by contractions of the heart or muscles, and reports them in real-time on virtually any student device. The perfect sensor for fast-paced physiology courses, the EKG Sensor provides students with real-time feedback as they explore the effects of various stimuli on cardiac or muscular activity. Heart Rate data is reported in beats per minute (BPM), while the voltage (mV) detected from cardiac contractions is intuitively displayed in an EKG trace.

Features:

- Standard three-electrode design
- Easy-to-use, disposable stick-on electrodes
- No messy gel required
- Great for stimulus response reflex studies



Order Information

Wireless EKG Sensor.....PS-3236



NEW

Wireless Hand Dynamometer



PS-3253

PASCO's Hand dynamometer combines a force load cell, 3 axis accelerometer, and gyrometer to analyze how grip strength changes through complex, swings, hits or jabs. Grip and pinch sensor register on the same load cell so are additive. Plot force and stamina as muscles fatigue. Combine with other physiology sensors to study how strength to breathing, ECG, heart rate, or blood pressure correlate.

Specifications:

Force:

Range: 0 - 630 N

(warning at 600N)

Accuracy: 0.01N

Precision: ± 0.1 N

Rotation:

Range: ± 2000 °/s (± 637 rad/s)

Accuracy: ± 11.4 °/s (0.2 rad/s),

Precision: ± 5.7 °/s (0.1 rad/s)

Accelerometer:

Range: ± 16 g

Accuracy: ± 0.2 m/s?

Precision: ± 0.1 m/s?

Sample Rate: 500 hz

Connectivity:

USB &

Bluetooth 5.2

Logging:

Yes

Battery:

Li Po



Order Information

Wireless Hand Dynamometer.....PS-3253



Human Eye Model

OS-8477A

The Human Eye Model makes it easy for students to explore the physiology behind human sight through hands-on manipulation. Investigate normal vision, far-sightedness, and more!

Features:

- Working Model of the Human Eye:** Two lenses are used to form images on the retina. Sealed tank holds water to simulate the vitreous humor. Size and orientation of the illuminated object can be easily measured.
- Study the Optics of Normal Vision and Vision Correction:** Use the included plastic lenses to create images for normal vision, far-sightedness, near-sightedness, and astigmatism. Additional lenses are placed in front of the eye to correct for vision problems.
- Fixed Corneal Lens and Interchangeable Crystalline Lens:** The crystalline lens is surrounded by water (vitreous humor). By changing the crystalline lens, the eye can focus on both near and far objects.
- Movable Retina:** Three positions demonstrate near-sightedness, far-sightedness, and normal vision.
- Variable Pupil Size:** Students can observe changes in image brightness and clarity as the pupil size is reduced.



Includes molded plastic eyeball, plastic lenses (two sets of 6), pupil aperture, adjustable focal lens, retina screen, optics caliper (1), syringe, and experiment manual.

Order Information

Human Eye Model.....OS-8477A

Standard Compound Optical Microscope



SE-6213

Standard optical microscope great for general viewing of cell structures at 40x, 100x, 400x viewing. Gives insights to topics from Biology, Life Science, Anatomy and Physiology, Cellular and Field Biology. High quality optical lenses allow for fine details in high contrast for optimum feature identification. Images can be studied in appropriate detail for starter to experienced microscope users. Perfect for establishing labs with sets of durable equipment that classes

will use for years. Compatible with student or professionally prepared slide set like the Microscope Slide Kingdom survey (SE-6214) gives students a solid start to explore cellular features and concepts across all living kingdoms. Tie together with digital camera (SE-6213) and SPARKvue software allows students to capture and annotate imagery for assignments or reports.

Features:

- Observe small specimens like plant, animal, and bacterial cells, translucent objects such as insect larvae, or fine particles like powder
- 10 x eye piece
- 10x eyepiece and 4x, 10x, and 40x (oil) objective lenses provide magnification options of 40x, 100x, and 400x
- Adjustable focus between coarse and fine settings
- Dual light source (upper and lower LED) provides adjustable brightness
- Cord or cordless power options (External AC/DC Adaptor or 3xAA Batteries)
- Equipped with a plain stage with clip and single lens condenser with disc diaphragm



Sample imagery above captured with standard eyepiece USB camera. Slides from the *Kingdoms Survey, Prepared Slide Set* (sold separately)

Order Information

Standard Compound Optical Microscope.....SE-6213
 Prepared Slide Set, Kingdoms SurveySE-6214
 Compound Microscope Eyepiece Camera.....SE-6216

Monocular Digital Microscope (40-1000x)

SE-6201

This compound microscope and digital camera combination includes a 100x oil immersion lens, 1.25 N.A. Abbe condenser, and a rechargeable LED illumination system. Motic Images software included. Use with Windows 7 and above. Mac OSX Compatible.



Note: See online for other microscope options including a Tri-Power Stereo Microscope (10X/20X/40X) and a monocular Microscope (40-1000x) with a detachable 8" LCD tablet that can transmit live images to devices.

Order Information

Monocular Digital Microscope (40-1000x).....SE-6201

USB 3.0 Microscope Camera

SE-6204

This high-resolution camera permits you to use your own microscope to create still or moving microscope images on your PC. With the included Motic Images Plus software, you can view, enhance, label, measure, print, and store the images all with one program. This lightweight digital camera mounts over almost any microscope eyepiece (stereo or compound) with the supplied C-ring adapter and microscope eyepiece adapters. Provides 3.0 megapixels at 2048x1536 framed resolution, everything included for easy plug-and-play, for use with Windows 7 and above and OSX.



Moticam X3 (SE-6205) streaming high resolution WiFi camera also available. See the PASCO website for more details.

Order Information

USB 3.0 Microscope CameraSE-6204
 WiFi Microscope CameraSE-6205

Compound Microscope Eyepiece Camera

SE-6216

General use digital 3.1 MP eyepiece camera fits in place of the eyepiece lens in most standard (23mm mount) body tubes. (Camera marked as MD-300) Enables your microscope to act as a critical teaching tool demonstrating microscope techniques, showing your class important cellular features before sending them out to find them on their own, capturing critical images for worksheets or assessments.



Order Information

Compound Microscope Eyepiece Camera.....SE-6216

CHEMISTRY

Data to visualize the molecular world



Realize the full potential of PASCO's hands-on science solutions with **PASCO PORTAL**.

Hands-On Science

Engage chemistry students in the thrill of discovery with world-class solutions from PASCO. Our reliable sensors, labs, and software empower students to think like real-life biologists as they form hypotheses, investigate phenomena, and analyze data to make sense of the world around them. With flexible solutions for General, AP®, IB®, and Honors Chemistry courses, you're sure to find a PASCO solution that's right for you.



PASCO PORTAL

Add PASCO PORTAL for amplified hands-on learning. PASCO Portal seamlessly integrates hands-on activities with lessons and simulations, ensuring students get the best of both worlds. And, whether you're just starting out with a few PASCO sensors or you use our fully supported curriculum solutions, PASCO Portal is an invaluable resource for your science classroom.



Chemistry Starter Lab Station

EC-6362

The Chemistry Starter Lab Station makes it easy and affordable to begin using sensor-based technology in your chemistry lab or classroom. Inside the Starter Lab Station are the wireless sensors used to perform lab activities from the Essential Chemistry Student Lab Manual. Available separately is the Chemistry Extension Lab Station (EC-6363) which, when combined with the Starter Lab Station, comprises all the wireless sensors students need to perform most of the labs inside the Essential Chemistry Student Lab Manual, plus many of the lab activities found in our Advanced Chemistry Through Inquiry Teacher Guide.



Chemistry Station Lab Titles

The Chemistry Starter Lab Station supports 7 of the 10 included labs. Add the Extension Lab Station* to do all 10 lab titles + over 50 more investigations from the Essential Chemistry Lab Manual.

1. Physical or Chemical Change
2. Specific Heat
3. Chemical Reactions
4. Determining Limiting Reactions

5. Types of Bonding*

6. Evaporative Cooling

7. Solution Concentration*

8. What is pH

9. Investigation of Acid-Base Titration

10. Lemon Battery*



Chemistry Starter (left) & Extension Lab Stations (right)

The Chemistry Starter & Extension Lab Stations include these wireless sensors and materials:

Starter

- Temperature
- Pressure
- pH
- Molecular Models
- Periodic Table
- Periodic Trend Cards
- Spectrum Cards
- Storage Case

Extension

- Drop Counter
- Colorimeter & Turbidity
- Conductivity
- Voltage
- Condenser
- Electrode Support


Order Information

Essential Chemistry Starter Lab KitEC-6362

Essential Chemistry Extension Lab Kit.....EC-6363

Essential Chemistry Teacher Lab ManualEC-6330

Your Complete Chemistry Solution



PASCO's Essential Chemistry curriculum is the only curriculum solution that includes a Student Textbook, Student e-Book, Teacher e-Resources, Student Lab Manual, Teacher Lab e-Resources, and Equipment Kits, all at a very affordable price. This 3-D STEM program includes a full year of instruction for both General and

Honors Chemistry classes. Use our complete solution or integrate Essential Chemistry into your existing curriculum. Essential Chemistry is multiplatform and works on iOS, Android™, Chrome™, Windows®, and Mac®. What's more, it includes 24/7 online access, as well as correlations to NGSS and your state standards.

Student Textbook & Lab Manual

- 24 chapters cover a full year of instruction for General and Honors Chemistry
- One main idea per page
- Quality illustrations
- Section and Chapter Reviews
- 73 complete investigations
- 4 Design Projects

Student e-Book

- Browser-based version of the textbook
- Same layout with convenient 24/7 online access
- Embedded videos and animations bring content to life
- Interactive equations and simulations enrich key concepts
- Formative and summative assessment questions

Teacher e-Resources for Lab Manual

- Editable documents
- SPARKvue Software
- PowerPoint presentations
- Answer keys
- Video lab assistance

Teacher e-Resources for Textbook

- Infinite Test Bank
- Teacher User Guide
- Teacher e-Book (1-year or multi-year license)
- Alignment details for NGSS and state standards

PASCO Academy Chemistry Resources

- Available through your PASCO Educator account
- 25 engaging video labs with detailed instruction and data collection
- 25 datasets for student analysis and discussion
- 25 editable lab handouts with teacher answer keys
- Digital access to more than 70 labs for General and Honors Chemistry

Equipment

- Standard Equipment Kit supports 47 labs
- Extend your investigations with additional sensors and apparatus

Essential Chemistry correlates with NGSS and is constructed around the three dimensions:

- Science and Engineering Practices
- Crosscutting Concepts
- Disciplinary Core Ideas



Textbook + e-Book + Equipment

Essential Chemistry Student Textbook

EC-6350

This rigorous yet accessible textbook includes core Chemistry topics that cover a complete year of instruction. The lessons follow the 5E model and include tools for ELL students, as well as tools for students with different learning styles. Fully aligned with both general and advanced coursework, this accessible textbook features one main idea per page, quality illustrations, 73 complete investigations, four Engineering Design Projects, and Section and Chapter Reviews. The 24 chapters cover these topics:

- The Science of Chemistry
- Measurement and Analysis
- Classifying Matter
- Temperature and Heat
- Chemical Compounds
- Moles
- Chemical Reactions
- Stoichiometry
- Atomic Structure
- Bonding and Valence
- Energy and Change
- Gases
- Solutions
- Reaction Rates
- Equilibrium
- Acids and Bases
- Oxidation and Reduction
- Electrochemistry
- Nuclear Chemistry
- Organic Chemistry
- Molecular Biology
- Biochemistry
- The Earth
- The Universe



Order Information

Essential Chemistry 1st Edition: Student Textbook EC-6350A
Essential Chemistry 1st Edition: Student e-Book (1 yr lic) EC-6350-EB1
Essential Chemistry Student Lab Manual EC-6352
Essential Chemistry Teacher Lab Manual EC-6330

Essential Chemistry Student e-Book

EC-6350-EB5 (5-yr lic) or EC-6350-EB1 (1-yr lic)

The e-Book is an electronic version of the full textbook plus interactive elements. Throughout the electronic text, content and theory are supported with optional audio reading, as well as interactive elements such as interactive equations, videos, animations, and simulations. Students may also expand content using the 'more' button to go deeper into concepts.

Essential Chemistry Student Lab Manual

EC-6352

The *Essential Chemistry Student Lab Manual* is a student-consumable print book. In the manual there are 73 labs that cover a full year of instruction. Best of all, the labs are completely integrated with PASCO equipment and software.

Essential Chemistry Lab Station Equipment Kits

EC-6362 & EC-6363

These equipment kits will outfit a single chemistry lab station of 2-5 students. When used in conjunction with the Essential Chemistry program, including the e-Book and lab manual, they create a complete solution for teaching high school chemistry. The equipment kits can also be used to supplement your existing textbook, serving as the lab components of your curriculum. This use is supported by the more than 70 standards-based Essential Chemistry labs that are available for free download in the PASCO Experiment Library.

Essential Chemistry Lab Station Equipment

42 labs are designed to use this equipment set.

Includes 1 of each of the following:

• Wireless Temperature Sensor	PS-3201
• Wireless pH Sensor	PS-3204
• Wireless Conductivity Sensor	PS-3210
• Wireless Pressure Sensor	PS-3203
• Wireless Voltage Sensor	PS-3211
• Wireless Colorimeter and Turbidity	PS-3215
• Molecular Model Kit	PS-3400
• Electrode Support	PS-3505
• Periodic Trend Cards	EC-3405
• Periodic Table	EC-3404
• Spectrum Cards	EC-3403
• Condenser	PS-3402
• Wireless Drop Counter	PS-3214
• Gratnells® Storage Trays (2)	

*The equipment list (above) includes everything in the Chemistry Starter and Extension Lab Stations (EC-6362 + EC-6363).

Essential Chemistry Starter Lab Kit EC-6362

Essential Chemistry Extension Lab Kit EC-6363

Advanced Chemistry Through Inquiry Labs for AP® & IB®

PASCO's Advanced Chemistry through Inquiry Teacher Guide is newly revised and contains 16 labs that have been specifically designed to support student inquiry, as well as AP® and IB® curriculum*. This manual is available in both a print version and an all-digital version.

- Most labs can be completed in one lab session with readily available materials, including the sensor bundles on the opposite page.
- The flexible format provides guided inquiry opportunities and scaffolding, so students can create their own experiments.
- Easy and meaningful data collection leads to increased time for data analysis and open inquiry.
- Labs integrate high-order analysis and synthesis questions.

- Includes sample data for investigations and inquiry, answers to analysis and synthesis questions, an assessment rubric, teacher tips, lab preparation information, and more.

Initial Investigation includes step-by-step procedure, questions, and analysis.

Advanced Investigation presents a higher level experiment that expands on concepts from the Initial Investigation.

Extended Inquiry includes student inquiry and experimental design questions with sample answers.

Advanced Chemistry Lab Experiments	Starter Bundle (PS-3302)	Starter and Extension Bundles (PS-3302, PS-3303C)	IB® Standards*	Targeted AP® Learning Objectives*
1. Analysis of Food Dyes in Sports Drinks		●	1.5; A.8	SAP-8.A; SAP-8.C
2. Investigating the Copper Content of Brass		●	1.2; 1.5; A.8	SAP-8.C; SPQ-4.A
3. How Hard is Your Tap Water?	●	●	1.4	SPQ-1.A; SPQ-2.A; TRA-1.C; SPQ-3.C; SPQ-4.A
4. How Much Acid is in Your Fruit Juice?	●	●	18.1; 18.4	SPQ-4.B; SPQ-4.A
5. Separating Food Dyes Using Chromatography		●	4.3	SPQ-3.B; SPQ-3.C; SPQ-5.A
6. A Chemistry Mystery: Name That Unknown	●	●	4.3; 4.5	SAP-3.A; SAP-5.B; SAP-3.D
7. Stoichiometry in Solutions	●	●	1.5	SPQ-3.A; SPQ-4.A; SPQ-4.B; SPQ-2.A; SAP-5.B
8. Percentage of H ₂ O ₂ in Your Drugstore Hydrogen Peroxide		●	9.1; 9.2; 19.1	TRA-1.B; SPQ-4.A; SPQ-4.B
9. Investigating Physical and Chemical Changes of Matter	●	●	4.5	TRA-1.D; TRA-1.C; SAP-5.B
10. What Does Acid Rain Do To Coral Reefs?	●	●	6.1; A.8	TRA-3.A; TRA-3.C
11. Kinetics of Crystal Violet Fading		●	6.1; 16.1; 16.3	TRA-3.B; TRA-3.C; TRA-3.A
12. Building a Better Hand Warmer	●	●	5.1; 5.2; 5.3; 15.1	ENE-2.D; ENE-2.E; ENE-2.F
13. Applications of Le Châtelier's Principle	●	●	7.1; 7.2; 17.2; A.8	TRA-8.A; TRA-8.B
14. Investigation of Acid-Base Titrations	●	●	18.1; 18.4	SAP-9.E; TRA-1.B; SPQ-4.B; TRA-8.A
15. Introduction to Buffers	●	● **	18.2	SAP-10.B; TRA-1.C; SPQ-4.B; SAP-5.B
16. Evaluation of Lemonade as a Buffer	●	● **	18.2	SAP-10.D; SPQ-1.A

* AP is a registered trademark of the College Board, which was not involved in the production of, and does not endorse, this product. IB is a registered trademark of the International Baccalaureate Organization, which was not involved in the production of, and does not endorse, this product.

** The ORP Probe requires a pH sensor.


Order Information

Advanced Chemistry Through InquiryPS-2828B

Includes lab prep instructions, expected answers/results, and editable student files. Manual is available in eco-friendly digital format or in print.

Lab Stations Support Advanced Chemistry

The Chemistry Starter Lab Station and Extension Station, together with PASCO's *Advanced Chemistry Through Inquiry Lab Manual*, offer a truly complete solution. With over 15 sensor-based labs covering a range of advanced chemistry topics, and all of the equipment and apparatus required to conduct the labs, hands-on inquiry with data collection and analysis has never been easier or more affordable. Add the Wireless Spectrometer and Oxidation Reduction Potential Probe to your Lab Stations to explore more IB® and AP® investigations.



The Chemistry Starter & Extension Lab Stations include these wireless sensors and materials:

Starter

- Temperature
- Pressure
- pH
- Molecular Model Kit
- Periodic Table
- Periodic Trend cards
- Spectrum Cards
- Storage Case

Extension

- Drop Counter
- Colorimeter & Turbidity
- Conductivity
- Voltage
- Condenser
- Electrode Support



Wireless Thermocouple Sensor

NEW

PS-4256

New wireless thermocouple extends the range of our temperature sensing line. Range from - 200 C to 1400 degrees C. Packaged with a type K thermocouple, students can follow solutions cooled with boiling liquid nitrogen, dry ice, or reached by commercial freezers. Temperatures of stove elements, matches, and non optimized bunsen burners (tip of the inner blue flame of an optimal fuel to oxygen flame is close to the melting temp of the solder used for the two metals of the sensor and is not recommended. (See page 60 for more information.)



Oxidation Reduction Potential Probe

PS-3515

This probe connects to the Wireless pH Sensor and allows students to determine the capacity of a chemical species to act as an oxidizing or reducing agent during redox reactions.

Use this probe to monitor solutions during oxidation-reduction titrations, perform water quality studies, and study the effects of water chlorination. This probe is not a standalone sensor. It connects to and requires an amplifier.



Order Information

Essential Chemistry Starter Lab KitEC-6362

Essential Chemistry Extension Lab Kit.....EC-6363

Oxidation Reduction Potential Probe.....PS-3515

Wireless Thermocouple SensorPS-4256


Wireless pH Sensor

PS-3204

Equally capable in the lab or field, the Wireless pH Sensor eliminates the hassle of cables, reducing spills and improving safety. Plus, it rarely requires charging; the sensor's coin cell battery lasts for 2-3 years in most labs and costs about one dollar to replace. It can transmit data in real time, or store data for days when continuous monitoring is required. The Wireless pH Sensor enhances countless activities, including acid-base titrations, investigations into household chemicals, analyses of chemical reactions, and much more.

Features:

- Simply pair and go, no cables or interfaces to manage
- Compatible with ion-selective electrodes (ISE) and the oxidation reduction probe (ORP)
- Features Bluetooth® wireless connectivity and a long-lasting coin cell battery
- Logs pH data directly onto the sensor for long-term experiments
- Streams live data to SPARKvue and PASCO Capstone for instant visualization and analysis.



Collect measurements, compare pH levels of various solutions, and display data as a graph, digits display, table, and/or histogram.

**NEW**

Now available with built-in digital display (OLED). See page 131.



Order Information

Wireless pH Sensor PS-3204

Wireless pH Sensor Pack PS-3331

Note: Price for multi-sensor packs includes 8 sensors and custom storage case.



Wireless Drop Counter

PS-3214

The Wireless Drop Counter has a wide (18 x 13 mm) drop window for better drop detection and easier alignment with burettes. It works equally well with large or small, fast or slow drops.

Measures up to 40 drops per second with drops as small as 0.5 mm.


Teaching Advantage:

- IR filter assures accurate counts because room lighting cannot affect results
- Sensor unit can suspend two other probes in solution, simplifying many experiments
- Wide drop window (18x13 mm) means better drop detection and easier alignment with burettes



Order Information

Wireless Drop Counter PS-3214



Wireless Temperature Sensor

PS-3201

Welcome to the modern thermometer. The Wireless Temperature Sensor transmits live data and allows students to continuously monitor, log, and plot temperature measurements on nearly any device. When lab-time ends but the experiment continues, students can set the sensor to log data autonomously for days, weeks, or months, then download it for analysis later. This durable, wireless sensor features a stainless steel probe for the most demanding of applications, as well as a battery that lasts over a year*. It can be used in a wide array of experiments and activities because it measures small, but significant temperature changes produced by chemical reactions, convection currents, and even skin temperatures.

Features:

- Simply pair and go, no cables or adapters to manage
- Variable sampling rate for capturing small, fast changes or experiments that run for hours, days, or weeks
- Bluetooth® connectivity and long-lasting coin cell battery
- Logs temperature data directly onto the sensor for long-term experiments
- Dust, dirt, and sand-proof and water resistant (IP-X7 certified)



Order Information

Wireless Temperature Sensor PS-3201

Wireless Temperature Sensor Pack PS-3330

NEW



Wireless Thermocouple

PS-4256

New wireless thermocouple extends the range of our temperature sensing line. Range from - 200 C to 1400 degrees C. Packaged with a type K thermocouple, students can follow solutions cooled with boiling liquid nitrogen, dry ice, or reached by commercial freezers. Temperatures of stove elements, matches, and non optimized bunsen burners (tip of the inner blue flame is close to the melting temp of the solder used for the two metals of the sensor and is not recommended). Small thermal mass responds quickly to changes in temperature. Good to thermally contact outsides of metal containers with reactions or heat exchange units.

Specifications:

Range: - 200 to 1400 C

Accuracy: $\pm 2^\circ$ C

Precision: 0.1 °C

Maximum Sample rate: 10 hz

Units available: °C, °F, K

Connectivity: USB C, Bluetooth 5.2

Battery Type: Rechargeable LiPO

Logging: Yes

Remote Data logging

storage: 55,000



Order Information

Wireless Thermocouple.....PS-4256

Wireless Temperature Sensor Link



PS-3222

The Wireless Temperature Sensor Link enables wireless connection for any PASCO temperature probe with a 3.5 mm connection. The link comes with a Fast Response Temperature Probe, but it can also connect to the Stainless Steel Temperature Probe, Skin/Surface Temperature Probe, the Absolute Zero Sphere, and the Ideal Gas Law Apparatus.



Order Information

Wireless Temperature Sensor LinkPS-3222

Heater Stirrer

PS-3401

This compact hot plate and stirrer has a white ceramic top that is ideal for heating and for seeing color changes when mixing solutions. It has been designed to withstand spills. Its safety features include warning labels and indicator LEDs. And the included rod makes it easy to support sensors.



Order Information

Heater StirrerPS-3401

OHAUS Scout SKX Balance 220g

SE-8823A

The Ohaus Scout SKX digital electronic balances combine range, resolution, and low cost, making them ideal for use in teaching labs.

Simple two-button operation and visual menu prompts allow students to begin weighing with minimal instruction. The large, crisp display is easily viewed from any angle, so teachers can quickly check student results. A sealed front panel, molded spill ring, and removable stainless steel platforms provide protection from spills and make these balances easy to keep clean.

Use Ohaus SKX series electronic balances in conjunction with SPARKvue or PASCO Capstone software. Connect any SKX balance to a computer via USB.



Order Information

OHAUS Scout SKX Balance 220g.....SE-8823A

Ohaus USB Adapter.....SE-8821



Wireless Absolute Pressure-Temperature Sensor

PS-4257

Pasco's Wireless Absolute Pressure-Temperature Sensor is built to work with the ideal gas law apparatus (TD-8596A), Absolute Zero Sphere (TD-8595), and heat engine apparatus (TD-8572) (Not Included) to monitor pressure changes with increase or decrease of temperature. Great to display Boyles, Charles, Amonton's or the ideal gas laws. Helps gather the evidence to calculate work done by a gas. Can also show comparison of vapor pressure to temperatures of the exterior of sealed containers of liquids. Sensor reaches up to 7 atm pressure!

Specifications:

Compatible Temp Probes: Skin/Surface (PS-2131 incl), Fast Response (PS-2135), Stainless Steel PS-2135

Temperature (quick response):

Range: -30 to 105 °C

Accuracy: ± 0.5 °C

Precision: ± 0.05 °C

Max Sample Rate: 10 hz

Pressure:

Range: 0 to 740 kPa

Accuracy: ± 2 kPa or 2% of reading at higher pressures

Precision: 0.01 kPa

Max Sample Rate: 1000 hz

Connector: Female Luer Lock

Communication: USB C, Bluetooth 5.2

Logging: Yes

Order Information

Wireless Absolute Pressure-Temperature Sensor .PS-4257




Ideal Gas Law Apparatus

TD-8596A

Investigating the Ideal Gas Law is simple using PASCO's Ideal Gas Law Apparatus. By connecting a Pressure Sensor and a Temperature Sensor to the syringe, students can quantitatively look at the relationships between pressure, temperature, and volume.

Includes Ideal Gas Law Syringe, built-in fast response thermistor, with male luer connector. A Wireless Pressure Sensor (PS-3203) and Wireless Temperature Link (PS-3222) or A Wireless Absolute Pressure-Temperature Sensor (PS-4257) is required for data collection.



Absolute Zero Sphere

TD-8595

The Absolute Zero Sphere is an effective tool for determining absolute zero temperature. Students connect Pressure and Temperature Sensors before immersing the sphere in water baths of varying temperatures. As the pressure and temperature change, a live graph is generated in PASCO Capstone™. Once the data is collected, students can use a linear fit to extrapolate the value of absolute zero.



Includes built-in fast response thermistor, with male luer connector. A Wireless Pressure Sensor (PS-3203) and Wireless Temperature Link (PS-3222) or A Wireless Absolute Pressure-Temperature Sensor (PS-4257) is required for data collection.

Order Information

Ideal Gas Law ApparatusTD-8596A

Absolute Zero Sphere.....TD-8595




Wireless Pressure Sensor

PS-3203

The Wireless Pressure Sensor allows students to easily collect accurate gas pressure data for a wide range of applications. Included is a 60cc syringe, tubing, and connectors that facilitate experiments such as Boyle's Law and measuring pinch-grip strength. Within PASCO's software, students can easily select their desired units from a list containing kPa, mmHg, inHg, mbar, psi, atm, and torr.

Features:

- Measures pressure even when the pressure within the system drops below ambient pressure
- Supports common units (kPa, atm, psi, mmHg, or N/m²) for many applications
- Bluetooth® wireless connectivity and long-lasting rechargeable battery



Order Information

Wireless Pressure Sensor PS-3203

Wireless Pressure Sensor Pack PS-3333

Note: Price for multi-sensor packs includes 8 sensors and custom storage case.




Wireless Conductivity Sensor

PS-3210A

The Wireless Conductivity Sensor measures the electrical conductivity of an aqueous solution. It is ideal for investigating the properties of solutions, including total dissolved solids (TDS) for water quality inquiry. Because it is temperature compensated, calibrations are less frequent and can be applied across a range of temperatures. With an improved range of 0 to 40,000 μ S/cm, this sensor can be utilized for chemical, biological, and environmental studies.

Features:

- Measure conductivity and total dissolved solids
- Automatic temperature compensation
- Battery life >1 year
- Remote logging with built-in memory
- Dust-proof, sand-proof, and water-resistant (1 meter for 30 minutes)



NEW Now available with built-in digital display (OLED). See page 126.



Order Information

Wireless Conductivity Sensor PS-3210A

Wireless Conductivity Sensor Pack PS-3332

Note: Price for multi-sensor packs includes 8 sensors and custom storage case.



Wireless Voltage Sensor

PS-3211

The Wireless Voltage Sensor helps chemistry students investigate redox reactions, electrolytic cell potentials, and the impact solution strength on these generated potentials. By testing potential differences between two half reactions, separated by a salt bridge, students can begin to understand the driving forces behind modern batteries.

Features:

- **Two Ranges:** ± 30 V, ± 5 V
- **Resolution:** 7 mV (± 30 V range); 2 mV (± 5 V range)
- Bluetooth® sampling rate of 1 kHz
- Higher speed sampling via USB
- Remote logging



Order Information

Wireless Voltage Sensor PS-3211A

Wireless Voltage Sensor Pack PS-3335

Note: Price for multi-sensor packs includes 8 sensors and custom storage case.




Wireless Current Sensor

PS-3212

Current sensors enable chemistry students to count the electrons involved in driving reactions, much like how a scale accounts for mass in reactions. Amperage determines how many atoms are involved in a chemical reaction. Since the two are related, current can be used to find out how much reactant is available in a solution. Integrating currents keeps track of how much metal might electroplate onto an electrode.

Features:

- **Two Ranges:** ± 1.0 A and ± 0.1 A
- **Resolution:** 0.2 mA at ± 1 A range and 0.02 mA at ± 0.1 A range
- Bluetooth® sampling rate of 1.0 kHz
- Higher speed sampling via USB
- Remote logging
- Variable sampling rate for recording small, fast changes or experiments that run for hours, days, or weeks



Order Information

Wireless Current Sensor PS-3212

Wireless Current Sensor Pack PS-3336

Note: Price for multi-sensor packs includes 8 sensors and custom storage case.



Molecular Model Set

PS-3400

The Molecular Model Set is the perfect tool to help students understand core science concepts such as chemical formulas, equation balancing and the conservation of mass. They are critical to making more advanced concepts easier to visualize and allow students to predict polarity and study reaction mechanisms. Students can explore intermolecular attractions, steric hindrances, nomenclature and complex structure. Anything is possible for students, from creating simple water or carbon dioxide molecules to complex biochemicals such as amino acids and lipids. The set is ideal for studying Chemistry and Biochemistry.



Order Information

Molecular Model Set.....PS-3400



Wireless Geiger Counter



PS-3238

The PASCO Wireless Geiger Counter counts beta, gamma and alpha radiation particles as they enter the Geiger-Müller detector tube inside the counter. Designed for easy mounting, the Geiger Counter provides superior position control in inverse square law labs, as well as an audible beep to indicate the detection of ionizing radiation. The front plastic snout fits conveniently inside the NU-3344 Sample Holder stand (available separately), which stabilizes the front of the counter's detector tube exactly 1 cm from the first slot in the holder.

With the Wireless Geiger Counter, students can wirelessly control the high voltage supplied to the Geiger-Müller tube inside the counter, enabling them to make measurements of counts/interval for different tube voltages. They can also plot counts/interval versus tube voltages to experimentally observe the Geiger plateau characteristics of the tube.

Features:

- Built-in metal mesh screen to protect the delicate mica window in the front of the Geiger-Müller detector tube
- Audible beep count indication that is easily switched on or off
- **Versatile positioning options:** either in the NU-3344 Sample Holder, hand-held, or mounted on a rod stand
- Convenient design to natively fit the PASCO NU-3344 Sample Holder
- Provides wireless control over the high voltage supplied to the Geiger-Müller tube inside the counter for Geiger plateau experiments

Includes:

- Wireless Geiger Counter
- Micro USB Cable: PS-3584
- Threaded handle for mounting the sensor to a ring stand



Order Information

Wireless Geiger Counter.....PS-3238

Geiger Counter Sample HolderNU-3344



Wireless Polarimeter


PS-3237

The Wireless Polarimeter has both Bluetooth® and USB connectivity, making it possible to analyze chiral compounds with your iPad®, Chromebook™, Android tablet, or computer. It is ideal for introductory experiments in organic chemistry and biochemistry, where chiral compounds are of special interest.

PASCO's Wireless Polarimeter passes plane polarized light through a horizontal sample, which contains a chiral compound, followed by an analyzer and detector. The optical rotation is determined by finding the angle between the starting position and the location where the optimum light level transmits through the cross polarizer. Students can use the rotation data to calculate the concentration of a chiral sample, while the specific rotation (amount turned per g/ml dissolved) is an intrinsic property that can be used to differentiate molecules or determine racemic mixtures.


Specifications:

- **Connectivity:** Bluetooth and USB
- **LED light source:** 589 nm
- **Optical Rotation Accuracy:** $\pm 0.09^\circ$
- **Cell Length:** 101.3mm \pm 0.8mm



Order Information

Wireless Polarimeter PS-3237



Polarizer Demonstrator

OS-9477A

Confirm Malus' Law using the Polarizer Demonstrator and a Light Sensor. The angle is read directly from the polarizer, which is marked in 5° increments. Any light source can be used, but the experiment works especially well with the PASCO Color Mixer (OS-8496). See pasco.com for more information.




Introduce the concept of polarization with this colorful and meaningful demonstration.



Order Information

Polarizer Demonstrator OS-9477A



Measure the absorbance and transmittance of a solution at up to eight different wavelengths simultaneously!

Wireless Colorimeter & Turbidity Sensor

PS-3215

The Wireless Colorimeter & Turbidity Sensor simultaneously measures the absorbance and transmittance of six different wavelengths. The sensor can be used to study Beer's Law (absorbance vs. concentration), enzyme activity, photosynthesis, and the rates of chemical reactions (absorbance vs. time). After a simple calibration, students can quickly begin viewing live measurements as they materialize across the visible spectrum at 415 nm (violet), 445 nm (indigo), 480nm (blue), 515 nm (green), 555 nm (yellow/green), 590 nm (yellow), 630 nm (orange), 680 nm (red).


This sensor also functions as a high-quality turbidimeter for water quality analysis. Rather than simply measuring transmitted light, the Wireless Colorimeter and Turbidity Sensor measures light scattered at a 90 degree angle from the sample, resulting in accurate and repeatable measurements. Additionally, the internal housing for the cuvette is opaque, which limits ambient light interference to preserve accuracy.

Features:

- Stabilized light source for consistent readings
- Measures six different wavelengths simultaneously
- PASCO software displays the absorbance & transmittance at each wavelength in the appropriate color
- Directly calibrated to read ezSample concentrations of Ammonia, Nitrate, Phosphate, Iron and Chlorine in ppm.
- Functions as both a colorimeter and turbidimeter



Includes: USB charging cable, 9 cuvettes, 2 cuvette racks, and one 100 NTU calibration cuvette.



Order Information


Wireless Colorimeter & Turbidity Sensor.....PS-3215

Wireless Colorimeter & Turbidity Sensor PackPS-3334

Note: Price for multi-sensor packs includes 8 sensors and custom storage case.



Graphically visualize how a reaction changes over time. Use SPARKvue to visualize multiple measurements on the same graph.



Cuvettes and Caps


SE-8739

Set of 100 identical 3.5-mL polystyrene cuvettes and caps. Transparent to visible light.



Order Information

Cuvettes and Caps.....SE-8739



Wireless Spectrometer (VIS)



PS-2600A

The award-winning PASCO Wireless Spectrometer is specifically designed for modern chemistry, biology, and physics labs. It connects to student devices via USB or Bluetooth Low Energy and includes free Spectrometry software with built-in tools for spectral analysis. Scan times are fast, enabling students to collect a full spectrum of data in less than a second. Plots are provided for common applications, including Absorbance vs. Wavelength (or Intensity vs. Wavelength), Absorbance vs. Concentration (Beer's law), and Absorbance vs. Time.

Perform these labs with the PASCO Wireless Spectrometer:


- Emission Spectra of Light
- Absorbance Spectra
- Beer's Law
- Kinetics
- Fluorescence




Order Information

Wireless Spectrometer (Vis) PS-2600A

Includes USB charging cable, 10 cuvettes, and Spectrometry Software.



Analyze light sources with the optional Fiber Optic Cable. Easily compare the spectrum to known reference lines in the software.



Full visible spectrum includes a large digits display that helps students select wavelengths and determine absorbance values.

Instrument Comparison Guide

Compare features and capabilities to find the right instrument for your lab.

Need to analyze chiral compounds? The **Wireless Polarimeter** is ideal for introductory experiments in organic chemistry and biochemistry. (pg. 69)



Colorimeter & Turbidity
PS-3215



Wireless Spectrometer
PS-2600A



PASCO UV-Vis Spectrometer
SE-3607

Feature	Colorimeter & Turbidity	Wireless Spectrometer	UV-Vis Spectrometer
Light Source	White LED	RGB LED-Boosted Tungsten	Deuterium (UV) Tungsten (Vis)
Optical Resolution	±25 nm	2 nm	1 nm
Wavelength Range	415, 445, 480, 515, 555 590, 630, 680 nm	390 – 950 nm	180 – 1050 nm
Wavelength Accuracy	NA	≤6 nm	1 nm
Photometric Range (for best accuracy)	0.05 to 1.5	0.1 to 1.4	0.1 to 1.0
Photometric Accuracy	±5%	±10%	±5%
Full Spectrum Scans	No	Yes	Yes
Scan Time	N/A	1 ms – 25 s	1 ms – 25 s
Connects via USB	Yes	Yes	Yes
Connects via Bluetooth	Yes	Yes	No
Rechargeable battery (for cordless operation only)	Yes	Yes	No
Fluorescent Excitation	No	405, 500 nm	No
Works with SPARKvue & Capstone Software	Yes	No	No
Works with PASCO Spectrometry Software	No	Yes	Yes
Data Storage/Onboard Memory	Yes	No	No
Good for Field Use	Yes	Yes	N/A
Turbidimeter	Yes	No	No



UV-Vis Spectrometer

SE-3607


The SE-3607 is an easy-to-use, wide range UV-Vis spectrometer that delivers fast, accurate and reliable performance for routine analyses in chemistry and biochemistry teaching labs. With USB connectivity and cross-platform Spectrometry Software, the PASCO UV-Vis Spectrometer improves collaboration between lab members, enabling data collected on a computer or laptop to be analyzed on tablets, iPads, and Chromebooks. Additional accessories, such as the UV-Vis Fiber Optic Kit, can be used to extend the spectrometer's capabilities for the analysis of emission spectra, light sources, and the classification of lasers.

Highlights:


- Spectral scans from 180 to 1050 nm
- Award-winning Spectrometry software
- One-click light and dark calibrations
- Fast warm-up time (<10 minutes)
- Adjustable scan averaging, signal integration time and smoothing
- Graphs Absorbance vs. Wavelength
- Graphs Intensity vs. Wavelength (emission spectra)
- Graphs Absorbance vs. Concentration (Beer's Law)
- Graphs Absorption vs. Time (kinetics)

Applications:

- Determination of solution concentrations
- Identification of unknown substances
- Measurement of reaction rates or rate of decay
- Colorimetric assays (e.g., BCA, Bradford, Lowry)
- Purity testing of synthesized compounds
- Determination of the equilibrium constant
- Determination of molar absorption coefficients
- Quality testing (e.g., fermentation mediums, food adulteration, QA levels)



Absorbance of solutions containing various amounts of NaOH.



Absorbance of Aspirin.



Semi-Micro Volume Cuvettes (Qty. 10), Cuvette Rack (EC-3590), USB-A to USB-B Cable, External AC Adapter, 24 V Power Supply, Foam Lined Carrying Case (ABS).



Quartz Cuvettes Sold Separately



Fiber Optic Kit Sold Separately



For Mac® and Windows® Computers
go to pasco.com/downloads

Order Information

UV-Vis Spectrometer.....SE-3607
UV-Vis Fiber Optic Kit.....SE-7182

UV Quartz Cuvettes (Qty. 2).....SE-3611
Disposable UV Semi-Micro Volume Cuvettes (Qty. 10).....SE-3610



Wireless Melting Point Apparatus

NEW

PS-3239

Melt point range is an important factor for determining the identity and purity of compounds, which is primary focus of many college chemistry labs. The built-in magnifying eyepiece allows students to observe the melting process individually, or a USB camera can be mounted to record the process to view in real time on a screen for larger groups.

The variable ramp rates allow you to quickly raise the sample temperature near melting (to preserve lab time) before slowing the rate down again, and the hold temp command ensures all substances reach a uniform temperature. Check the current temperature easily with the built-in temperature sensor, and use the cooling fan between measurements to restore the heating block to room temperature fast.

Melting Point Apparatus Eyepiece Camera

SE-6215

Short focal length digital eyepiece camera to capture the melting process. Image stacks will be time coded to compare to temperature data from the Melting Point Apparatus. Images can be scheduled to be captured every 5 seconds during the heating curve for more accurate determination of substances melting points.

Order Information

Wireless Melting Point Apparatus PS-3239

Melting Point Apparatus Eyepiece Camera SE-6215

pH Buffer Capsule Kit

SC-2321

This set of capsules can be used to create a quick and reliable preparation of fresh solutions of known pH values for calibrating the PASPORT pH Sensor (such as PS-2102 and other pH sensors)

Contains one vial each, with 10 capsules per vial of pH 4.0, pH 7.0, and pH 10.0. Each capsule is sufficient to make 100 mL buffer solution. Includes preservative solution which contains a pH indicator and colors each buffer solution for easy identification.

Using distilled water, the user can formulate clear solutions accurate to ± 0.02 pH unit. The dry powder remains stable.



Standard buffer capsule kit. pH of 4, 7 and 10.

Order Information

pH Buffer Capsule Kit.....SC-2321

Round Base with Rod and Clamps



Round Base with Rod



Order Information

Round Base with Rod.....ME-8270

Three-Finger Clamp.....SE-9445

Right Angle Clamp.....SE-9444

Test Tube-Utility Clamp.....SE-9446

Flat pH Probe

PS-3514

The Flat pH Probe gives you the freedom to measure what you want, where you want. Study pH levels in different kinds of foods, investigate the pH of common skin and hair care products, and easily collect pH data when doing soil analysis. Can be used on semi-solids by pressing the probe against a moist surface. This product is intended for use with the Wireless pH Sensor.



Oxidation Reduction Potential Probe

PS-3515

This probe connects to the Wireless pH Sensor and measures the potential of a solution to be oxidized or reduced in comparison to a silver/ silver chloride reference cell. This allows students to determine the ability of a species in a solution to act as an oxidizing agent or reducing agent during redox reactions.



Oxidation Reduction Potential Probe
and 2m cable

Ion Selective Electrodes

PASCO's collection of ISEs all connect to the Wireless pH Sensor and allows students to measure the concentration of various ions in an aqueous solutions. All of the electrodes include a (BNC) extension cable.



Order Information

Flat pH Probe.....PS-3514

Oxidation Reduction Potential Probe.....PS-3515

Ion Selective Electrodes

Ammonium Ion Selective Electrode.....PS-3516

Carbon Dioxide Ion Selective Electrode.....PS-3517

Calcium Ion Selective Electrode.....PS-3518

Chloride Ion Selective Electrode.....PS-3519

Potassium Ion Selective Electrode.....PS-3520

Nitrate Ion Selective Electrode.....PS-3521

NOTE: All probes and electrodes (listed above) are designed for use with the Wireless pH Sensor (PS-3204)

chemvue®


INTUITIVE INTERFACE & THOUGHTFUL DESIGN

Chemvue's intuitive interface allows you to capture, visualize, and calculate relationships between variables. Easily navigate between Chemvue's 4 primary screens (digits, tables, graphs, and table/graph combo) for thorough investigation of your data set.

- Powerful Analysis Tools
- Auto-Configuration
- Live Data Mode




Now available for
Windows®, Android™,
macOS, and iOS.




Chemvue® for Mac and Windows is included with a **PASCO Portal®** subscription. Chemvue site licenses are available for purchase at: pasco.com/chemvue. Students can also use Chemvue on personal devices with no auto-renewal subscription on the App Store, Google Play, and Microsoft Store.

THE OPTIMAL CHEMISTRY LAB EXPERIENCE


Chemvue's live data collection provides real-time feedback so you can correct mistakes in your procedure as they occur, optimizing lab time. When the lab is done, students can easily export tables (CSV format) and graphs (PNG format) for further independent study, collaboration, and to complete lab reports.



Analysis - Choose from a menu of analysis tools, including ten different curve-fit models, to explore inherent relationships within your data set. Display up to four variables on the y-axis for comparison, easily swap variables on graph axes to explore new relationships, and select specific data (or all) to run analyses on. Along with sensor data, Chemvue also permits user-entered data for graphing and analysis.



Live Data Mode - Live data reading begins instantaneously upon probe pairing, enabling you to confirm your probes are calibrated before the experiment begins. Plus, live data is stored up to ten minutes, giving you the option of statistical analysis without having to set up a run.



Auto-Recognition - Chemvue recognizes and auto-configures an appropriate page setup based on the device you connect. Did you connect PASCO's Wireless pH Sensor and Drop Counter? Chemvue recognizes you want to run a titration, and prepares a graph with pH vs. Volume. Auto-configuration also applies to Wireless Melting Point Apparatus.

Download a FREE 30-Day Trial
at pasco.com/chemvue

Windows macOS


Order Information

Chemvue Site LicenseUI-5430

Chemvue Student Lic. APP Store/Google Play/
Microsoft StoreN/A

ENVIRONMENTAL

Explore your environment with collected data



The image shows a laptop screen displaying the PASCO PORTAL software. The software interface includes a header with the PASCO logo and 'ROSEVILLE HIGH SCHOOL', a navigation bar with 'Dashboard' and 'Menu', and a 'Experiment Library' section. Below this, a 'Lab Experiment' section titled 'Project: Design a Purification Process' is shown, with a 'Launch' button and a 'Share' icon. The project description states: 'Students must engineer a system to purify water that contains macroscopic and microscopic contaminants and evaluate the effectiveness of their design using a condenser, turbidity sensor, conductivity sensor, and qualitative observations.' The 'Grade Level: High School' is indicated. A callout box on the right side of the screen contains the text 'Select resource(s) to download or share' with download and share icons, and buttons for 'Share to Google Classroom' and 'OR'. Below these buttons are links for 'canvas', 'Blackboard', 'schoolology', and 'D2L BRIGHTSPACE'. To the left of the laptop, a PASCO Wireless colorimeter and turbidity sensor device is shown, which is white with a black control unit and a colorimeter probe attached.



CURRICULUM



CONTENT



SOFTWARE



EQUIPMENT



SUPPORT



HOW TO'S



TRAINING



PRO DEV

Realize the full potential of PASCO's hands-on science solutions with **PASCO PORTAL**.

Hands-On Science

Engage environmental students in the thrill of discovery with world-class solutions from PASCO. Our reliable sensors, labs, and software empower students to think like real-life biologists as they form hypotheses, investigate phenomena, and analyze data to make sense of the world around them. With flexible solutions for General, AP®, IB®, and Honors Environmental courses, you're sure to find a PASCO solution that's right for you.



PASCO PORTAL

Add PASCO PORTAL for amplified hands-on learning. PASCO Portal seamlessly integrates hands-on activities with lessons and simulations, ensuring students get the best of both worlds. And, whether you're just starting out with a few PASCO sensors or you use our fully supported curriculum solutions, PASCO Portal is an invaluable resource for your science classroom.



AG Science Starter Lab Station

EB-6336

The Agricultural Science Starter Lab Station makes it both easy and affordable to begin using sensor-based technology with your environmental or agricultural science students. Complete with wireless sensors, ten student labs, and a storage case, the Starter Lab Station lets students investigate environmental concepts such as soil quality, water treatment, and the energy content of food. Add the Agricultural Science Extension Lab Station to perform all ten of the included student labs, plus dozens of hands-on activities from the PASCO Experiment Library.



AG Science Station Lab Titles

The AG Science Starter Lab Station supports 7 of the 10 labs. Add the Extension Lab Station* to do all 10 lab titles.

[Determining Soil Quality](#)

[Water Treatment](#)

[Freshwater Quality Monitoring*](#)

[Respiration of Germinating Seeds](#)

[Plant Pigments & Photosynthesis](#)

[Plant Respiration & Photosynthesis](#)

[Modeling an Ecosystem*](#)

[Greenhouse Gases*](#)

[Energy Content of Food](#)

[Diffusion](#)



Shown here: AG Science Starter Lab Station

The AG Science Starter Lab Station includes a lab manual and these wireless sensors and apparatus:

- Temperature
- pH
- CO₂
- Conductivity
- Colorimeter & Turbidity
- Storage Case

*To do the remaining 3 labs from the AG Science Lab Manual (listed above), add the Extension Lab Station (see page 73). Add the AG Science Teacher Lab Manual to perform an additional 4 AG science labs.

Order Information

Agricultural Science Starter Lab StationEB-6336

Agricultural Science Extension Lab Station.....EB-6337



Advanced Environmental Science Through Inquiry Labs for AP® & IB®

PASCO's Advanced Environmental Science Through Inquiry Teacher Lab Manual contains 22 labs that have been specifically designed to support student inquiry, as well as AP® and IB® curriculum*. This manual is available in both a print version and an all-digital version.

- Most labs can be completed in one lab session with readily available materials, including the sensor bundles on the opposite page.
- Easy and meaningful data collection leads to increased time for data analysis and open inquiry.
- Includes sample data for investigations and inquiry, answers to analysis and synthesis questions, an assessment rubric, teacher tips, lab preparation information, and more.

- Labs integrate high-order analysis and synthesis questions.
- The flexible format provides guided inquiry opportunities and scaffolding, so students can create their own experiments.

Note: The included labs offer a variety of structured, guided and open inquiry approaches, allowing students to explore both traditional and self-selected environmental concepts.

Advanced Environmental Science Lab Experiments	Starter Bundle (PS-7616B)	Starter and Extension Bundles (PS-7616B, PS-7617C)	IB® Standards*	Targeted AP® Learning Objectives*
1. Determining Soil Quality		●	5.1; 5.2; 5.3	ERT-4.B; 4.C
2. Insolation and the Seasons	●	●	1.2	ENG-2.A
3. Investigating Specific Heat	●	●	1.2; 2.3	ENG-2.A
4. Monitoring Microclimates	●	●	7.1; 7.2; 7.3	ENG-2.B; ERT-4.E
5. Sunlight Intensity and Reflectivity	●	●	2.3; 7.1-7.3	ENG-2.A
6. Tracking Weather	●	●	7.2; 7.3	ERT-4.E; ENG-2.B
7. Earth's Magnetic Field	●	●	1.2	ERT-4.A
8. Radiation Energy Transfer	●	●	1.2; 2.3	ENG-3.J
9. Seafloor Spreading & Plate Tectonics**	●	●	1.2	ERT-4.A
10. Modeling an Ecosystem		●	1.2; 2.4; 2.5; 3.1	ENT-1.B-1.G; ENG-1.C
11. Photosynthesis and Primary Productivity		●	1.1; 1.2; 2.3; 5.2	ENG-1.A; ERT-1.C; 1.D
12. Photosynthesis and Cell Respiration		●	1.1; 1.2; 2.3; 5.2	ENG-1.B
13. Cellular Respiration and Carbon Cycle		●	1.1; 1.2; 6.1; 6.2	ENG-1.B
14. Energy Content of Food	●	●	1.3; 2.3	ENG-1.B
15. Weather in a Terrarium	●	●	1.1; 1.2; 7.2; 7.3	ERT-4.E
16. Yeast Respiration		●	1.1; 1.2	ENG-3.I
17. Properties of Water	●	●	4.1; 4.2	STB-3.N
18. Air Pollution and Acid Rain	●	●	6.1; 6.2; 6.3; 6.4	STB-2.H
19. Monitoring Water Quality		●	4.1; 4.2; 4.4	STB-3.E
20. Toxicology Using Yeast	●	●	1.1; 1.2	EIN-3.A
21. Water Treatment		●	4.1; 4.2; 4.4	STB-3.N
22. Greenhouse Gases	●	●	6.1; 6.2; 6.3; 6.4	STB-4.E

* IB is a registered trademark of the International Baccalaureate Organization, which was not involved in the production of, and does not endorse, this product. AP is a trademark registered and/or owned by the College Board, which was not involved in the production of, and does not endorse, this product.

**Requires Wireless 3-Axis Magnetic Field Sensor; see opposite page.

AG Science Lab Stations Support Advanced Environmental Science Investigations

Together, the Agricultural Starter and Extension Lab Stations offer a lab-ready solution for exploring essential topics in agricultural and environmental science. When paired with PASCO's Advanced Environmental Science Through Inquiry Lab Manual, students can perform more than 20 sensor-based experiments, complete with hands-on data collection, visualization, and analysis. Add the Water Quality Field Guide to extend your investigations even further.



AG Science Station Lab Titles

Together, the AG Science Starter and Extension Lab Stations support over 20 Advanced Environmental labs. Conduct the 10 labs below right out of the box.

1. Determining Soil Quality

2. Water Treatment

3. Freshwater Quality Monitoring

4. Respiration of Germinating Seeds

5. Plant Pigments & Photosynthesis

6. Plant Respiration & Photosynthesis

7. Modeling an Ecosystem

8. Greenhouse Gases

9. Energy Content of Food

10. Diffusion




Shown here: AG Science Starter and Extension Lab Stations

Order Information

Advanced Environmental and Earth Sciences Teacher Guide	PS-2979
Agricultural Science Starter Lab Station	EB-6336
Agricultural Science Extension Lab Station	EB-6337


Water Quality Field Guide	PS-2829A
Wireless Magnetic Field Sensor	PS-3221



Water Quality Field Guide

PS-2829A

The Water Quality Field Guide is a combination 'how-to' and 'why?' reference. It covers how to successfully measure water quality in the field, why these measurements are important, and what they mean.



Wireless Magnetic Field Sensor

PS-3221

This 3-Axis Magnetic Field Sensor can sense the Earth's magnetic field, as well as fields from coils and bar magnets. There are two ranges: ± 50 gauss and ± 1300 gauss. This sensor is primarily for static fields.



CO₂ Sensor shown in use with Dissolved CO₂ Waterproof Sleeve.

Wireless CO₂ Sensor



PS-3208

Measure changes in carbon dioxide (CO₂) gas levels quickly and easily with the Wireless CO₂ Sensor. This temperature-compensated sensor can operate in high humidity environments, such as the included 250-mL sample bottle, and employs live data to make core labs such as photosynthesis, cellular respiration, and metabolism experiments engaging and impactful. With the ability to store more than 55,000 data points, the sensor also supports long-term studies of carbon cycling that span the course of a single night or an entire weekend.

Features:

- Logging ability for long-term experiments, store up to 55,000 data points
- Integrated stopper for use with sample bottle and common glassware
- Temperature compensated for accurate results



Order Information

Wireless CO₂ Sensor (Carbon Dioxide)PS-3208

Wireless CO₂ Sensor PackPS-3341

Note: Price for multi-sensor packs includes 8 sensors and custom storage case.

Dissolved CO₂ Waterproof SleevePS-3545

Wireless Soil Moisture Sensor

PS-3228

The Wireless Soil Moisture Sensor measures the volumetric water content (%VWC) of soil, reporting data in real time or storing it onboard the sensor's memory for long-term experiments. Durable and easy to use, the Wireless Soil Moisture Sensor is the perfect tool for monitoring controlled experiments in the classroom and long-term experiments outdoors. From experiments in evaporation and soil composition to water consumption and plant competition, the Wireless Soil Moisture Sensor makes it easy for students to investigate a wide array of topics through real-time or long-term data collection.

Features:

- Collect and display data in real time within PASCO Capstone or SPARKvue software
- Automate data collection for hours, days, or weeks with Remote Logging Mode
- Bluetooth connectivity enables use in the classroom, lab, or field
- Supports use of GPS data from a mobile device for GIS mapping activities
- Selectable calibrations for predominantly sandy soils, clay soils, and loamy soils



Order Information

Wireless Soil Moisture SensorPS-3228




Wireless Weather Sensor with GPS

PS-3209

The Wireless Weather Sensor is an all-in-one instrument for monitoring complex environmental conditions. It houses several sensing elements within a single unit to provide 19 different measurements. Use the sensor in logging mode with the Weather Vane Accessory for long-term monitoring, or use it as a handheld instrument to study microclimates and local weather patterns. The collected data can be wirelessly exported to most devices, including classroom device dashboards, making it easier to support group activities that are constrained by time. Plus, with the built-in GPS, students can collect and analyze location data using the SPARKvue map display, powered by ESRI ArcGIS.

Features:

- Logging mode for long-term experiments
- Water resistant for extended environmental monitoring
- Built-in light sensor measures light level and UV index
- SPARKvue map display supports spatial analysis (GIS)
- 19 different measurements can be collected and analyzed individually or simultaneously
- GPS enables data from any PASCO probe to be viewed on a map, when connected




Visualize your data in seconds with a FREE ESRI's ArcGIS account!



Measurements

Weather	1. Ambient Temperature 2. Barometric Pressure 3. Wind Speed 4. Wind Direction (true) 5. Relative Humidity 6. Absolute Humidity 7. Dew Point 8. Wind Chill 9. Heat Stress Index
Light	10. Ambient Light (lux) 11. UV Index 12. PAR 13. Irradiance
GPS	14. Latitude 15. Longitude 16. Altitude 17. Speed 18. Magnetic Direction 19. True Direction



The weather dashboard displays data from the multiple sensors.



Weather Vane Accessory sold separately.

Order Information

Wireless Weather Sensor with GPS PS-3209

Wireless Weather Sensor with GPS Pack PS-3340

Note: Price for multi-sensor packs includes 8 sensors and custom storage case.

Weather Vane Accessory PS-3553




Wireless Temperature Sensor

PS-3201

This durable, wireless sensor features a stainless steel probe for the most demanding of applications, as well as a battery that lasts over a year*. It can be used in a wide array of experiments and activities because it measures small, but significant temperature changes produced by chemical reactions, convection currents, and even skin temperatures.

Features:

- Simply pair and go, no cables or adapters to manage
- Variable sampling rate for capturing small, fast changes or experiments that run for hours, days, or weeks
- Bluetooth® connectivity and long-lasting coin cell battery
- Logs temperature data directly onto the sensor for long-term experiments
- Dust, dirt, and sand-proof and water resistant (IP-X7 certified)



NEW

Now available with built-in digital display (OLED). See page 134.



Order Information

Wireless Temperature Sensor.....PS-3201

Wireless Temperature Sensor PackPS-3330

Note: Price for multi-sensor packs includes 8 sensors and custom storage case.



Wireless pH Sensor

PS-3204

Equally capable in the lab or field, the Wireless pH Sensor eliminates the hassle of cables, reducing spills and improving safety. Plus, it rarely requires charging; the sensor's coin cell battery lasts for 2-3 years in most labs and costs about one dollar to replace. It can transmit data in real time, or store data for days when continuous monitoring is required.

Features:

- Simply pair and go, no cables or interfaces to manage
- Compatible with ion-selective electrodes (ISE) and the oxidation reduction probe (ORP)
- Bluetooth® connectivity and a long-lasting coin cell battery
- Logs pH data directly onto the sensor for long-term experiments
- Wirelessly connects to SPARKvue and PASCO Capstone for convenient analysis and lab reports



Measure the pH of water in different locations and annotate with text and pictures.



NEW

Now available with built-in digital display (OLED). See page 131.



Order Information

Wireless pH Sensor.....PS-3204

Wireless pH Sensor PackPS-3331

Note: Price for multi-sensor packs includes 8 sensors and custom storage case.



Wireless Conductivity Sensor

PS-3210A

The Wireless Conductivity Sensor measures the electrical conductivity of an aqueous solution. It is ideal for investigating the properties of solutions, including total dissolved solids (TDS) for water quality inquiry. Because it is temperature compensated, calibrations are less frequent and can be applied across a range of temperatures. With an improved range of 0 to 40,000 $\mu\text{S}/\text{cm}$, this sensor can be utilized for chemical, biological, and environmental studies.

Features:

- Measure conductivity and total dissolved solids
- Automatic temperature compensation
- Battery life >1 year
- Remote logging with built-in memory
- Dust-proof, sand-proof, and water-resistant (1 meter for 30 minutes)

**NEW**

Now available with built-in digital display (OLED). See page 126.



Order Information

Wireless Conductivity Sensor PS-3210A

Wireless Conductivity Sensor Pack PS-3332

Note: Price for multi-sensor packs includes 8 sensors and custom storage case.





Wireless Light and Color Sensor

PS-3248

The Wireless Light and Color Sensor features two separate apertures: One measures ambient light from the side of the box, and the other measures percent color of directional light at the end of the box.

Features:

- Wirelessly connects to computers, Chromebooks, tablets, and smartphones
- Simply pair and go, no cables or adapters to manage
- On-board memory enables the sensor to function as an independent datalogger
- Variable sampling rate for short, precise experiments or lengthy, multi-day data collection.
- Bluetooth connectivity and long-lasting coin cell battery
- Indirect PAR measurements for biological studies



Order Information

Wireless Light and Color Sensor PS-3248

Wireless Light Sensor Pack PS-3338

Note: Price for multi-sensor packs includes 8 sensors and custom storage case.

NEW



Wireless Barometer

PS-4255

PASCO's Barometer Sensor with Display allows students to monitor atmospheric conditions when atmospheric pressure and temperature are changing. Placed in a small weather shelter or by an open window, allows students to watch weather systems pass in real time. Great for students making weather journals or comparing weather features to changes in atmospheric conditions. The pressure sensor is also sensitive to changes in altitude which may work well for short term field work to determine altitude changes along a hiking trail. Pair with a mobile device and GPS to make elevation models by walking in a grid through a field. Use discerningly if weather is changing in your local area which will cause apparent changes in altitude when in fact it is due only to atmospheric changes.



Order Information

Wireless Barometer PS-4255



Wireless Optical Dissolved Oxygen Sensor

PS-3246

The Wireless Optical Dissolved Oxygen (ODO) Sensor is ideal for monitoring DO₂ in the lab or field. The Wireless Optical DO Sensor contains three different probes. In addition to the dissolved oxygen sensor, it also includes probes for measuring atmospheric pressure and water temperature. The optical technology is fast, accurate, and does not require stirring, filling solutions, warm-up, or frequent calibration. The included waterproof probe is submersible to a depth of 2.5 m. The sensor box is not waterproof.

A PASCO exclusive feature allows you to log data using the sensor's built-in memory. After collecting data for hours or even days, simply connect the sensor to your device and you're ready to download your data. With this powerful sensor, educators can explore day and night nutrient cycles, changes in metabolic processes, seasonal changes in water quality, and more.



Order Information

Wireless Optical Dissolved Oxygen Sensor PS-3246



EcoZone System


ME-6668

PASCO's EcoZone System is designed to help students model and understand complex interactions within, and among, different ecosystems. The three clear, acrylic EcoChambers are specially designed to accommodate PASCO sensors, making qualitative and quantitative measurements easily accessible.

Students can use the interconnected chambers to model interactions between three different ecosystems. Choose the traditional terrestrial, aquatic, and decomposition environments, or create unique biomes to model and measure. With the EcoZone System, students can create two identical ecosystems for precise control of variable impact, decouple the system for isolated investigations, or connect all three chambers to study interactions.

Features:

- Total volume of each chamber is 4,534 cm³
- Sturdy construction designed for easy setup and cleanup
- Quantitatively study the interaction of different ecosystems
- Custom molded for use with PASCO sensors
- Clear acrylic allows for observations from all sides



Order Information

EcoZone System ME-6668



Greenhouse Sense & Control Kit

ST-2997

Designed for the exploration of biological and ecological concepts, the Greenhouse Sense & Control Kit includes everything students need to design, build, program, and study their very own greenhouse.

Build career awareness with activities that make real-world connections to:

- Agricultural monitoring
- Ecological management
- Plant physiology

Help students develop competency in:

- Coding
- Problem solving
- Data collection and analysis
- Ecological concepts
- Science & Engineering practices

This kit includes an EcoChamber, //control Node, Power Output Module, Soil Moisture Probe, USB Fan and Water Pump, PASCO Grow Light, Greenhouse Accessory Kit, and a Greenhouse Sensor that measures light, temperature, humidity, and soil moisture.



Order Information

Greenhouse Sense and Control Kit ST-2997



Wireless Air Quality Sensor

PS-3226

PASCO's Wireless Air Quality Sensor measures five environmental factors that experts consider fundamental to evaluating the atmospheric health of an area. This small but powerful device allows students to monitor temperature, humidity, particulate matter (1, 2.5, and 10 PM), volatile organic compounds (VOC's), and a combination measurement of ozone and nitrous oxide levels. Record the quality of classroom or community air throughout a normal day. Additionally students can monitor painted surfaces, new carpets, markers, or air fresheners inside your building. Compare size profiles of environmental particulates from dust, pollens, smoke, and haze to better understand their ability to spread and impact environmental health based on how far the particulates penetrate our lungs. Remote logging allows students to monitor their commute to and from school to pinpoint possible sources of pollution in their own community. Students can quantitatively determine the value of greenspaces around the community and their ability to filter out these pollutants.

Specifications:

Temperature:

Range: -40 to 80 °C

Resolution: 0.1 °C


Accuracy: ± 0.2 °C

Humidity:

Range: 0 to 100%

Resolution: 0.02%

Accuracy: ± 3%



Particulates:

Size: 1um, 2.5um, 10um

Range: 0 to 1000 ug/m3

Resolution: 0.02 ug/m3

Accuracy: ± 3%

O3/NOx:

Range: 0 to 20,000 ppb

Resolution: 5 ppb

Accuracy: ± 25 ppb

Warm up: 20 min on 1st run of day

VOC:

Range: 0 to 500 air quality index units

Resolution: 1 air quality index

Accuracy: Calibrated on ethanol but varies by compound



Order Information

Wireless Air Quality SensorPS-3226



Wireless Colorimeter & Turbidity Sensor


PS-3215

The Wireless Colorimeter & Turbidity Sensor simultaneously measures the absorbance and transmittance of six different wavelengths. The sensor can be used to study Beer's Law (absorbance vs. concentration), enzyme activity, photosynthesis, and the rates of chemical reactions (absorbance vs. time). After a simple calibration, students can quickly begin viewing live measurements as they materialize across the visible spectrum at 415 nm (violet), 445 nm (indigo), 480nm (blue), 515 nm (green), 555 nm (yellow/green), 590 nm (yellow), 630 nm (orange), 680 nm (red).


This sensor also functions as a high-quality turbidimeter for water quality analysis. Rather than simply measuring transmitted light, the Wireless Colorimeter and Turbidity Sensor measures light scattered at a 90 degree angle from the sample, resulting in accurate and repeatable measurements. Additionally, the internal housing for the cuvette is opaque, which limits ambient light interference to preserve accuracy.

Features:

- Stabilized light source for consistent readings
- Measures six different wavelengths simultaneously
- PASCO software displays the absorbance & transmittance at each wavelength in the appropriate color
- Quick and easy calibration
- Wireless design enables data collection in the field
- Pre-calibrated for ezSample Snap Vial Kits



Measure the absorbance and transmittance of a solution at six different wavelengths... simultaneously!



Order Information

Wireless Colorimeter & Turbidity SensorPS-3215

Includes USB charging cable, 9 cuvettes, 2 cuvette racks, and one 100 NTU calibration cuvette.

Wireless Colorimeter & Turbidity Sensor PackPS-3334

Note: Price for multi-sensor packs includes 8 sensors and custom storage case.

Chemical Water Quality Testing in the Field

PASCO's ezSample water quality test kits simplify the chemical testing of water sources. Avoid the mess and difficulty of handling chemicals directly and get great results, even in the field.



Colorimetric Analysis

Conduct colorimetric tests in the field and avoid the mess and tedium of mixing chemicals. These ezSample Snap Vials contain a pre-formulated reagent to test a variety of water quality parameters. No more guessing at color variations—drop the vial into the Water Quality Colorimeter and read the concentration.



Order Information

ezSample Snap Vial - Iron	EZ-2331
ezSample Snap Vial - Nitrate	EZ-2333B
ezSample Snap Vial - Ammonia	EZ-2334A
ezSample Snap Vial - Phosphate	EZ-2337
ezSample Snap Vial - Chlorine	EZ-2339A
ezSample Field Titrator - Total Hardness	EZ-2338
ezSample Field Titrator - Alkalinity	EZ-2340



PASPORT Salinity Sensor

PS-2195

The PASPORT Salinity Sensor works with the 10X Salinity Sensor Probe to measure the salinity, conductivity, and temperature of fresh to brackish water sources. The sensor determines salinity based on electrical conductivity. It also features a built-in calculation, based on the Practical Salinity Scale (PSS), that compensates for changes in conductivity caused by temperature changes.

Order Information

PASPORT Salinity SensorPS-2195

PASPORT Non-Contact Temperature Sensor

PS-2197



The Non-Contact Temperature Sensor measures surface temperature by detecting the emitted infrared light. Record the temperature of objects without touching them!

Order Information

PASPORT Non-Contact Temperature SensorPS-2197

PASPORT Flow Rate/Temperature Sensor

PS-2130



PASCO's Flow Rate Sensor allows students to measure the temperature and rate of movement of streams, rivers, and other flowing systems. The propeller is a rugged, single-piece unit encased by protective material — no more losing pieces at the bottom of the stream.

Order Information

PASPORT Flow Rate/Temperature SensorPS-2130



AirLink Interface



PS-3200


The Airlink connects PASPORT sensors to a Mac or Windows computer, Chromebook, iPad, tablet, or smartphone via Bluetooth or USB connection. The USB cable is included.

Order Information

AirLink InterfacePS-3200

PHYSICS

Innovative Solutions for hands-on, inquiry-based Physics



Realize the full potential of PASCO's hands-on science solutions with **PASCO PORTAL**.


Hands-On Science

Perform more hands-on physics labs with PASCO. Our award-winning sensors, Essential curriculum, and data-collection software let students discover physics through hands-on experimentation. Whether you teach Honors, IB®, AP® Physics 1 or 2, or General Physics, you're sure to find a PASCO solution that's right for you and your students.



PASCO PORTAL

Add PASCO PORTAL for amplified hands-on learning. PASCO Portal seamlessly integrates hands-on activities with lessons and simulations, ensuring students get the best of both worlds. And, whether you're just starting out with a few PASCO sensors or you use our fully supported curriculum solutions, PASCO Portal is an invaluable resource for your science classroom.



Physics

Solutions for General, Honors, IB®, and AP® Physics

Physics Index

Mechanics, Physics Lab Stations	88
Fluids, Physics Lab Station.....	90
Electricity & Magnetism, Physics Lab Station	91
Optics, Physics Lab Station.....	92
Waves and Sound, Physics Lab Station	93
Essential Physics Curriculum & Equipment	94
Modular Circuits	96
Meter Stick Optics.....	98
MatchGraph Free Motion Graphing Software	100
Wireless Smart Carts.....	101
Smart Cart Demo Kit and Accessories	102
Wireless Smart Gate and Launchers	105
Wireless Rotary Motion Sensor.....	106
Wireless Spectrometer & Sound Sensor.....	107
Wireless Geiger Counter.....	109
Wireless Voltage-Current Sensor	110
Wireless Force Platforms	111
Interface Comparison	112
PASCO Capstone.....	114

Physics Lab Station: Mechanics Starter

The Physics Lab Station: Mechanics Starter bundle is a lab-ready solution for performing several key experiments in mechanics. It includes a sensor-loaded Smart Cart, a durable PASTrack, and a variety of accessories that support student studies of core topics such as velocity, conservation of energy, and Newton's second law.

Real-Time Sensor Measurements-Students can use the Smart Cart's built-in sensors to make real-time measurements of position, velocity, acceleration, force, and rotation, displaying them as the lab unfolds for more meaningful learning. They can also collect and compare data from multiple trials, easily apply lines of fit, and perform statistical analysis using PASCO software.

Ready-Made Mechanics Labs-This kit is complemented by a collection of ready-made experiments that can be downloaded for free from the Experiment Library. Each lab comes ready-to-use with editable student handouts, teacher answer keys, and helpful teaching tips.

Perform These Experiments:

- Average Speed and Velocity
- Graphing Motion
- Speed and Velocity Graphs
- Conservation of Energy
- Work and Kinetic Energy
- Newton's Second Law
- Coefficients of Friction
- Momentum and Impulse
- Periodic Motion: Mass and Spring



Mechanics Starter Equipment List

Equipment	Part #	Qty.
Smart Cart (red)	ME-1240	1
Smart Cart Rod Stand Adapter	ME-1244	1
Cart Mass (set of 2)	ME-6757A	2
PASTrack	ME-6960	1
Aluminum Meter Stick		1
Dynamics Track End Stop (2 pack)	ME-8971	1
Small "A" Base	ME-8976	1
Stainless Steel Rod, 60 cm Threaded	ME-8977	1
Mass & Hanger Set	ME-8979	1
Dynamics Track Spring Set	ME-8999	1
Super Pulley Kit	ME-9433	1
Angle Indicator	ME-9495A	1
Multi-Clamp	ME-9507	1
Friction Block	ME-9807	1
Track Rod Clamp	ME-9836	1
Bumper Accessory Set	ME-9884	1



Order Information

Physics Lab Station: Mechanics Starter.....ME-5300

Recommended:

Dynamics System Storage Tray.....ME-5302

Physics Lab Station: Mechanics Extension

The Physics Lab Station: Mechanics Extension bundle expands your physics toolbox, allowing students to explore topics such as statics, rotation, projectile motion, and periodic motion. It includes an additional Smart Cart for studying collisions, a Mini Launcher for firing projectiles, and a Wireless Smart Gate for timing events accurately. A variety of accessories are also included.

Real-Time Sensor Measurements-Students can use the Wireless Smart Gate and patented Smart Cart to monitor key measurements in real time, displaying them as the lab unfolds for more meaningful learning. Use the Smart Cart's built-in sensors to measure motion on or off the track, or time events with precision using the dual-beam Wireless Smart Gate. Students can also collect and compare data from multiple trials, easily apply lines of fit, and perform statistical analysis using PASCO software.

Ready-Made Mechanics Labs-This kit is complemented by a collection of ready-made experiments that can be downloaded for free from the Experiment Library. Each lab comes ready-to-use with editable student handouts, teacher answer keys, and helpful teaching tips.

Perform These Experiments:

- Conservation of Momentum
- Momentum and Explosions
- Simple Pendulum
- Atwood's Machine
- Two Dimensional Motion: Projectiles
- Exploring Torque
- Exploring a Rotating System
- Momentum and Impulse
- Exploring Physical Pendulums



Mechanics Extension Equipment List

Equipment	Part #	Qty.
Smart Cart (Blue)	ME-1241	1
Photogate Mounting Bracket	ME-6821A	1
Mini Launcher	ME-6825B	1
Pivot	ME-7034	1
Meter Stick Torque Mass Hanger Set	ME-7035	1
Photogate Pendulum Set	ME-8752	1
Pendulum Clamp	ME-9506	1
Photogate Wireless Smart Gate	PS-3225	1



Order Information

Physics Lab Station: Mechanics ExtensionME-5301

Required:

Physics Lab Station: Mechanics Starter.....ME-5300

Physics Lab Station: Fluids

The Physics Lab Station: Fluids bundle enables students to perform several essential experiments in fluids. It includes a Wireless Pressure Sensor for making measurements of pressure in liquids and gases. A Density Set and Overflow Can are included for measuring buoyant forces in fluids.

Real-Time Sensor Measurements-Students can use the Wireless Pressure Sensor to make real-time measurements of pressure in liquids or gases, displaying them as the lab unfolds for more meaningful learning. They can also collect and compare data from multiple trials, easily apply statistics, and export their data using PASCO software.

Ready-Made Fluids Labs-This kit is complemented by a collection of ready-made experiments that can be downloaded for free from the Experiment Library. Each lab comes ready-to-use with editable student handouts, teacher answer keys, and helpful teaching tips.

Perform These Experiments:

- Boyle's Law
- Hydrostatic Pressure
- Buoyant Force

Fluids Equipment List

Equipment	Part #	Qty.
Wireless Pressure Sensor	PS-3203	1
Density Set	ME-8569A	1
Overflow Can	SE-8568A	1



Order Information

Physics Lab Station: Fluids.....ME-2040

Required:

Physics Lab Station: Mechanics Starter.....ME-5300

Physics Lab Station: Electricity and Magnetism

This lab-ready equipment set supports experiments in electricity and magnetism across all levels of physics. It includes Wireless Voltage, Current, and Magnetic Field Sensors, an Essential Physics Modular Circuits Kit, and an Electronic Components Kit.

Textbook Circuits for the Real World-The Essential Physics Modular Circuits Kit brings 2D circuitry to the real world, allowing students to study and measure circuits using components that look like textbook models. Each square piece displays both the physical component (resistor, capacitor, etc.) and the schematic to help bridge the gap between circuit diagrams and functioning circuits.

Real-Time Measurements-Students can use the Wireless Voltage and Current Sensors to make measurements anywhere in their circuit. Voltage and current readings are displayed in real time, allowing students to quickly compare and contrast different circuit configurations. They can also use PASCO software to collect and compare data, apply lines of fit, and perform statistical analysis.

Ready-Made Electricity & Magnetism Labs-This kit is complemented by a collection of ready-made experiments that can be downloaded for free from the Experiment Library. Each lab comes ready-to-use with editable student handouts, teacher answer keys, and helpful teaching tips.

Perform These Experiments:

- Ohm's Law
- DC Circuits
- Capacitors and RC Circuits
- Magnetic Field of a Permanent Magnet
- Electromagnetic Induction
- Magnetic Field in a Coil
- Planck's Constant



Electricity & Magnetism Equipment List

Equipment	Part #	Qty.
Essential Physics Modular Circuits Kit	EM-3536	1
Wireless Current Sensor Module*	EM-3534	1
Wireless Voltage Sensor*	PS-3211	1
Wireless Magnetic Field Sensor	PS-3221	1
Electronic Components Kit	EM-8818	1

* Included with EM-3536



Order Information

Physics Lab Station: Electricity and Magnetism.....EM-3557

Physics Lab Station: Optics

The Physics Lab Station: Optics bundle is a lab-ready solution for performing a wide range of optics experiments – from introductory investigations of lenses to advanced experiments in Snell's law. It includes a Basic Optics Ray Table, a Light Source, Concave and Convex Mirrors, and various lenses and accessories. The included equipment mounts easily to a PASCO Dynamics Track or a 1.2m Optics Track (sold separately) for hassle-free alignment.

Ready-Made Optics Labs-This kit is complemented by a collection of ready-made experiments that can be downloaded for free from the Experiment Library. Each lab comes ready-to-use with editable student handouts, teacher answer keys, and helpful teaching tips.

Perform These Experiments:

- Spherical Mirror Reflection
- Snell's Law
- Focal Length of a Converging Lens
- Virtual Images
- Telescope and Microscope
- Shadows



Optics Equipment List

Equipment	Part #	Qty.
Concave/Convex Mirror	OS-8457	1
Basic Optics Viewing Screen	OS-8460	1
Basic Optics Ray Table	OS-8465	1
Basic Optics Light Source	OS-8470	1
Dynamics Track Optics Carriages (Set of 4)	OS-8472A	1
Basic Optics Geometric Lens Set	OS-8456	1
Accessory Lens Set	OS-8519	1



Order Information

Physics Lab Station: Optics OS-8910A

Required:

Physics Lab Station: Mechanics Starter ME-5300

Or:

Optics Track, 1.2 m OS-8508

Recommended:

Optics Storage Tray OS-8909

Physics Lab Station: Waves and Sound

The Physics Lab Station: Waves & Sound bundle is a lab-ready solution for performing a variety of experiments in waves and sound. It includes a 2-in-1 Wireless Sound Sensor, a complete Tuning Fork Technical Set, a high-quality Resonance Air Column, and a Double-Length Slinky.

Real-Time Sensor Measurements-The Wireless Sound Sensor gives students unparalleled insight into the physics of sound and waves. Students can use the sensor to measure the frequency of a sound wave, and then visualize the waveform using PASCO software. Students can use the Double-Length Slinky to create a waveform with a partner, then use PASCO software to easily measure sound waves for further analysis.


Ready-Made Sound and Wave Labs-This kit is complemented by a collection of ready-made experiments that can be downloaded for free from the Experiment Library. Each lab comes ready-to-use with editable student handouts, teacher answer keys, and helpful teaching tips.

Perform These Experiments:

- Resonance and Standing Waves
- Properties of Sound Waves
- Measuring the Speed of Sound
- Decoding DTMF Tones

Waves and Sound Equipment List

Equipment	Part #	Qty.
Wireless Sound Sensor	PS-3227	1
Tuning Fork Technical Set	SE-7728	1
Resonance Air Column	WA-9606	1
Double-Length Slinky	SE-8760	1



Order Information

Physics Lab Station: Waves and SoundWA-9515

Essential Physics - Your COMPLETE Physics Solution



PASCO's Essential Physics is the only curriculum solution that includes a Student Textbook, Student e-Book, Teacher e-Resources, Student Lab Manual, and Equipment Kits, all at a very affordable price. This 3-D STEM program includes a full year of instruction for both General and Honors Physics classes. Use our complete solution or integrate Essential Physics into your existing curriculum.

Student Textbook & Lab Investigations

- 27 chapters cover a full year of instruction for High School General and Honors Physics programs
- One main idea per page
- Quality illustrations
- Section and Chapter reviews
- 82 complete investigations
- 8 Engineering Design Projects

Student e-Book

- Browser-based version of the textbook
- Same layout with convenient 24/7 online access
- Embedded videos and animations bring content to life
- Interactive equations and simulations enrich key concepts
- Formative and summative assessment questions

Teacher e-Resources for Lab Manual

- SPARKvue software
- Editable documents
- PowerPoint presentations
- Answer keys
- Video lab assistance

Essential Physics is multiplatform and works on iOS, Android™, Chrome™, Windows®, and Mac®. What's more, it includes 24/7 online access, as well as correlations to NGSS and your state standards.

Teacher e-Resources for Textbook

- Infinite Test Bank
- Teacher User Guide
- Teacher e-Book (1-year or multi-year license)
- Alignment details for NGSS and state standards

PASCO Academy Physics Resources

- Available through your PASCO Educator account
- 25 engaging video labs with detailed instruction and data collection
- 25 datasets for student analysis and discussion
- 25 editable lab handouts with teacher answer keys
- Digital access to more than 80 labs for General and Honors Physics

Essential Physics correlates with NGSS and is constructed around the three dimensions:

- Science and Engineering Practices
- Crosscutting Concepts
- Disciplinary Core Ideas



Textbook + e-Book + Equipment

Essential Physics (3rd Edition) Student Textbook

EP-6323

This rigorous yet accessible textbook includes core physics topics that cover a complete year of instruction for both High School General and Honors Physics classes. The lessons follow the 5E model and include tools for ELL students, as well as tools for students with different learning styles. The curriculum aligns to NGSS and your state standards for both regular and advanced coursework. The accessible textbook includes one main idea per page, quality illustrations, 89 complete investigations, eight Design Projects, and Section and Chapter Reviews. The 27 chapters cover these topics:

- Science of Physics
- Physical Quantities and Measurement
- Position and Velocity
- Acceleration
- Forces and Newton's Laws
- Motion in Two and Three Dimensions
- Circular Motion
- Static Equilibrium and Torque
- Work and Energy
- Conservation of Energy
- Momentum and Collisions
- Machines
- Angular Momentum
- Harmonic Motion
- Sound Waves
- Electricity and Circuits
- Electric and Magnetic Fields
- Electromagnetism
- Light and Reflection
- Refraction and Lenses
- Electromagnetic Radiation
- Properties of Matter
- Heat Transfer
- Thermodynamics
- Quantum Physics and the Atom
- Nuclear Physics

Essential Physics Student e-Book

The Student e-Book is an electronic version of the full textbook with interactive elements. Throughout the electronic text, content and theory are supported with optional audio reading, as well as interactive elements, such as digital equations, videos, animations, and simulations. Students also have the option of expanding the content using the 'more' button to go deeper into concepts.



Essential Physics Labs & PASCO Equipment Bundles

Use PASCO's Physics Lab Stations to perform the following hands-on investigations from *Essential Physics*.

ME-5300 Physics Lab Station: Mechanics Starter

- 1A: Graphs of motion
- 3B: Motion graphs
- 4A: Acceleration
- 4B: A model for accelerated motion
- 5A: Newton's second law
- 5B: Hooke's law
- 5C: Static and kinetic friction
- 6C: Acceleration on an inclined plane
- 9A: Work and the force versus distance graph
- 10A: Inclined plane and the conservation of energy
- 10B: Work and energy
- 10C: Springs and the conservation of energy
- 10D: Work done by friction
- 11C: Elastic collisions
- 12C: Ramps and inclined planes

ME-5301 Physics Lab Station: Mechanics Extension

- 6B: Projectile motion
- 11A: Conservation of momentum
- 11B: Inelastic collisions
- 14A: Oscillators
- 14C: Resonance

EM-3557 Physics Lab Station: Electricity and Magnetism

- 17A: Electricity and circuits
- 17B: Voltage and batteries
- 17C: Resistors and Ohm's law
- 17D: Series and parallel circuits
- 17E: Electrical power
- 17F: Compound circuits
- 18A: Magnetic force between magnets

OS-8910 Physics Lab Station: Optics


- 20A: Magnification of mirrors and lenses
- 20B: Reflection in a plane mirror
- 20C: Image formation for curved mirrors
- 21A: Refraction of light
- 21B: Creating real and virtual images with lenses
- 21C: Image formation for a convex lens
- 21D: Build a microscope and a telescope

WA-9515 Physics Lab Station: Waves and Sound

- 15A: Waves
- 15C: Interference
- 16D: Resonance and Sound

Additionally, the following labs can be performed with the Simple Machines Kit (EP-3577):

- 8A: Static equilibrium
- 12A: Levers
- 12B: Pulleys



The clean, visual layout makes it easy for students to correctly wire their circuits and to quickly diagnose when a mistake is made. No more tangled nests of wires wasting precious time during labs.


Modular Circuits are a groundbreaking solution to complex circuit activities that accurately associates real circuits with textbook circuit examples. Using this familiar design, students can successfully recreate their drawn circuit diagrams, generate live data, and confidently explore electrical concepts. This page compares our Modular Circuit Kits to help you determine which kit is best for your needs.



Basic Modular Circuits Kit

EM-3535

These circuit modules are designed specifically for introductory circuit investigations. For students who have never wired a circuit, this modular system makes it easy for them to see their circuit physically laid-out exactly as it appears in their circuit diagram.



Essential Physics Modular Circuits Kit

EM-3536

The Essential Physics Modular Circuits Kit includes more modules, such as the Wireless Current Sensor Module and Wireless Voltage Sensor. The Essential Physics Modular Circuits Kit will also support applications like RC and RLC circuit analysis, electric motors, Kirchhoff's laws, and much more!

The 8 cm x 8 cm modules promote collaboration and focus on conceptual understanding. Each module displays the schematic symbol as well as real components (resistors, capacitors, motors, etc.) to make the connection between circuit diagrams and functioning circuits.

Compare Modular Circuit Kits

Kits include these modules and apparatus:

	Basic EM-3535	Essential EM-3536	Expansion EM-3540
Corner Wire	4	4	2
Straight Wire	4	5	2
Tee	2	2	2
Spring	1	1	1
Switch, SPDT	1	1	
Switch, SPST	1	1	
Resistor	2	3	
Capacitor	1	1	
Light Bulb	2	3	1
Potentiometer	0	1	
Motor	0	1	
LED	0	1	
1000 Turn Coil	0	1	
Battery Holder	2	2	1

	Basic EM-3535	Essential EM-3536	Expansion EM-3540
Battery, AA	2	2	
Jumper Clips	30	45	15
Diode	1	1	
330 ohm Resistor	1	2	
1000 ohm Resistor	1	2	
100 microfarad Capacitor	1	1	
330 microfarad Capacitor	1	1	
EM-3534 Wireless Current Module	0	1	
PS-3211 Wireless Voltage Sensor	0	1	
Magnets, 0.45" x 0.25"	0	8	
Plotting Compass	0	1	
Alligator Clip Jumper Wire	0	1	
Gratnells® Storage Tray	1	1	1
Banana Jack Terminal			1

NOTE

PASCO's Modular Circuit modules can now be purchased individually. See pasco.com for a complete list of available modules and ordering information.

Modular Circuits Generator

EM-3455

This versatile hand-crank generator allows students to generate electrical energy and learn what variables affect the output voltage. The generator works by rotating a series of magnets in front of a coil which induces a voltage in the coil. The induced voltage and current are powerful enough to light multiple LEDs and a mini-incandescent bulb.



NEW

Wireless AC/DC Module



EM-3533

The Wireless AC/DC Module is a Bluetooth Low Energy wireless signal generator designed for use with PASCO's Modular Circuits.



Wireless Current Sensor Module



EM-3534

For use with PASCO Modular Circuits, this module can be placed anywhere in a circuit and wirelessly transmits current data to your devices.

Order Information

Basic Modular Circuits Kit	EM-3535
Essential Physics Modular Circuits Kit	EM-3536
Modular Circuits Generator	EM-3455

Order Information

Wireless AC/DC Module	EM-3533
Modular Circuits AC/DC Expansion Kit	EM-3555
Wireless Current Sensor Module	EM-3534

Ball Ramp

NEW

ME-7075

The Ball Ramp can be used as a projectile launcher and as an inclined plane. Two meter sticks form rails for a ball to roll on. The curved end of the Ball Ramp allows the ball to roll off the end of the ramp horizontally. There is a level in the curved end so you can tell when the end is horizontal.

The angle of the Ball Ramp can adjust by clamping one end to a rod stand. Photogate Rod Clamps hold the meter sticks in place and provide a rod clamp as well as a place to attach a photogate. The Photogate Rod Clamp is compatible with Smart Gates and Photogate Heads. A photogate can also be mounted on the curved end of the Ball Ramp to record the speed right before the ball leaves the ramp.

To study Conservation of Momentum in two dimensions, the 2-D Collision Accessory can be mounted on the end of the curved end of the Ball Ramp, allowing the ball rolling down the ramp to collide with a second ball.

Built-in Features:

- Level in curved end to make the ball launch horizontally
- Photogate Rod Clamps hold the meter sticks in place, provide a rod clamp and a place to attach a photogate.
- The Photogate Rod Clamp can be installed upside-down to act as a back-stop to consistently start the ball at the same place by starting it pressed up against this back-stop.
- The curved end has a photogate attachment point so the speed of the ball can be measured just as the ball leaves the end of the ramp.



Use the ball ramp to launch the ball horizontally off a table to study projectile motion. The ball rolls down the ramp and collides with a second ball to study Conservation of Momentum in two dimensions

Order Information

Ball Ramp ME-7075



Meter Stick Rotation Set

ME-7074

In the Meter Stick Rotation Set, a Half-Meter Stick rotates about any point desired. The Wireless Force Sensor can be attached to the rotating meter stick to directly measure the centripetal force on a mass attached to the Force Sensor with a string.

The Meter Stick Rotation Set includes two mass holders that can slide freely on the meter stick or be fixed in place. The rotational inertia of the apparatus can be determined by accelerating the apparatus by a mass hanging over a pulley with a photogate.

Built-in Features:

- The Meter Stick Holder mounts on either a Pivot (ME-7034) or a Rotary Motion Sensor.
- The Meter Stick Holder has a post for mounting the Wireless Force Sensor.
- A screw on the Mass Holder for attaching a string makes it easy to change the radius in a centripetal force experiment.
- The Mass Holder, installed upside-down, has fins for attaching the Wireless 3-Axis Acceleration/Altimeter (PS-3223).



Order Information

Meter Stick Optics Rotation Set ME-7074



Meter Stick Torque Set

ME-7033

Create an improved version of the meter stick balance by mounting the Pivot on a rod stand and using an aluminum meter stick. The meter stick clamp has a built-in bubble level to indicate when the meter stick is level.

The meter stick clamp fits onto either the provided dual-ball bearing Pivot or a Rotary Motion Sensor. It has two mounting points: One is centered on the center of the meter stick for rotation and pendulum experiments and the other is offset so the center of mass of the meter stick is below the pivot point for stability in meter stick torque experiments. There is a built-in bubble level to make it obvious when the meter stick is level.

The mass hangers have a mass of 10 grams each, which makes it easy to add to the hanging mass. The mass hangers have a degree scale so the angle of the applied force can be read.

The mass hangers can be used in two ways:

- As a mass hanger in a meter stick torque experiment with the masses hanging from it
- Upside-down, as an anchor point for a suspension string at any angle in a statics experiment.

Features:

- Dual ball bearings in Pivot
- Mount at any height on any rod stand
- Mass hangers (10 g) have built-in angle indicators
- Built-in bubble level on Pivot meter stick clamp

Perform These Experiments:

- Meter Stick Torque
- **Statics:** Suspended Boom
- Physical Pendulum

Order Information

Meter Stick Torque Set.....ME-7033



Meter Stick Optics Complete System

OS-7052

PASCO's Meter Stick Optics Complete System includes all of the components needed to explore essential optics topics like image magnification, lens focal length, real and virtual images, combination of lenses, and so much more! This simple but robust system is designed to fit directly onto the included PASCO Aluminum Meter Stick, making measurements of object distance and image distance easy and straightforward for students.

The rechargeable LED light source provides long-lasting battery life and is bright enough to form clear images in a fully-lit classroom! The component holders and the viewing screen mount firmly on the meter stick, but can also be easily moved along the length of the meter stick. This makes the formation of real images easy to find and measure.

The high-quality lenses are clearly labeled and held firmly inside component holders. Using the built-in holding tabs, the lenses can be quickly exchanged in the component holders. Each lens comes with built-in standoffs to protect the lens surface from scratching and scuffing when placed flat on a tabletop.

Features:

- Bright, rechargeable LED light source
- Lenses mounted in holders to protect from damage
- Organized storage box for easy classroom management

Aluminum Meter Sticks (6 Pack)

ME-7032

These aluminum meter sticks are rigid and straight. Because they are hollow, the aluminum meter stick has about the same mass as a wooden meter stick. Both sides are marked in centimeters.

Half-Meter Stick

ME-7044

This so-called "Half-Meter" Stick is actually 60 cm long. These aluminum meter sticks are rigid and straight. Because they are hollow, the aluminum meter stick has about the same mass as a wooden meter stick. Both sides are marked in centimeters.

Order Information

Aluminum Meter Sticks (6 Pack)	ME-7032
Half-Meter Stick	ME-7044
Meter Stick Optics Complete System	ME-7033



Wireless Motion Sensor

PS-3219

The Wireless Motion Sensor connects via Bluetooth® or USB to your device, and uses ultrasound to measure the position, velocity, and acceleration of objects. This enables students to take turns measuring themselves, while the class observes their motion materializing as a graph in real time. The sensor can detect objects ranging from 15 cm to 4.0 m away, and without cables to get in the way, students can explore handheld and ceiling-mounted applications.

Features:

- Measures position, velocity, and acceleration
- False Target Rejection Technology produces clean data
- Clips directly to PASCO Dynamics Tracks
- Rod clamp for mounting
- 180° pivoting head
- Rechargeable lithium-ion battery
- Bluetooth® and USB connectivity



Order Information

Wireless Motion Sensor PS-3219

Wireless Motion Sensor Pack PS-3337

Note: Price for multi-sensor packs includes 8 sensors and custom storage case.

Free MatchGraph! Software

MatchGraph software is the most intuitive way to teach motion graphing. Engage your students with a kinesthetic experience that teaches graphing centered on motion. In MatchGraph, students attempt to match one of the nine provided graphs and are given a score showing how accurately they match the chosen curve. This activity gives them a deeper understanding of interpreting graphs as they see their own position and velocity graphed in real time.

Using a PASCO Motion Sensor, students create graphs of their own motion that they can then analyze. When using a Smart Cart, a real-time motion graph is displayed as students move the cart.

MatchGraph is great for teaching:

- Fundamental graphing skills
- Basic concepts of position and velocity
- The concept of slope
- What it means when the slope is zero
- How position and velocity graphs relate to each other



Download the Free MatchGraph! App



For Mac® and Windows® computers,
visit pasco.com/downloads.

Download the free iPad® or Android™
app from the App Store or Google Play.





Smart Cart (Red/Blue)


ME-1240/ME-1241

The patented Smart Cart is the ultimate tool for studying kinematics, dynamics, Newton's laws, and more. It is based on a durable ABS body with nearly frictionless wheels, just like our high quality PASCars. Now, we've added built-in sensors that measure force, position, velocity, and acceleration. The versatile Smart Cart can collect measurements on or off a track and transmit the data wirelessly over Bluetooth®. In essence, it is a wireless dynamics cart that combines all the necessary sensors, without requiring any additional hardware.

Smart Carts are ideal for studying mechanics topics, such as kinematics and dynamics. The built-in load cells enable two Smart Carts to visually demonstrate Newton's third law with ease. Additionally, built-in sensors for force and acceleration enable students to investigate Newton's second law in minutes. Smart Carts truly are a physics lab on wheels, and now you can own the most advanced physics cart ever created, all without the restrictions of cables.

Features:

- Built-in ± 100 N force sensor
- 3-axis accelerometer
- Bluetooth® connectivity
- Rechargeable battery
- Motion encoder measures position and velocity on or off the track
- Magnetic bumper for force sensor
- 3-position plunger
- Mass tray
- Velcro® tabs
- Force sensor hook and rubber bumper



Patent No.
10,481,173

The graphs show the impulse experienced and the change in velocity created by a collision between a Wireless Smart Cart and a cardboard bumper.



Measure the force exerted directly on the cart when the hook is pulled by a string attached to a mass hanging over a pulley.

Smart Cart Charging Garage

ME-1243

Charge up to five Smart Carts at once. Provides storage for the carts and accessory bumpers. Includes power adapter.



Order Information

Smart Cart (Red)	ME-1240
Smart Cart (Blue)	ME-1241
Smart Cart Charging Garage	ME-1243



Smart Cart Demonstration Kits

ME-1272A/ME-1273A

The Smart Cart Demonstration Kit comes with a Red or Blue Smart Cart and all the accessories you need to perform amazing physics demonstrations in kinematics and dynamics.

Features:

- Red or Blue Smart Cart
- Smart Fan Accessory with Rotation Base and Sail
- Smart Cart Motor
- Smart Cart Trigger Dropper
- Smart Ballistic Cart Accessory
- Smart Cart Vector Display
- Gratnells Case
- Demonstration Manual



Included demonstration book includes 23 demonstrations.



Smart Cart Vector Display

ME-1246

The Smart Cart Vector Display adds visual vectors to your Smart Cart for Force, Acceleration, or Velocity. Connect it to the Smart Cart's accessory port to visualize vectors in real time! The arrows light up proportional to the sensor reading and indicate both magnitude and positive or negative direction.

Features:

- Choose from Force, Acceleration, or Velocity vectors, and watch them in real time
- Students can visualize constant acceleration as a cart rolls up and then down an incline
- Great for the student lab station or for a physics lecture demonstration!
- Selectable ranges



Order Information

Red Smart Cart Demonstration KitME-1272A
Blue Smart Cart Demonstration Kit.....ME-1273A

Smart Cart Vector DisplayME-1246




Smart Fan Accessory

ME-1242

What makes this fan so smart? If you use this fan on a regular cart, you can turn it on and select one of three speeds by pushing the button on the side. But plugging it into a Smart Cart gives this Smart Fan Accessory added capabilities:

- **Hands-off Operation:** Turn the Smart Fan on and off wirelessly from your computing device.
- **Adjust the Thrust:** Move the slider in the software and watch the fan respond.
- **Reverse the Spin of the Fan:** Input a negative thrust to make the fan blow in the opposite direction.
- **Set Start and Stop Conditions:** Choose to start the fan when a measurement (such as position) reaches a certain value. Make the fan stop after a certain time, so the cart coasts during part of the experiment.
- **Sense and Control:** Program the Smart Fan thrust to respond to a calculation based on sensor measurements.



Fan Rotation Base

ME-1251

The Fan Rotation Base features a rotating platform that can be used to demonstrate the vector nature of force. It attaches to any PASCO dynamics cart and can mount to the Smart Fan Accessory or legacy Fan Accessory. Raised markings on the base indicate the angle the fan with respect to the path of the cart. The base can rotate in 15 degree intervals, snapping between each position, making it easy to set the angle of the fan.



Order Information

Smart Fan Accessory	ME-1242
Fan Rotation Base.....	ME-1251



Smart Cart Motor

ME-1247

The Smart Cart Motor is a motor-driven wheel that attaches to the Smart Cart to make it go at a constant velocity, forwards or backwards. In PASCO Capstone or SPARKvue, you can control the motor remotely through its wired connection to the Smart Cart by setting the power on a scale of -100 to +100%.

The Smart Cart Motor can be programmed in Blockly in PASCO Capstone or SPARKvue to execute movements based on sensor measurements. For instance, the Motor can be programmed to decrease in velocity as the position of the Smart Cart increases. You can program the Smart Cart to follow equations of motion and graph the real-time motion on a plot of the theoretical equation of motion.



The Smart Cart Motor is a motor-driven wheel that attaches to the Smart Cart to make it go at a constant velocity, forwards or backwards.

This view of the underside of the Smart Cart with Motor shows the red motor-driven wheel.



Order Information

Smart Cart Motor	ME-1247
------------------------	---------



Smart Ballistic Cart Accessory

ME-1245

The Smart Ballistic Cart Accessory mounts to any PASCO dynamics cart for a classic demonstration on the independence of X and Y motion. A projectile fired from the accessory while a cart is in motion will be caught farther down the track. When mounted to a PASCO aluminum cart or PAScar, the projectile is launched using a push button timer delay. When connected to a PASCO Smart Cart, the Smart Ballistic Accessory can launch the projectile based on measurements made by the Smart Cart in either SPARKvue or PASCO Capstone software.

Features:

- Compatible with all PASCO dynamics carts
- Push button timer to delay the launch of the projectile until after the cart is pushed
- Release mechanism does not affect cart motion or ball flight path
- The barrel has X and Y adjustments, so perfect vertical projections can be produced every time
- Fires a colored nylon ball 0.5 meters or higher for impressive demonstrations
- Connects to the Smart Cart for measurement-based launching conditions
- USB rechargeable Li-ion battery



Order Information

Smart Ballistic Cart Accessory ME-1245



Ball Catcher

ME-1252

The Ball Catcher can be mounted on a dynamics cart or a rotating meter stick to catch a ball shot from a projectile launcher. It has adjustable sides to accommodate 1-inch steel or plastic balls from the Projectile Launcher (ME-6800) or 5/8-inch steel balls from the Mini Launcher (ME-6825B). The Ball Catcher fits into any PASCO dynamics cart or Smart Cart and has a screw to attach it to the bed of the cart.

Order Information

Ball Catcher ME-1252



Smart Cart Trigger Dropper

ME-1249

This dual-purpose device can trigger the Smart Cart plunger or drop a ball from the side of a Smart Cart.

Trigger the Smart Cart plunger remotely for conservation of momentum experiments. The Trigger Dropper mounts in the bed of the Smart Cart, parallel to the cart. The plunger is released when the Trigger Dropper is activated either by pushing the button on the it or remotely through Capstone or SPARKvue software.

Drop a ball from a moving Smart Cart to demonstrate projectile motion. The Trigger Dropper mounts in the bed of the Smart Cart, perpendicular to the cart. The ball is dropped when the Trigger Dropper is activated in the software. It can be activated after a specified time or when the cart reaches a specified position. When the ball hits the floor, where is the cart relative to the ball?

The Trigger Dropper can also be programmed in Blockly.

Order Information

Smart Cart Trigger Dropper ME-1249

Wireless Smart Gate




PS-3225

The Wireless Smart Gate is more than just a photogate. It has dual photogate beams spaced 1.5 cm apart to accurately measure speed. When used with a laser, students can use the built-in laser switch to time objects that are too large to fit through the photogate beams. It also includes a photogate tape slot for measuring the movement of objects and an auxiliary port for adding another photogate head or the Time-of-Flight Accessory.

Highlights:

- Dual photogate beams
- Laser switch
- Auxiliary photogate/ Time-of-Flight port
- Photogate tape slot
- USB and Bluetooth®
- Rechargeable



Projectile Launcher

ME-6800

The Projectile Launcher demonstrates the concept that motion in different dimensions is absolutely independent. A good launcher not only illustrates this non-intuitive idea, but it also describes the exact motion of the projectile. PASCO has precision-engineered the Projectile Launcher to be durable, accurate, and consistent for highly repeatable results.



Projectile Launcher Wireless Smart Gate System

ME-6796

Choose this wireless option to eliminate cables between the computer and Projectile Launcher. The Wireless Smart Gate has all the features of the Smart Gate (PS-2180), but it connects to your computing device via Bluetooth® or USB; it does not require an interface.

Includes:

- Wireless Smart Gate with Mounting Bracket
- Launcher with Mounting Stand
- Steel Balls with Loading Rod
- 2-D Collision Accessory
- Aluminum Table Clamp
- 45 cm Stainless Steel Rod

Mini Launcher

ME-6825B

PASCO's Mini Launcher provides a low-cost method for every student to thoroughly investigate projectile motion. The Mini Launcher has the same level of precision and accuracy as our larger Projectile Launcher (ME-6800), but is easier to assemble, simple to adjust, and provides built-in storage for the plunger and metal balls.



Order Information


Wireless Smart Gate	PS-3225
Mini Launcher.....	ME-6825B
Projectile Launcher Wireless Smart Gate System	ME-6796
Projectile Launcher	ME-6800



Wireless Rotary Motion Sensor


PS-3220

The Wireless Rotary Motion Sensor measures angle, angular velocity, and angular acceleration, as well as their linear equivalents. The included three-step pulley can be rotated at different rates of acceleration to apply various torques. Use the rod-mounting holes to easily position the sensor for different experiments. This sensor connects directly to your devices via Bluetooth® or USB.



Order Information

Wireless Rotary Motion SensorPS-3220



Wireless Acceleration/Altimeter

PS-3223

The Wireless 3-Axis Acceleration/Altimeter can remotely log acceleration in three dimensions and altitude, making it ideal for recording data during roller coaster rides.

Specifications:

Accelerometer Ranges: ± 16 g, ± 100 g, ± 200 g, ± 400 g

Measurements: Acceleration (3 axes and resultant); Altitude; Angular Velocity (3 axes)

Logging: Yes


Battery: Coin Cell

Connectivity: Bluetooth® 5.2

Dimensions: 3.02" x 1.6"

Highlights:

- 3-axis accelerometer
- 3-axis gyroscope
- Altimeter
- Rubberized case
- Includes mounting strap



Order Information

Wireless 3-Axis Acceleration/AltimeterPS-3223

Wireless Spectrometer (Vis)



PS-2600

The award-winning PASCO Wireless Spectrometer is specifically designed for modern chemistry, biology, and physics labs. It connects to student devices via USB or Bluetooth® Low Energy and includes free Spectrometry software with built-in tools for spectral analysis. Scan times are fast, enabling students to collect a full spectrum of data in less than a second. Three plots are provided for common applications, including Absorbance vs. Wavelength (or Intensity vs. Wavelength), Absorbance vs. Concentration (Beer's law), and Absorbance vs. Time (kinetics).



Order Information

Wireless Spectrometer (Vis) PS-2600A
Fiber Optic Cable PS-2601



Wireless Sound Sensor





PS-3227

The Wireless Sound Sensor is two sensors in one wireless package: A sound wave sensor capable of measuring changes in relative pressure level as a function of time, and a sound level sensor with both dBA and dBC-weighted scales.

Features:

- Wirelessly collects sound wave data at high sample rates (100 kHz)
- Two sound sensors in one (sound wave and sound level)
- High quality sensing element intended specifically for laboratory experiments
- Connects seamlessly to Scope and FFT displays in both SPARKvue and PASCO Capstone software
- Threaded 1/4-20 socket for easy mounting and alignment/positioning



Order Information

Wireless Sound Sensor PS-3227
Wireless Sound Sensor Pack PS-3342

Note: Price for multi-sensor packs includes 8 sensors and custom storage case.

Wireless Light and Color Sensor

PS-3248

The Wireless Light and Color Sensor features two separate apertures: One on the side of the box for ambient light measurements and one at the end of the box for directional light measurements for percent color.

The ambient sensor measures:

Lux: Light energy from a point in a direction (per steradian, a solid angle) per second.

Illuminance: Light intensity per area, or brightness in the range our eyes perceive.

Irradiance: Power of the light per area. (Depends on wavelength as UV light has more energy than infra red).


PAR (Photosynthetically Active Radiation): Amount of light in the visible range 400-700 nm available to stimulate plant growth.

UV Index: 1 to 12 scale for the time light takes to cause skin damage. Larger numbers cause burns faster.

The spot sensor measures:

RGB: Light levels as a percent of the total of all colors measured

White: Total 'white' light intensity as a function of the sensor (on a scale of 65,536)



Order Information

Wireless Light and Color Sensor PS-3248

Wireless Light Sensor Pack PS-3338

Note: Price for multi-sensor packs includes 8 sensors and custom storage case.



Wireless Magnetic Field Sensor

PS-3221

This 3-Axis Magnetic Field Sensor can sense the Earth's magnetic field and fields from coils and bar magnets. There are two ranges: ± 50 gauss and ± 1300 gauss. This sensor is primarily for static fields.

Highlights:

- Simultaneous measurements on three axes
- **Dual range:** ± 50 G and ± 1300 G
- Sensitive enough to measure the Earth's magnetic field
- Measure fields from bar magnets and coils



Order Information

Wireless Magnetic Field Sensor PS-3221

Wireless Geiger Counter



PS-3238

The PASCO Wireless Geiger Counter counts beta, gamma and alpha radiation particles as they enter the Geiger-Müller detector tube inside the counter. Designed for easy mounting, the Geiger Counter provides superior position control in inverse square law labs, as well as an audible beep to indicate the detection of ionizing radiation. The front plastic snout fits conveniently inside the NU-3344 Sample Holder stand (available separately), which stabilizes the front of the counter's detector tube exactly 1 cm from the first slot in the holder. With the Wireless Geiger Counter, students can wirelessly control the high voltage supplied to the Geiger-Müller tube inside the counter, enabling them to make measurements of counts per interval for different tube voltages. They can also create a plot of counts/interval versus tube voltages to experimentally observe the Geiger plateau characteristics of the tube.

Features:

- Built-in metal mesh screen to protect the delicate mica window in the front of the Geiger-Müller detector tube
- Audible beep to indicate counts can be easily switched on or off
- **Versatile positioning options:** Use it with the NU-3344 Sample Holder, hand-held, or mount it to a rod stand.
- Convenient design natively fits the PASCO NU-3344 Sample Holder
- Provides wireless control over the high voltage supplied to the Geiger-Müller tube inside the counter for Geiger plateau experiments

Specifications:

Sensitivity: Alpha, Beta, Gamma

Count Detection: Switchable audio signal


Gas Filling: Ne + Halogen

Effective Tube Diameter: 9.1 mm


Window Thickness: 1.5 to 2.0 mg/cm²

High Voltage Control Range: 150 VDC to 650 VDC

Standard Operating Voltage: 500 VDC



Demonstrate the statistical (gaussian or poisson) nature of counts/interval measured from a radioactive source with a long half-life.



Measure counts/interval from a radioactive source at various distances to explore the inverse square law.



Order Information

Wireless Geiger Counter PS-3238

Includes: Wireless Geiger Counter, Micro USB Cable; PS-3584, Threaded handle for mounting the sensor to a ring stand

Geiger Counter Sample Holder NU-3344



Wireless Pressure Sensor




PS-3203

The Wireless Pressure Sensor allows students to easily collect accurate gas pressure data for a wide range of applications. Included is a 60 cc syringe, tubing, and connectors that facilitate experiments such as Boyle's law and measuring pinch-grip strength. Within PASCO's software, students can easily select their desired units from a list containing kPa, mmHg, inHg, mbar, psi, atm, and torr.

Features:

- Measures pressure even when the pressure within the system drops below ambient pressure
- Supports common units (kPa, atm, psi, mmHg, or N/m²) for many applications
- Bluetooth® wireless connectivity and long-lasting rechargeable battery



With the included syringe, your students can easily quantify the relationship between pressure and volume.



Order Information

Wireless Pressure Sensor PS-3203

Wireless Pressure Sensor Pack PS-3333

Note: Price for multi-sensor packs includes 8 sensors and custom storage case.

Wireless Voltage-Current Sensor

PS-4254



NEW


The Wireless Voltage-Current Sensor is a smart alternative to a traditional multimeter. It can be used as a standalone unit by using the built-in display, or connected to a computing device to output measurements to PASCO software for graphical analysis.

Connecting test leads is easy with separate ports provided for voltage and current. The ports are strategically arranged to remind students to connect the current sensor in series and the voltage sensor in parallel. Having separate ports makes it possible to measure voltage and current simultaneously with both measurements synchronized, even at high sample rates. The voltage and current measurements are also used to automatically calculate and display power and energy.

When used as a standalone unit, the sensor automatically detects if a signal is DC or AC. RMS values are displayed when an AC signal is detected (RMS assumes a pure sine wave). There is also no need for students to fiddle with range knobs since the sensor displays its full range. Students can also log data on the device to take measurements over time and view the logged data with PASCO software later.

Features:

- Measures voltage and current simultaneously with synchronized measurements
- Automatically calculates power and energy
- Built-in OLED display for viewing two live DC and AC measurements
- Ports arranged to emphasize connecting the current sensor in series and the voltage sensor in parallel
- Alarm warns students if the current measurement is too high to protect the sensor from damage
- Remote logging with built-in memory
- High speed sampling
- Rechargeable battery that can be easily replaced



Order Information

Wireless Voltage-Current Sensor PS-4254



Wireless Charge Sensor

PS-3240

The Wireless Charge Sensor is designed to allow students to measure the electrostatic charge on an object. With the aid of PASCO data collection software, the sensor can measure either charge or voltage and plot them on a variety of displays.

The sensor comes with a BNC-to-alligator clip cable, which can be used to connect the sensor's BNC port to electrostatic equipment such as the Faraday Ice Pail. When used with the Faraday Ice Pail, the Wireless Charge Sensor can measure the total charge on an object by the induction method. The sensor can also be used as a high impedance voltmeter.

The sensor also comes with an E-Field Detector probe that plugs into the BNC port. The E-Field Detector is used to compare the relative charges of objects held near the sensor such as a balloon or a charged strip of cellophane tape.

Features:

- No guessing if a charge is positive or negative – the polarity is shown.
- Measures both charge and voltage.

Specifications:

Charge:

Range: $\pm 0.1 \mu\text{C}$

Resolution: 5 pC

Range: $\pm 10 \text{ V}$

Voltage: Resolution: 500 μV

Maximum Sample Rate: 100 Hz

Connectivity: USB and Bluetooth 5.2

Logging: Yes

Battery Type: Rechargeable LiPo



Order Information

Wireless Charge Sensor PS-3240




Wireless Force Acceleration Sensor

PS-3202

Capable of simultaneously measuring force, acceleration, and rotational velocity, this sensor is ideal for experiments involving rotating platforms, moving carts, spring oscillations, collisions, and impulse. The wireless design offers improved measurement accuracy by eliminating cords that affect data collection. Students can use the finger-holes for handheld applications, or mount it onto a cart or rod for more complex experiments.

Teaching Advantage:

- Bluetooth® 5.2 simple, one touch in-app pairing
- Long-lasting rechargeable battery
- Zeroing is completed within the software for accurate taring
- Logging mode stores data for force, acceleration, and rotation directly on the sensor for long-term experiments
- Simultaneously measures force and acceleration
- Built-in 3-axis acceleration sensor measures acceleration in x, y, and z axes, and calculates resultant acceleration
- Built-in gyroscope measures rotation about x, y, and z axes



The Wireless Force Acceleration Sensor is perfect for explorations of Newton's third law.



Order Information

Wireless Force Acceleration Sensor.....PS-3202

Wireless Force Acceleration Sensor PackPS-3339

Note: Price for multi-sensor packs includes 8 sensors and custom storage case.



Wireless 1 & 2-Axis Force Platforms

PS-3229 & PS-3230

The Wireless Force Platforms build on the success of our PASPORT Force Platforms, offering users the same reliable performance with enhanced durability and a convenient, wireless connection.

The new design features a sturdy, glass-filled nylon platform and four supporting force beams that measure the forces acting normal to the platform's surface. The Wireless 2-Axis Force Platform also includes a fifth beam for measuring forces parallel to the platform. Along the bottom of each platform are four adjustable feet that make leveling quick and easy, while also ensuring stability between the force beams and the surface below. Students can measure the force applied to each beam independently or the overall resultant force acting on the surface of the platform (up to 5200 N). With their new wireless design, the Wireless Force Platforms are easier to use than ever, providing both spacial flexibility and custom sample rates for high speed sampling over Bluetooth® (up to 10 kHz).

Features:

- Improved rugged design with increased maximum force range
- Mechanical force over-limit protection
- Wide top surface for jumping and standing
- Burst sampling option for high speed wireless data collection

Specifications:

1-Axis Range: -1320 N to 5280 N (resultant)

2-Axis Range: -1320 N to 5280 N (resultant); ± 1300 N parallel force

Surface Dimensions: 35 cm x 35 cm

Maximum Sample Rate: 10 kHz

Resolution: 0.2 N

1-Axis Force Over-Limit Protection: -500 N to 2000 N per beam

2-Axis Force Over-Limit Protection: -500 N to 2000 N per vertical beam; ± 2000 N parallel beam



The 2-Axis platform measures the normal and parallel forces acting on the platform simultaneously. Determine the static weight of a structure or person, measure forces associated with the impacts of falling objects, and determine the dynamic vertical and parallel forces that arise when moving or jumping.

Order Information


Wireless Force PlatformPS-3229

Wireless 2-Axis Force PlatformPS-3230

Handle Set, Force Platform.....PS-2548

Interface Comparison

Compare the features and capabilities to see which interface is best for your lab.



INTERFACES	SPARK LXi2	SPARK LX Air
Wireless Inputs	5	5
Analog Inputs	0	0
Digital Inputs	0	0
Connects via USB	Yes	Yes
Connects via Bluetooth®	Yes	Yes
Rechargeable Battery	Yes	Yes
Works with PASCO Capstone Software	No	No
Works with SPARKvue Software	Yes	Yes
Accepts PASPORT Sensors	Yes	No
Accepts ScienceWorkshop Sensors	No	No
Maximum Sampling Rate	Sensor dependent <100 KHz	Sensor dependent <100 KHz
Signal Generator	N/A	N/A



SPARK LXi2 Datalogger

PS-3600B

The SPARK LXi2 Datalogger is a Bluetooth® handheld datalogger that enables students to connect wired and wireless sensors, collect data, generate graphs, and analyze results. It is durable and splashproof. The LXi2 simultaneously accommodates up to five Wireless Sensors, has two ports for PASPORT Sensors, has ports for the included Fast Response Temperature Probe and Voltage Probe, and has a built-in GPS and accelerometer. It is also compatible with the AirLink, SPARKlink® Air, and the 550 Universal Interface.

SPARK LX Air Datalogger

PS-3620

The SPARK LX Air Datalogger is PASCO's slimmed down all-in-one device for data logging, data display, and data analysis. Don't risk damaging your school computer during hands-on experiments! With the LX Air, you are in control of the technology in your classroom. Designed for a wet-lab environment, the LX Air is portable, durable, and splash-proof. The LX Air can connect to up to 5 Wireless Sensors at once. It is also compatible with the SPARKlink® Air and the 550 Universal Interface.

Order Information

SPARK LXi2 DataloggerPS-3600B

Order Information

SPARK LX Air DataloggerPS-3620



AirLink

550 Interface

N/A

N/A

0

2

0

2

Yes

Yes

Yes

Yes

Yes

No (AC Adapter)

Yes

Yes

Yes

Yes

Yes

Yes

No

Yes

Sensor dependent
<100 KHz

Up to 2 MHz on
one channel

N/A

+/-8 V, at 400mA DC to 100 KHz



AirLink Interface

PS-3200

The AirLink connects PASPORT sensors to a Mac® or Windows® computer, Chromebook, iPad, tablet, or smartphone via Bluetooth® or USB connection. The USB cable is included.

Order Information

AirLink Interface PS-3200

550 Universal Interface

UI-5001

The 550 Universal Interface is fast, powerful, and incredibly affordable. The cost-effective 550 offers half the ports and many of the same features as our 850 Universal Interface, including both Bluetooth® and USB connectivity. The 550 Universal Interface includes two PASPORT sensor ports, two digital sensor ports, two analog sensor ports, and a built-in signal generator. The 550's two digital inputs are compatible with all ScienceWorkshop digital sensors, as well as timing devices and photogates. The two analog ports connect with our analog ScienceWorkshop sensors and can support a 2.0 MHz max sampling rate and 1.22 mV resolution for voltage sensing. The 550's built-in signal generator powers motors, speakers, circuits, and many other devices. With PASCO Capstone software and the 550, you can control various DC and AC waveforms without requiring any other technology.



Order Information

550 Universal Interface UI-5001

Make the switch to **PASCO** capstone™ 2

The Most Powerful Data Collection Software in Science Education

PASCO Capstone is a powerful and easy-to-use science program for collection and analysis of data from PASCO sensors. Data is collected and displayed in real time on a graph or your choice of display type. Use Capstone in the basic graph/table mode or choose to configure your own workspace with any of the many displays available.

Features

- Collect and display sensor data in real time.
- Choose from multiple display types: Graph, table, digits, oscilloscope, FFT, meter, bar meter, histogram, circuit emulator, video analysis, image, text box.
- Undo/redo gives you the freedom to explore without losing data.
- Sampling options: Periodically, or sample manually when you press a button.
- Graph user-entered data.
- Visual Statistics: Unique to Capstone is the ability to show minimum, maximum, and mean as lines on the graph and to show the standard deviation as a shaded area.
- Exclude or delete outlier data points from analysis.
- Apply curve fits ranging from linear to more complex fits such as damped sine, Gaussian, sine series, and user-defined fits.
- Add error bars to the graph. Choose from percent error, fixed error, or point-by-point error defined by a data set.

See the next three pages for more details.



- Draw predictions on the graph to compare to future data runs.
- Quick-Calcs on the graph axes allow you to linearize the data plot.
- Create data models using the Calculator to compare to data runs on a graph.
- Synchronize videos of the phenomenon with the corresponding sensor data and replay it to see the relationship between the motion and the graph.
- Use Blockly coding in Capstone to program sensors and controllers to sense the environment around you and control a wide variety of things like motors, lights, and fans.
- Video Analysis: Record a movie, track a moving object, and convert the motion into data on a graph. Show velocity vectors on the moving object.
- Updated regularly: PASCO Capstone is updated regularly, supporting new hardware, fixing issues, and adding new features. The latest new features are Blockly-based coding, graph pop-up tools, and circuit emulation.



Blockly Block-based Coding

- Control all PASCO sensors and interfaces
- Create sense and control programs
- Control outputs from sensor inputs


Bring computational thinking into your science lab!



Graph Pop-up Tools

Visit pasco.com/capstone for more information.

Quick access to commonly used analysis tools



Capstone has all the software tools you need for data collection and analysis. And we continue to add more features, based on input from physics educators just like you!

- Exclude or delete selected data points from analysis.
- Create models using the calculator.
- Calculated columns in tables
- Error bars
- Weighted linear fit that takes into account error bars
- More complex curve fits such as damped sine, Gaussian, sine series, and user-entered fits
- Smooth data directly on a graph with slider tool.
- Global preferences settings

Circuits Emulation

Reinforce circuit concepts and tackle student misconceptions using circuit visualization.

Combine real-world circuits with simulations, animations, and live measurements.


With this tool you can:

- Construct and modify circuits
- Show conventional current and electron flow animations
- Animate circuits with live sensor data


Build your own circuits in Capstone. Drag and drop components and draw wires to connect them.

- Demonstrate series and parallel
- Charge and discharge capacitors


Examples of other circuit emulations:



- Animate conventional current flow
- Animate a capacitor — charge or discharge
- Edit capacitor values



- Animate electron flow
- Connect components in parallel or series



- Operate switches
- Edit voltage and resistor values

Spread the word!

PASCO Capstone™ is now available as an app for Windows® and macOS! Students can purchase a 1-year personal license with no auto-renewal. Search for "PASCO Capstone" in your preferred app store.

Download a free 30-day trial at www.pasco.com/capstone

macOS or  Windows®

Order Information

PASCO Capstone Site License UI-5400

PASCO Capstone Student License
(APP Store/Microsoft Store)

TOOLS



Configure PASCO Hardware

Works with PASPORT, ScienceWorkshop, and Wireless Sensors



Photogate Timer Wizard

Easily configure photogates and timing measurements



Data Summary

- Equations/calculations
- Fundamental constants
- Experimental constants
- Trials and runs



Sensor Calibration Wizard

- Step by step calibration
- Many calibration types




Signal Generator

- Scan through a range of frequencies
- Control signal output with a calculation




Calculator

- Graph modeling
- Create data sets using sensor data



Sophisticated scientific calculator has statistics, calculus, filters, logic functions, and special operations such as amplitude and period.



Replay Your Data


- Change replay rate
- Increment by frame
- Loop playback



Sampling Options

- Continuous manual sampling
- Fast monitor mode
- Independent sensor sampling rates
- Start/stop conditions
- Zero sensor

Capstone 2 Includes Video Analysis



Import video and analyze the motion of objects to measure position, velocity, and acceleration. With this tool you can also:

- Show velocity and acceleration vectors
- Use magnifier to identify exact center of an object
- Use calibration ruler at any time
- And so much more!

PASCO's
proximity in-app
sensor pairing:
U.S. Patent
Number
10,356,594

DISPLAYS


Display Your Data Your Way

- Graph • Table • Digits • Scope • FFT • Meters

Graph Tools Include

- Draw predictions on graphs before taking data.
- Multiple y-axes and/or multiple plot areas
- Perform Quick-Calcs on the graph axis to linearize data.
- Curve-fits report the uncertainties in the parameters.
- Multi-coordinate tool gives y-values wherever it intersects data.

Error Bars and Weighted Linear Fits



Graph uncertainties using user-entered error bars, absolute error, or percent error. The weighted linear fit incorporates the error bars.

Delete Runs


- Last run only
- Select from list
- All runs

Made a mistake?

Just hit
 **UNDO**

Visit pasco.com/capstone for more information.


Oscilloscope Display



This display behaves like an authentic digital oscilloscope.

- Trigger
- Single trace collection
- Sample rate tied to time axis scale
- Set trace offset


FFT



Display data in the frequency domain to find peak frequency and harmonics.

- Sample rate tied to axis scale
- Normalize data
- Adjust BIN width

Multi-Coordinate Tool



Easily show the relationship between multiple data plots by comparing data values across the time axis.





PASCO is proud to be partnering with OpenSciEd to bring NGSS-aligned science lessons into K-12 classrooms.

OpenSciEd curriculum extends beyond traditional lessons to foster investigative and collaborative student learning. PASCO provides instructional materials, technology-enhanced equipment kits, digital resources, print options, and professional learning for your OpenSciEd solution.



Elementary School Science - Grades K-5

The PASCO Certified Version of OpenSciEd Elementary School sparks curiosity about science for early learners. This K-5 program strives to provide a welcoming classroom culture and equitable support for all science students, including students from communities underrepresented in STEM classes, college majors, and careers. With seamless integration with ELA and mathematics, OpenSciEd Elementary School offers hands-on science opportunities that are engaging and meaningful for each developmental stage.



Middle School Science - Grades 6-8

EdReports has designated the OpenSciEd Middle School program with an all-green rating for meeting NGSS alignment and usability expectations. The PASCO version of OpenSciEd curriculum amplifies student engagement by integrating high tech sensors, equipment, and data analysis software into OpenSciEd's science investigations.



High School Science - Biology, Chemistry, & Physics

The PASCO Certified Version of OpenSciEd is a complete solution of curriculum, kits, and support for your high school science program. The three full-year courses of OpenSciEd High School program include materials for Physics, Chemistry, and Biology courses with the Earth and Space Science standards woven throughout each. They address the NGSS and empower students with a rigorous science education to prepare them for success in college and STEM careers.



CERTIFIED

PASCO

VERSION

Enhanced

Infused with PASCO's award-winning technology, the PASCO Certified Version of OpenSciEd amplifies student learning with enhanced demonstrations and live sensor data.



Our durable smart carts and wireless sensors make science phenomena tangible.



Customizable

Prefer to have your teacher and student instruction materials in print? In addition to digital curriculum, PASCO offers hard copy options of teacher editions, student readers, and student workbooks. Our science education experts tailored the OpenSciEd written content to easily integrate PASCO technology into your classroom.




PASCO is a Certified Professional Learning provider

PASCO provides the necessary foundation to support the shift from traditional instructional methods to student-driven inquiry and community discourse. Get the fundamental guidance teachers need to succeed in the classroom.

The PASCO Certified Version of OpenSciEd empowers your students and teachers with 21st-century tech and standards-aligned lessons. See the PASCO Difference with our high-quality equipment kits, unique instructional materials, and robust support strategy.

Available

PASCO Portal® allows your digital OpenSciEd curriculum to be cleanly organized and easily shared. Portal seamlessly connects to your learning management system (LMS). Share student files and assignments with just a few clicks! Compatible with Google Classroom, Canvas, Brightspace, Blackboard, Schoology, and more.



Convenient

From selection to implementation, PASCO supports you every step of the way. We provide you with all the instructional and hands-on materials you need to facilitate OpenSciEd lessons and investigations. Whether you pilot a few units or adopt a full grade band, PASCO is prepared to supply your consumable kits year-to-year.



Scan the QR code or go to pasco.com/openscied for more information about the PASCO Certified Version of OpenSciEd.



Interface & Sensor Index

INTERFACES & SENSORS	Part Number	Page Number
550 Universal Interface	UI-5001	122
AirLink	PS-3200	122
SPARK LX12	PS-3600B	123
SPARK LX Air	PS-3620	123

AC/DC Smart Power Supply	PI-9525	124
Air Quality	PS-3226	124
Acceleration/Altimeter	PS-3223	124
Barometer	PS-4255	124
Blood Pressure	PS-3218	125
Charge	PS-3240	125
CO ₂	PS-3208	125
//code.Node	PS-3231	125
Colorimeter & Turbidity	PS-3215	126
Conductivity	PS-3210	126
Conductivity (OLED)	PS-4210	126
//control.Node	PS-3232	126
Current	PS-3212	127
Drop Counter	PS-3214	127
Dynamometer	PS-3253	127
EKG	PS-3236	127
Ethanol	PS-4252	127
Exercise Heart Rate	PS-3207	128
Force Acceleration	PS-3202	128
Force Platforms 2D	PS-3230	128
Force Platform 1D	PS-3229	128
Geiger Counter	PS-3238	129
Greenhouse	PS-3322	129
Hand-Grip Heart Rate	PS-3206	129
Light & Color	PS-3248	129
Load Cell Accelerometer	PS-3216	129
Magnetic Field 3-Axis	PS-3221	130
Melting Point Apparatus	PS-3239	130
Motion	PS-3219	130
Optical Dissolved O ₂	PS-3224	130
O ₂ Gas	PS-3217	130
pH	PS-3204	131
pH (OLED)	PS-4204	131
Polarimeter	PS-3237	131
Pressure	PS-3203	131
Pressure-Temperature	PS-4257	131
Rotary Motion	PS-3220	132
Smart Gate	PS-3225	132
Smart Cart Charging Garage	ME-1243	132
Smart Cart (red)	ME-1240	132
Smart Cart (blue)	ME-1241	132
Soil Moisture	PS-3228	133
Sound	PS-3227	133
Spectrometer	PS-2600A	133
Spirometer	PS-3234	133
Temperature	PS-3201	133
Temperature Link	PS-3222	133
Temperature (OLED)	PS-4201	134
Thermocouple (OLED)	PS-4256	134
Voltage	PS-3211	134
Voltage/Current	PS-4254	135
Weather with GPS	PS-3209	135



550 Universal Interface

UI-5001

The 550 Universal Interface includes two PASPORT sensor ports, two digital sensor ports, two analog sensor ports, and a built-in signal generator. The 550's two digital inputs are compatible with all ScienceWorkshop digital sensors, as well as timing devices, and photogates. The two analog ports connect with our analog ScienceWorkshop sensors and can support a 2.0 MHz max sampling rate and 1.22 mV resolution for voltage sensing. The 550's built-in signal generator powers motors, speakers, circuits, and many other devices. With PASCO Capstone software and the 550, you can control various DC and AC waveforms, without requiring any other technology. The 550 provides 8 V at 400 mA, selectable voltage limits, built-in voltage and current measurements, and DC offset. Capstone™ software turns the 550 into a live oscilloscope that can display simultaneous traces. Beyond having USB 2.0 connectivity, the 550 can also send data wirelessly to any Bluetooth® enabled computer, iPad, or Android tablet using PASCO Capstone or SPARKvue software.

Features:

- USB and Bluetooth® connectivity
- 3.2 W power amplifier
- 2.0 MHz max sampling rate
- 100 kHz signal generator with built-in Voltage and Current sensors
- Compatible with PASPORT, ScienceWorkshop, and Wireless Sensors
- 2 high-speed analog inputs
- 2 digital inputs for photogates and other timing sensors
- 2 PASPORT sensor inputs
- Can be used simultaneously with other PASPORT interfaces
- Uses PASCO Capstone or SPARKvue Software

Order Information

550 Universal Interface UI-5001


AirLink Interface

PS-3200

The AirLink connects PASPORT sensors to a Mac® or Windows® computer, Chromebook, iPad, tablet, or smartphone via Bluetooth® or USB connection. The USB cable is included.



Example PASPORT Sensor



AirLink Interface

Order Information

AirLink Interface PS-3200



SPARK LXi2 Datalogger

PS-3600B

The SPARK LXi2 Datalogger is a Bluetooth® handheld datalogger that enables students to connect wired and wireless sensors, collect data, generate graphs, and analyze results. It is durable and splashproof. The LXi2 simultaneously accommodates up to five Wireless Sensors, has two ports for PASPORT Sensors, has ports for the included Fast Response Temperature Probe and Voltage Probe, and has a built-in GPS and accelerometer. It is also compatible with the AirLink, SPARKlink® Air, and the 550 Universal Interface.

Built for Student Use:

- Portable
- Shock-absorbing case
- 8" Color Capacitive Touchscreen (1280 x 800 pixels)
- 2.0 GHz Application Processor, 2.0 GB RAM, 32 GB Memory
- Voltage and temperature sensor ports with included probes
- Speakers, microphone, and camera
- GPS and accelerometer
- Loaded with PASCO software: SPARKvue® for data collection and analysis, MatchGraph!, and Spectrometry
- Wi-Fi enabled
- Bluetooth® 5.0
- Wireless sensors and Smart Carts connect via Bluetooth®
- AirLink, SPARKlink Air, or 550 Universal Interface via USB or Bluetooth®
- Two PASPORT sensor ports



The SPARK LXi2 features two PASPORT ports as well as ports for the included temperature and voltage probes.

Order Information

SPARK LXi2 Datalogger PS-3600B

SPARK LX Air Datalogger

PS-3620

The SPARK LX Air Datalogger is PASCO's slimmed down all-in-one device for data logging, data display, and data analysis. Don't risk damaging your school computer during hands-on experiments! With the LX Air, you are in control of the technology in your classroom. Designed for a wet-lab environment, the LX Air is portable, durable, and splash-proof.

The LX Air can connect to up to 5 Wireless Sensors at once. It is also compatible with the SPARKlink® Air and the 550 Universal Interface. Make sure the devices are logged on to local internet to enjoy automatic software updates and annual student data purging for smooth-sailing in your classroom. The units come ready-to-use with pre-installed data logging software, including SPARKvue®, Chemvue®, Spectrometry, and MatchGraph!

Built for Student Use:

- Portable
- Shock-absorbing case
- 8" Color Capacitive Touchscreen (1280 x 800 pixels)
- Loaded with PASCO software: SPARKvue® for data collection and analysis, MatchGraph!, Chemvue and Spectrometry
- Wi-Fi & Bluetooth® 5.0 enabled
- Wireless sensors and Smart Carts connect via Bluetooth®
- AirLink, SPARKlink Air, or 550 Universal Interface via USB or Bluetooth®

Specifications:

Processor (CPU): 2.0 GHz Quad Core

Screen: 8.00" color capacitive touchscreen, 1280 x 800 px; 16:10 aspect ratio

Memory: 32GB eMMC Flash, 2.0 GB DDR4 RAM

WiFi: 802.11a/b/g/n/ac

Bluetooth: 5.0

Connectivity: Wifi, Bluetooth®, USB-C

Battery: LiPo battery up to 8 hours between charges

Order Information

SPARK LX Air Datalogger PS-3620

Classroom Sensor Multi-Packs

The Wireless Sensor Packs contain 8 Wireless Sensors inside a Gratnells storage tray. Also inside the tray is a custom insert designed to securely fit each sensor. The trays provide a convenient and well-ordered storage solution for any classroom, while also making transportation between classrooms effortless.



Look for this symbol on sensors available in multi-packs. See pasco.com for pricing.

Wireless 3-Axis Acceleration/Altimeter

PS-3223

Specifications:

Low-g Accelerometer:
Range: ± 16 g
Resolution: 0.002 g at 20 Hz
Accuracy: ± 0.04 g
Maximum Sample Rate: 5 kHz

High-g Accelerometer:
Ranges: ± 100 g, ± 200 g, ± 400 g
Resolution: 0.04 g (@ ± 100 g) at 20 Hz
Accuracy: ± 1 g (@ ± 100 g)
Maximum Sample Rate: 5 kHz

Altimeter:
Range: -1.8 km to 9.5 km
Resolution: 10 cm
Maximum Sample Rate: 200 Hz



Gyroscope:

Range: ± 34.9 rad/s
Accuracy: ± 0.02 rad/s
Maximum Sample Rate: 1 kHz
Connectivity: Bluetooth 5.2
Logging: Yes
Battery Type: Coin Cell



Order Information

Wireless 3-Axis Acceleration/Altimeter PS-3223

AC/DC Smart Power Supply



PI-9525

Specifications:

Maximum Power Output: 10 V @ 1 A
Waveforms: DC, sine, square, positive square, triangle
Output Freq. Range: 0.001 Hz to 100 kHz; resolution 0.001 Hz
Power Adapter: 15 V @ 2.67 A
Output Voltage Sensor Range: ± 10 V
Output Voltage Sensor Maximum Sample Rate: USB: 100 kHz (monitoring); Bluetooth: 20 kHz (continuous)
Data Connectivity: USB-C and Bluetooth 5.2
Output jacks: Safety 4 mm banana jacks
Variable Duty Cycle: For positive square wave



AC/DC Smart Power Supply PI-9525

Wireless Air Quality Sensor

PS-3226



Specifications:

Temperature:
Range: -40 to 80 °C
Resolution: 0.1 °C
Accuracy: ± 0.2 °C

Humidity:
Range: 0 to 100%
Resolution: 0.02%
Accuracy: ± 3 %

Particulates:
Size: 1um, 2.5um, 10um
Range: 0 to 1000 ug/m3
Resolution: 0.02 ug/m3
Accuracy: ± 3 %

O3/NOx:
Range: 0 to 20,000 ppb
Resolution: 5 ppb
Accuracy: ± 25 ppb
Warm-up Time: 20 min on 1st run of the day

VOC:
Range: 0 to 500 air quality index units
Resolution: 1 air quality index
Accuracy: Calibrated on ethanol but varies by compound

Logging: Yes
Battery Type: Rechargeable LiPo

Order Information

Wireless Air Quality Sensor PS-3226

Wireless Barometer



PS-4255

Specifications:

Atmospheric Pressure:
Range: 75 to 125 kPa
Accuracy: ± 0.1 kPa
Precision: 0.01 kPa

Altimeter:
Range: -1.8 to 9.5 km
Resolution: 10 cm

Max Sample rate: 200 hz
Connectivity: Bluetooth 5.2
Logging: Yes
Battery Type: Li ion rechargeable



Wireless Barometer PS-4255

Wireless Blood Pressure Sensor (Standard Cuff)

PS-3218

Specifications:

Heart Rate:

Range: 36 to 200 bpm

Resolution: 1 bpm

Accuracy: ± 1 bpm

Blood Pressure

Range: 0 to 260 mmHg

Resolution: 0.05 mmHg

Accuracy: ± 3 mmHg

Gauge Pressure

Range: 0 to 260 mmHg

Resolution: 0.05 mmHg

Accuracy: ± 3 mmHg

Connectivity: USB and Bluetooth 5.2

Logging: No

Battery Type: Rechargeable LiPo



Order Information

Wireless Blood Pressure Sensor with Standard Cuff..... PS-3218

Wireless Charge Sensor

PS-3240

Specifications:

Charge:

Range: ± 0.1 μ C

Resolution: 5 pC

Voltage:

Range: ± 10 V

Resolution: 500 μ V

Maximum Sample Rate: 100 Hz

Connectivity: USB and Bluetooth 5.2

Logging: Yes

Battery Type: Rechargeable LiPo



Order Information

Wireless Charge Sensor..... PS-3240

Wireless CO₂ Sensor (Carbon Dioxide)

PS-3208

Specifications:

Range: 0 to 100,000 ppm

Resolution: 2 ppm

Accuracy: 1,000 – 10,000 ppm Range: $\pm 5\%$ of reading + 100ppm, 10,000 – 50,000 ppm Range: $\pm 10\%$ of reading, 50,000 – 100,000 ppm Range: $\pm 15\%$ of reading

Warm-up Time: 3 min

Response Time: 90% in 30 sec

Operating Temperature Range: -10°C–50°C (5°C to 30°C ideal for LiPo charging)

Metabolism Bottle Volume: 250 mL

Metabolism Bottle Care: Warm soapy water (not boiling)

Connectivity: USB and Bluetooth 5.2

Logging: Yes

Battery Type: Rechargeable LiPo



Order Information

Wireless CO₂ Sensor (Carbon Dioxide) PS-3208

Wireless CO₂ Sensor (8-pack)..... PS-3341

//code.Node

PS-3231

Specifications:

Light Level Sensor Range: 600 lx to 50,000 lx (not calibrated)

Sound Level Sensor Range: 70 dB to 100 dB (not calibrated)

Magnetic Field Sensor Range: ± 50 gauss

Acceleration Sensor Range: ± 8 g

Ambient Temperature:

Range: -25°C to 40°C

Resolution: 0.05°C

Accuracy: ± 1 °C

Speaker Frequency Range:

10 Hz to 10,000 Hz

Maximum Sample Rate: 100 Hz

Connectivity: USB and Bluetooth 5.2

Logging: No

Battery Type: Rechargeable LiPo



Order Information

//code.Node PS-3231

//code.Node (8-pack)..... PS-3311

Wireless Colorimeter & Turbidity Sensor

PS-3215

Specifications:

Color Detection/Peak Wavelengths: 415 nm (violet), 445 nm (indigo), 480nm (blue), 515 nm (green), 555 nm (yellow/green), 590 nm (yellow), 630 nm (orange), 680 nm (red)

Detection Wavelength Range: ± 25 nm from peak

Absorbance: 0–3 Abs units; useful range (0.05–1.5 Abs)

Transmittance: 0–100%

Turbidity Illumination Wavelength: 850 nm

Turbidity Range: 0–400 NTU

Accuracy: $\pm 5\%$ NTU

Connectivity: USB and Bluetooth 5.2

Logging: Yes

Battery Type: Rechargeable LiPo



Order Information

Wireless Colorimeter & Turbidity Sensor PS-3215
 Wireless Colorimeter & Turbidity (8-pack) PS-3334

Wireless Conductivity Sensor

PS-3210A

Specifications:

Range: 0 to 40,000 $\mu\text{S}/\text{cm}$ (0 to 28,000 mg/L TDS)

Resolution: 0.1 $\mu\text{S}/\text{cm}$

Accuracy (200 - 40,000): $\pm 5\%$ of value

Accuracy (below 200): $\pm 25\%$

Total Dissolved Solids:

Range: 0 to 30,000 ppm

Resolution: 0.1 ppm

Accuracy: 10% between 100–30,000 ppm

Response Time: 95% of in 5 seconds

Environmental Tolerance (Min-Max): 0°C to 80°C

Temperature Compensation: 0°C to 35°C

Temperature Accuracy: $\pm 0.5^\circ\text{C}$

Waterproof: IPX7 rated (1 meter for 30 min)

Connectivity: Bluetooth 5.2

Logging: Yes

Battery Type: Coin Cell

Order Information

Wireless Conductivity Sensor PS-3210A
 Wireless Conductivity Sensor (8-pack) PS-3334

Wireless Conductivity Sensor with Display

PS-4210

Specifications:

Conductivity:

Range: 0 $\mu\text{S}/\text{cm}$ to 40,000 $\mu\text{S}/\text{cm}$

Resolution: 0.1 $\mu\text{S}/\text{cm}$

Accuracy (200 - 40,000): $\pm 5\%$ of value

Accuracy (below 200): $\pm 25\%$



Total Dissolved Solids:

Range: 0 ppm to 30,000 ppm

Resolution: 0.1 ppm

Accuracy: 5% between 100–30,000 ppm

Response Time: 95% of final reading in 5 seconds or less

Environmental Tolerance (Min-Max): 0°C–80°C

Temperature Compensation: 0°C–35°C

Temperature Accuracy: $\pm 0.5^\circ\text{C}$

Probe Material: The probe is composed of 300 series stainless steel and glass filled polypropylene

Water resistant: IPX4 handles splashes, light rain, not immersion

Connectivity: USB and Bluetooth 5.2

Logging: Yes

Battery Type: Rechargeable LiPo

Order Information


Wireless Conductivity Sensor with Display PS-4210

//control.Node

PS-3232

Specifications:

Power Output Ports:
 ± 5 VDC, 0.7 A
 Auto-ID stepper motors and Power Output Module
 8-pin modular jack



Product Servo Ports: Accepts standard servos and continuous rotation servos, 3-pin connector, Built-in servo current sensor for detecting load, and I2C

Sensor Port: 6-pin modular jack

Acceleration Sensor: $\pm 16\text{g}$, 3-axis

Speaker Frequency Range: 10 Hz to 10,000 Hz

Connectivity: USB and Bluetooth 5.2

Logging: No

Battery Type: Rechargeable LiPo

Order Information

//control.Node PS-3232

Wireless Current Sensor

PS-3212

Specifications:

High Current:

Range: ± 1 A

Resolution: 0.2 mA

Low Current:

Range: ± 0.1 A

Resolution: 0.02mA

Input Resistance:

0.1 Ω

Maximum Sample Rate:

100 kHz

Connectivity:

USB or Bluetooth 5.2

Logging:

Yes

Battery Type: Rechargeable LiPo



MP
+8

Order Information

Wireless Current Sensor PS-3212

Wireless Current Sensor (8-pack) PS-3336

Wireless Drop Counter

PS-3214

Specifications:

Range: 0 to 40 drops/second



Accuracy: ± 1 drop

Resolution: 1 drop

Optical Window: Acrylic



Connectivity: USB and Bluetooth 5.2

Logging: No

Battery Type: Rechargeable LiPo

Order Information

Wireless Drop Counter PS-3214

Wireless EKG Sensor

PS-3236

Specifications:

Voltage Range: 0 mV to 4.5 mV



Voltage Resolution: 5 μ V

Default Sample Rate: 250 Hz

Maximum Sample Rate: 1000 Hz

Heart Rate Range: 40 bpm to 250 bpm

Accuracy: ± 1 bpm

Connectivity: USB and Bluetooth 5.2

Battery Type: Rechargeable LiPo

Logging: Yes

Order Information

Wireless EKG Sensor PS-3236

Wireless Hand Dynamometer

NEW

PS-3253

Specifications:

Force:

Range: 0 - 630 N (warning at 600N)

Accuracy: 0.01N

Precision: ± 0.1 N

Rotation:

Range: ± 2000 $^{\circ}$ s (± 637 rad/s)

Accuracy: ± 11.4 $^{\circ}$ s (0.2 rad/s),

Precision: ± 5.7 $^{\circ}$ s (0.1 rad/s)



Accelerometer:

Range: ± 16 g

Accuracy: ± 0.2 m/s²

Precision: ± 0.1 m/s²

Sample Rate: 500 hz

Connectivity: USB & Bluetooth 5.2

Logging: Yes

Battery: Li Po

Order Information

Wireless Hand Dynamometer PS-3253

Wireless Ethanol Vapor Sensor

PS-4252

Specifications:

Range (w/o shortening lifespan): 0 to 3% gaseous ethanol

Resolution: 0.01%

Cross sensitivities: H₂, CO, CH₄, Isobutane



Battery Type: Rechargeable LiPo

Battery Capacity: 300 mAh

Logging: Yes

Connectivity: Bluetooth 5.2

Waterproof: no (splash resistant), use teflon tape over sensor

Order Information

Wireless Ethanol Vapor Sensor PS-4252

Wireless Exercise Heart Rate Sensor

PS-3207

Specifications:**Approximate mass, strap and connector:** 40 grams**Sensor Range:** 0 bpm to 240 bpm**Accuracy:** ± 1 beat per minute**Resolution:** 1 bpm**Maximum Sample Rate:** Every two seconds**Default Sample Rate:** Every five seconds**Connectivity:** USB and Bluetooth 5.2**Logging:** No**Battery:** Coin Cell

Order Information

Wireless Exercise Heart Rate Sensor PS-3207

Wireless Force Acceleration Sensor

PS-3202

Specifications:**Force Sensor:****Range:** ± 50 N**Resolution:** 0.03 N**Accuracy:** 0.1 N**Maximum Sample Rate:** 1000 Hz**Accelerometer:****Range:** ± 16 g**Accuracy:** ± 0.2 m/s² (at 9.8 m/s²)**Maximum Sample Rate:** 500 Hz**Gyro Sensor:****Range:** ± 2000 °/s**Maximum Sample Rate:** 500 Hz**Connectivity:** USB and Bluetooth 5.2**Logging:** Yes**Battery Type:** Rechargeable LiPo

Order Information

Wireless Force Acceleration Sensor PS-3202

Wireless Force Acceleration Sensor (8-pack) PS-3339

Wireless 2-Axis Force Platform

PS-3230

Specifications:**Force Range:** -1320 N to 5280 N (resultant)**Parallel Force Range:** $\pm 1,300$ N**Resolution:** 0.2 N**Maximum Sample Rate:** 10 kHz**Force Over-Limit Protection:** -500 N to 2000 N per vertical beam; $\pm 2,000$ N parallel beam**Dimensions:** 35 x 35 x 7.1 cm**Connectivity:** USB and Bluetooth 5.2**Logging:** No**Battery Type:** Rechargeable LiPo

Order Information

Wireless 2-Axis Force Platform PS-3230

Wireless Force Platform

PS-3229

Specifications:**Range:** -1320 to 5280 N (resultant)**Resolution:** 0.2 N**Maximum Sample Rate:** 10 kHz**Surface Dimensions:** 35 x 35 cm**Force Over-Limit Protection:** -500 to 2000 N per beam**Connectivity:** USB and Bluetooth 5.2**Logging:** No**Battery Type:** Rechargeable LiPo

Order Information

Wireless Force Platform PS-3229

Wireless Geiger Counter

PS-3238



Specifications:

Sensitivity: Alpha, Beta, Gamma

Count Detection: Switchable audio signal

Gas Filling: Ne +Halogen

Effective Tube Diameter: 9.1 mm

Window Thickness: 1.5 to 2.0 mg/cm²

High Voltage Control Range: 150 VDC to 650 VDC

Standard Operating Voltage: 500 VDC

Connectivity: USB and Bluetooth 5.2

Logging: Yes

Battery Type: Rechargeable LiPo



Order Information

Wireless Geiger Counter PS-3238

Greenhouse Sensor

PS-3322

Specifications:

Operating Temperature: -40°C to 80°C

Light Level Sensor:

Wavelength Range: Visible Spectrum (400 nm to 700 nm)

Sensitivity Range: Approximately 600 lx to 50,000 lx (not calibrated)

Resolution: 0.1%

Accuracy: 5%

Report out: 0 to 100% of max reading

Ambient Temperature:

Range: -40°C to 80°C

Resolution: 0.01°C

Accuracy: ±0.5°C

Humidity Sensor:

Range: 0 to 95% non condensing

Resolution: ±0.02%

Accuracy: ±3%

Temp, Light, Humidity Sensors:

Power Use: 0.98 mA at 3.3 V DC

Soil Moisture Sensor:

Range: 0 to 45%

Resolution: 0.1%

Accuracy: ±5%

Probe Cable Length:

2 m

Connectivity: USB and Bluetooth 5.2

Logging: No

Battery Type: Coin Cell



Order Information

Greenhouse Sensor PS-3322

Wireless Hand-Grip Heart Rate Sensor

PS-3206



Specifications:

Range: 0 to 240 bpm

Resolution: 1 beat

Accuracy: ± 1 bpm

Maximum Sample Rate: Every two seconds

Default Sample Rate: Every five seconds

Connectivity: Bluetooth 5.2

Logging: No

Battery Type: Coin Cell

Order Information

Wireless Hand-Grip Heart Rate Sensor PS-3206

Wireless Light & Color Sensor

PS-3248



Specifications:

Spectral Response: 400 nm to 1150 nm

Illuminance Range: 0 to 131,000 lux

Irradiance Range: 0 to 1362 W/m²

PAR Range: 0 to 2400 µmol/m²/s

UV Index Range: 0 to 12 (typical in daylight)

RGB Range: 0 to 100% of clear LED response

Maximum Sample Rate: 2 Hz (ambient); 20 Hz (spot)

Connectivity: USB and Bluetooth 5.2

Logging: Yes

Battery Type: Coin Cell

Order Information

Wireless Light and Color Sensor PS-3248

Wireless Light and Color Sensor (8-pack) PS-3338

Wireless Load Cell and Accelerometer

PS-3216



Specifications:

Force Sensor:

Range: ±50 N

Resolution: 0.03 N

Accuracy: ±0.1 N

Maximum Sample Rate: 2 kHz

Accelerometer:

Range: ±16 g (three-axis)

Maximum Sample Rate: 500 Hz

Connectivity: USB and Bluetooth 5.2

Logging: Yes

Battery Type: Rechargeable LiPo

Order Information

Wireless Load Cell and Accelerometer PS-3216

Wireless Magnetic Field Sensor

PS-3221

Specifications:

High Magnetic Field:

Range: ± 1300 G

Resolution: ± 1 G

Low Magnetic Field:

Range: ± 50 G

Resolution: ± 0.01 G

Maximum Sample Rate: 100 Hz

Connectivity: USB and Bluetooth 5.2

Logging: Yes

Battery Type: Rechargeable LiPo



Order Information

Wireless Magnetic Field Sensor PS-3221

Wireless Melting Point Apparatus

PS-3239

Specifications:

Temperature:

Range: 0 to 380 °C

Accuracy: 1.0 °C out of box, 0.1 °C if calibrated

Maximum Sample Rate: 1 Hz

Viewing Lens: 3x

Connectivity: Bluetooth 5.2 (for temperature data)

Camera (sold separately) Connectivity: USB

Logging: No

Power: 110-220 V power source



Order Information

Wireless Melting Point Apparatus PS-3239

Wireless Motion Sensor

PS-3219

Specifications:

Range: 0.15 to 4 m

Resolution: 1 mm

Maximum Sample Rate: 250 Hz

Transducer Rotation Range: 180°

Connectivity: USB and Bluetooth 5.2

Logging: No

Battery Type: Rechargeable LiPo



Order Information

Wireless Motion Sensor PS-3219

Wireless Motion Sensor (8-pack) PS-3337

Wireless Optical Dissolved Oxygen Sensor

PS-3224

Specifications:

Range: 0 to 20 mg/L, 0 to 300% saturation

Resolution: 0.01 mg/L

Accuracy (with calibration): ± 0.2 mg/L or 1% (whichever is greater)

Accuracy (out of the box): ± 0.5 mg/L or 3% (whichever is greater)

Response Time: 90% in 20 sec

Measurements: Concentration (mg/L), Saturation (%), O₂ Gas (in air, qualitative) (%), Temperature (°C)

Waterproof Depth (probe): 2.5 m

Splash resistant (sensor box)

Cable Length: 3.0 m

Connectivity: USB and Bluetooth 5.2

Logging: Yes

Battery Type: Rechargeable LiPo



Order Information

Wireless Optical Dissolved Oxygen Sensor PS-3246

Wireless Oxygen Gas Sensor

PS-3217

Specifications:

Range: 0–100% O₂ concentration; 0–1,000,000 ppm

Resolution: 0.01% oxygen

Accuracy: $\pm 1\%$ O₂ at constant temperature and pressure; $\pm 5\%$ O₂ outside operating range

Operating Temperature Range: 0–40°C

Relative Humidity Range: 0–100% (non-condensing)

Sensing Element Lifespan: 2+ years

Pressure Range: 0.7 - 1.3 atm

Connectivity: USB and Bluetooth 5.2

Logging: Yes

Battery Type: Rechargeable LiPo



Order Information

Wireless Oxygen Gas Sensor PS-3217

Wireless pH Sensor

PS-3204

Specifications:

Range: 0-14 pH
Resolution: 0.02 pH
Accuracy: ± 0.1 pH with calibration
Temperature Range: 5°C to 60°C
Connectivity: USB and Bluetooth 5.2
Logging: Yes
Battery Type: Coin Cell


Order Information

Wireless pH Sensor.....	PS-3204
Wireless pH Sensor (8-pack).....	PS-3331

Wireless pH Sensor with Display

PS-4204

Specifications:

Range: 0-14 pH
Resolution: 0.02 pH
Accuracy: ± 0.1 pH with calibration
Temperature Range: 5°C to 60°C
Connectivity: USB-C and Bluetooth 5.2
Logging: Yes
Battery Type: Rechargeable LiPo


Order Information

Wireless pH Sensor with Display.....	PS-4204
--------------------------------------	---------

Wireless Polarimeter

PS-3237

Specifications:

Optical Rotation Accuracy: $\pm 0.09^\circ$
Cell Length (horizontal): 101 mm ± 0.6 mm
Connectivity: USB and Bluetooth 5.2
Logging: No
Battery Type: Rechargeable LiPo


Order Information

Wireless Polarimeter.....	PS-3237
---------------------------	---------

Wireless Pressure Sensor

PS-3203

Specifications:

Range: 0 kPa-400 kPa
Resolution: 0.1 kPa
Accuracy: ± 2 kPa
Max Sample Rate: 1000 Hz
Connectivity: USB and Bluetooth 5.2
Logging: Yes
Battery Type: Rechargeable LiPo


Order Information

Wireless Pressure Sensor	PS-3203
Wireless Pressure Sensor (8-pack).....	PS-3333

Wireless Absolute Pressure-Temperature Sensor

NEW

PS-4257

Specifications:

Compatible Temp Probes: Skin/Surface (PS-2131 incl), Fast Response (PS-2135), Stainless Steel PS-2135

Temperature (quick response):

Range: -30 to 105 °C

Accuracy: ± 0.5 °C

Precision: ± 0.05 °C

Max Sample Rate: 10 hz


Pressure:

Range: 0 to 740 kPa

Accuracy: ± 2 kPa or 2% of reading at higher pressures

Precision: 0.01 kPa

Max Sample Rate: 1000 hz

Connector: Female Luer Lock, 3.5mm plug

Communication: USB C, Bluetooth 5.2

Logging: Yes

Order Information

Wireless Absolute Pressure-Temperature Sensor	PS-4257
---	---------

Wireless Rotary Motion Sensor

PS-3220

Specifications:

Angular Resolution: 0.18° (0.00314 radian)
Linear Resolution: 0.0157 mm (with 10 mm pulley radius)
Three-Step Pulley: 10, 29, and 48 mm diameter
Shaft Diameter: 6.35 mm
Maximum Rotation Rate: 30 revolutions per second
Optical Encoder: 2000 divisions/rev, bidirectional
Connectivity: USB or Bluetooth 5.2
Logging: Yes
Battery Type: Rechargeable LiPo

**Order Information**

Wireless Rotary Motion SensorPS-3220

Wireless Smart Gate

PS-3225

Specifications:

Gate Separation: 1.5 cm
Timing Resolution: 3 ms
Minimum Block Time: 1.5 ms
Beam Wavelength: 940 nm
Gate Inside Width: 7.2 cm
Connectivity: USB and Bluetooth 5.2
Logging: No
Battery Type: Rechargeable LiPo



Smart Cart (Blue) & (Red)

ME-1241 & ME-1240

Specifications:

Optical Encoder:
Range: ± 3.0 m/s
Resolution: ± 0.2 mm
Maximum Sample Rate: 500 Hz
Accelerometer: Range: ± 16 g
Accuracy: ± 0.2 m/s² at 9.8 m/s²
Maximum Sample Rate: 500 Hz
Force Sensor:
Range: ± 100 N
Resolution: 0.1 N
Accuracy: $\pm 1.0\%$
Maximum Sample Rate: 2 kHz

Gyro Sensor:
Range: ± 245 °/s
Maximum Sample Rate: 500 Hz
Patent No.: 10481173
Connectivity: USB and Bluetooth 5.2
Logging: No
Battery Type: Rechargeable LiPo

Order Information

Wireless Smart GatePS-3225

Smart Cart Charging Garage

ME-1243

Charge up to five Smart Carts at once. Provides storage for the carts and accessory bumpers. Includes power adapter.

**Order Information**

Smart Cart Charging GarageME-1243

**Order Information**

Smart Cart (Blue)ME-1241

Smart Cart (Red)ME-1240

Wireless Soil Moisture Sensor

PS-3228

Specifications:

Range: 0 to 45% water by volume

Accuracy: $\pm 5\%$ water by volume

Resolution: 0.1%

Power: 3 mA at 5 VDC

Operating Temperatures: -40 °C to 60°C

Probe Cable Length: 2 m

Connectivity: USB and Bluetooth 5.2

Logging: Yes

Battery Type: Rechargeable LiPo



Order Information

Wireless Soil Moisture Sensor PS-3228

Wireless Sound Sensor

PS-3227

Specifications:

Microphone Frequency Range: 100 to 20,000 Hz

Sound Wave Maximum Sample Rate: 100 kHz

Sound Level Range: 50 dB to 110 dB

Accuracy: ± 2 dB

Response: A or C weighted

Connectivity: USB and Bluetooth 5.2

Logging: Yes

Battery Type: Rechargeable LiPo



Order Information

Wireless Sound Sensor PS-3227

Wireless Sound Sensor (8-pack) PS-3342

Wireless Spectrometer (VIS)

PS-2600A

Specifications:

Resolution: 2nm to 3nm FWHM

Detection Range: 395 nm–950 nm

Fluorescence Excitation Wavelengths: 405 nm and 500 nm

Light Source: LED-boosted tungsten

Connectivity: USB and Bluetooth 5.2

Logging: No

Battery Type: Rechargeable LiPo



Order Information

Wireless Spectrometer (Vis) PS-2600A

Wireless Spirometer

PS-3234

Specifications:

Maximum Sample Rate: 1 kHz

Maximum Flow Rate: ± 14 L/s

Flow Resolution: 0.01 L/s

Per Breath Volume: 10 L

Volume Resolution: 0.04 L

Prefilter Material: Low flow resistance microbial filter

Standard of cross contamination: Exceeds all ATS/ERS

Cross contamination efficiency: 99.999%

Prefilter meets ATS standards for air resistance:

0.845 mbar/L/Sec at 14/L/Sec

Mouth piece resistance: 0.2 mbar /L/Sec at 12 l/s

Prefilter dead space: 69 ml

Mouth piece dead space: 31 ml

Connectivity: USB and Bluetooth 5.2

Logging: Yes

Battery Type: Rechargeable LiPo



Order Information

Wireless Spirometer PS-3234

Wireless Temperature Sensor

PS-3201

Specifications:

Range: -40°C to 125°C

Resolution: 0.01°C

Accuracy: 0.5°C

Maximum Sample Rate: 10 Hz

Connectivity: Bluetooth 5.2

Logging: Yes

Battery: Coin Cell



Order Information

Wireless Temperature Sensor PS-3201

Wireless Temperature Sensor (8-pack) PS-3330

Wireless Temperature Sensor Link

PS-3222

Specifications:

Battery life: >1 year

Compatible Temperature Probes: Skin/Surface (PS-2131); Fast Response (PS-2135); Stainless Steel (PS-2153)

Range with included probe: -35°C to 135°C

Resolution: ± 0.05 °C

Maximum Sample Rate: 20 Hz

Connectivity: Bluetooth 5.2

Jack: 3.5 mm stereo

Accuracy: ± 0.5 °C

Logging: Yes

Battery Type: Coin Cell



Order Information

Wireless Temperature Sensor Link PS-3222

Wireless Temperature Sensor with Display

PS-4201

Specifications:**Approximate Mass:** 42 g**Range:** -40°C to 125°C**Resolution:** 0.01°C**Accuracy:** ±0.5°C**Maximum Sample Rate:** 10 Hz**Splash resistant:** IPX4**Probe Material:** Corrosion Resistant 316

Stainless Steel

Diameter: 0.19 in (5.0 mm)**Length:** 4.7 in (120 mm)**Response Time:** 5.1s to reach 63% of value in response to step change in temperature.**Connectivity:** Bluetooth 5.2**Logging:** Yes**Battery Type:** Rechargeable LiPo**NEW**

Wireless Voltage Sensor

PS-3211

Specifications:**Low Voltage:****Range:** ±5 V**Resolution:** 2 mV**High Voltage:****Range:** ±15 V**Resolution:** 7 mV**Accuracy:** ±1.0%**Maximum Sample Rate:** 100 kHz**Input Resistance:** 1 MΩ**Connectivity:** USB and Bluetooth 5.2**Logging:** Yes**Battery Type:** Rechargeable LiPo

Order Information

Wireless Voltage Sensor PS-3211A

Wireless Voltage Sensor (8-pack) PS-3335

Wireless Thermocouple

PS-4256

New wireless thermocouple extends the range of our temperature sensing line. Range from - 200°C to 1400 degrees C. Packaged with a type K thermocouple, students can follow solutions cooled with boiling liquid nitrogen, dry ice, or reached by commercial freezers. Temperatures of stove elements, matches, and non optimized bunsen burners (tip of the inner blue flame is close to the melting temp of the solder used for the two metals of the sensor and is not recommended). Small thermal mass responds quickly to changes in temperature. Good to thermally contact outsides of metal containers with reactions or heat exchange units.

Specifications:**Range:** - 200 to 1400 C**Accuracy:** ±2° C**Precision:** 0.1 °C**Maximum Sample rate:** 10 hz**Units available:** °C, °F, K**Connectivity:** USB C, Bluetooth 5.2**Battery Type:** Rechargeable LiPO**Logging:** Yes**Remote Data logging storage:** 55,000**NEW**

Order Information

Wireless Thermocouple PS-4256

Wireless Voltage-Current Sensor NEW

PS-4254

The Wireless Voltage-Current Sensor is a smart alternative to a traditional multimeter. It can be used as a standalone unit by using the built-in display, or connected to a computing device to output measurements to PASCO software for graphical analysis.

Connecting test leads is easy with separate ports provided for voltage and current. The ports are strategically arranged to remind students to connect the current sensor in series and the voltage sensor in parallel. Having separate ports makes it possible to measure voltage and current simultaneously with both measurements synchronized, even at high sample rates. The voltage and current measurements are also used to automatically calculate and display power and energy.

When used as a standalone unit, the sensor automatically detects if a signal is DC or AC. RMS values are displayed when an AC signal is detected (RMS assumes a pure sine wave). There is also no need for students to fiddle with range knobs since the sensor displays its full range. Students can also log data on the device to take measurements over time and view the logged data with PASCO software later.

Features:

- Measures voltage and current simultaneously with synchronized measurements
- Automatically calculates power and energy
- Built-in OLED display for viewing two live DC and AC measurements
- Ports arranged to emphasize connecting the current sensor in series and the voltage sensor in parallel
- Alarm warns students if the current measurement is too high to protect the sensor from damage
- Remote logging with built-in memory
- High speed sampling
- Rechargeable battery that can be easily replaced



Order Information

Wireless Voltage-Current Sensor PS-4254

Wireless Weather Sensor with GPS

PS-3209

Specifications:

Water-resistant: Splash proof and designed to withstand the elements

Barometric Pressure:

Range: 225 mmHg to 825 mmHg

Resolution: 0.02 mmHg

Accuracy: ± 0.1 mmHg

Ambient Temperature:

Range: -40 to 125°C

Resolution: 0.1°C

Accuracy: ± 0.2 °C



Wind Speed:

Range: 0.5 m/s to 15 m/s (winds up to ~ 33 mph)

Resolution: 0.1 m/s

Accuracy: 3% of reading

Relative Humidity:

Range: 0 - 100%

Resolution: 0.1%

Illuminance Range (Light Level):

0 to 130,000 lux

PAR Range (Based on Solar Radiance):

0 to 2400 μ mol/m²/s

Irradiance Range (Based on Solar Radiance):

0 to 1362 W/m²

UV Index:

Range: 1 to 12

Resolution: 1

Accuracy: ± 1

Position (via GPS):

Range: ± 90 Lat, ± 180 Lon

Resolution: 0.00001°

Accuracy: ± 0.00005 ° ~3m (50% CEP)



Altitude (via GPS):

Range: 0 to 18,000 m

Resolution: 0.5 m

Accuracy: ~ 5 m (50% CEP)

Speed (via GPS):

Range: 0 to 515 m/s

Resolution: 0.05 m/s

Accuracy: 0.05 m/s

GPS Channels:

66 **GPS Warm Up Time:** 35 seconds or less

Connectivity: USB and Bluetooth 5.2

Logging: Yes

Battery Type: Rechargeable LiPo

Order Information

Wireless Weather Sensor with GPS PS-3209

Wireless Weather Sensor with GPS (8-pack) PS-3340

Weather Vane Accessory PS-3553

PASPORT Sensor Guide

For product details, including availability and compatibility with other PASCO products, please visit pasco.com/products/sensors/pasport



PASPORT Breath Rate Sensor

PS-2187



PASPORT 2-Axis Force Platform

PS-2142



PASPORT Charge Sensor

PS-2132



PASPORT Galvanometer

PS-2160



PASPORT Displacement Sensor

PS-2204



PASPORT General Science Sensor

PS-2168



PASPORT EKG Sensor

PS-2111



PASPORT Goniometer Sensor

PS-2137



PASPORT Ethanol Sensor

PS-2194



PASPORT Broad Spectrum Light Sensor

PS-2150



**PASPORT Flow Rate/
Temperature Sensor**

PS-2130



PASPORT High Sensitivity Light Sensor

PS-2176



PASPORT Force Sensor

PS-2104



PASPORT Infrared Light Sensor

PS-2148



**PASPORT High Resolution
Force Sensor**

PS-2189



PASPORT Load Cell and Dual Amplifier Set

PS-2206



PASPORT Force Platform

PS-2141



PASPORT 2-Axis Magnetic Field Sensor

PS-2162

**PASPORT Motion Sensor**

PS-2103A

**PASPORT Rotary Motion Sensor**

PS-2120A

**Smart Gate**

PS-2180

**PASPORT Stainless Steel Temperature Probe**

PS-2153

**PASPORT Non-Contact Temperature Sensor**

PS-2197

**PASPORT Thermocline Sensor**

PS-2151

**PASPORT Dual Pressure Sensor**

PS-2181

**PASPORT Water Quality Colorimeter**

PS-2179

**PASPORT Analog Adapter**

PS-2158

**PASPORT Digital Adapter**

PS-2159

**AirLink Interface**

PS-3200

The AirLink Interface connects PASPORT sensors to a computer, tablet or smartphone via Bluetooth or USB connection.

**PASPORT Fast Response Temperature Probe (3 Pack)**

PS-2135

**PASPORT Skin/Surface Temperature Probe**

PS-2131



Gratnells® Rolling Carts - Convenient Mobile Storage

EP-3574 (2-column)

EP-3575 (3-column)



Gratnells® Rolling Cart (2- or 3-column)

EP-3574 / EP-3575

Gratnells Rolling Carts are the best way to store and transport PASCO sensors and equipment. They can be configured for trays of any size and include large castors with brakes for added stability.

Designed for Gratnells trays, these movable storage rack carts can store up to 8 (2-column) or 12 (3-column) Gratnells F2 trays (sold separately). Each cart comes with either 16 or 24 pairs of runners.

They can be used to store the equipment kits from the Essential Physics or Essential Chemistry curriculum, the storage trays we offer for wireless sensors, or any of the four sizes of empty trays that we offer for everything else you'd like to store.

Assembly is required. Trays not included.



Stores up to 12 Gratnells F2 trays

Dimensions:
107 cm high,
102 cm wide,
43.5 cm deep



Stores up to 8 Gratnells F2 trays

Dimensions:
107 cm high,
70 cm wide,
43.5 cm deep

Order Information

Gratnells Rolling Cart (2-column)EP-3574

Gratnells Rolling Cart (3-column)EP-3575

Wireless Sensor Storage Trays with Lids

Each F1 storage tray (below) holds up to ten sensors;
sensors sold separately.



**Temperature/pH/
Conductivity Sensors**
PS-3585



Pressure Sensors
PS-3586



**Colorimeter & Turbidity
Sensors**
PS-3587



**Voltage & Current
Sensors**
PS-3588



Motion Sensors
PS-3589



**AirLink & Light
Sensors**
PS-3594



**Force
Acceleration
Sensors**
PS-3595



**Weather Sensor
with GPS**
PS-3596



CO₂ Sensor
PS-3598

Order Information

Storage for Wireless Temp, pH and Conductivity Sensors...PS-3585

Storage Tray for Wireless Pressure Sensors.....PS-3586

Wireless Colorimeter and Turbidity SensorPS-3587

Storage Tray for Wireless Voltage & Current Sensor.....PS-3588

Storage Tray for Wireless Motion SensorPS-3589

Order Information

Storage Tray for Wireless Light Sensor and AirLink.....PS-3594

Storage Tray for Wireless Force SensorPS-3595

Wireless Weather Sensor Storage TrayPS-3596

Wireless CO₂ Sensor Storage Tray.....PS-3598

Gratnells® Storage Trays with Lids

These empty Gratnells storage trays with lids have a length of 427 mm and width of 312 mm. The depth of each follows:

F1: 75 mm **F25:** 225 mm

F2: 150 mm **F3:** 300 mm



Order Information

Storage Tray (F1) ShallowPS-3326

Storage Tray (F2) DeepPS-3327

Storage Tray (F25) X-DeepPS-3328

Storage Tray (F3) JumboPS-3329

Storage Bins

SE-7560

These stackable plastic bins with lids can be useful for storing equipment and accessories in your lab.

14" L x 9.5" W x 6.9" D



Order Information

Storage Bins (Set of 5)SE-7560

Wireless Sensor Charging Station

This versatile charging station can be configured to fit any size sensor by adding or removing partitions.



Order Information

Wireless Sensor Charging StationPS-3599

INDEX

1-Axis & 2-Axis Force Platforms –	
PASPORT	136
Wireless	111, 128
2-Axis Magnetic Field Sensor, PASPORT	136
3-Axis Acceleration/Altimeter, Wireless	106, 124
3-Axis Magnetic Field Sensor, Wireless	77, 108, 130
5-Year Warranty	146
550 Universal Interface	113, 122

— A —

AC/DC Module, Modular Circuits	97
AC/DC Smart Power Supply	124
Absolute Pressure-Temperature Sensor	61, 131
Absolute Zero Sphere	61
Acceleration/Altimeter, 3-Axis, Wireless	106, 124
Adapters, Digital & Analog	137
Advanced Biology Through Inquiry Lab Manual	38
Advanced Chemistry Through Inquiry Lab Manual	56
Advanced Environmental Through Inquiry Lab Manual	76
Agricultural Science – Lab Stations and Manuals	75-77
Air Quality Sensor, Wireless	84, 124
AirLink Interface	85, 113, 122, 137
Alpha Beta Gamma Radiation Sensor	64, 109, 129

— B —

Balance	60
Ball Ramp, Meter Stick Mechanics	99
Ballistic Cart Accessory, Smart	104
Barometer, Wireless with Display (OLED)	82, 124
Biology – Advanced, Lab Stations, Teacher Guide	36-39
Blockly Coding	18-19, 114-115
Blood Pressure Sensor, Wireless	48, 125
Breath Rate Sensor, PASPORT	136
Broad Spectrum Light Sensor, PASPORT	136

— C —

Capstone Software	114-117
Chamber, Metabolism	44
Chamber, Photosynthesis	45
Charge Sensor, PASPORT	136
Charge Sensor, Wireless	110, 125
Charging Station, Smart Cart	101, 132
Charging Station, Wireless Sensors	139
Chemical Water Quality Testing	77, 85
Chemistry – Advanced, Lab Stations, Teacher Guide	52-57
Chemvue Software	72-73
Circuits, Modular	15, 96-97
//code.Node –	
Device	20, 28-29, 125
Kits	16-23
//control.Node –	

Device	126
Sense & Control Kits	24-29
Coding –	
Coding with Sensor Technologies Kit	21
Coding with Sound & Light Sensor Technologies Kit	23
Coding with Vehicle Sensor Technologies Kit	22
//control.Node Sense & Control Kit	28-29
Greenhouse Sense & Control Kit	26-27, 83
PASCObot Sense & Control Kit	24-25
CO2 Sensor, Wireless	11, 44, 78, 125
CO2 Waterproof Sleeve	78
Colorimeter, Wireless	46, 66, 68, 84, 126
Color Mixer	13
Compound Optical Microscope	14, 51
Conductivity Sensor –	
Wireless	42, 62, 81, 126
Wireless with Display (OLED)	126
Constant Velocity Car (Speed Buggy)	12
Current Sensor Module (Circuits)	97
Current Sensor, Wireless	63, 127
Current & Voltage Sensor, Wireless with Display (OLED)	110, 135
Curriculum & Equipment Kits –	

Essential Chemistry	53-57
Essential Physics	94-96
OpenSciEd, PASCO Certified Version	118-121

Cuvettes –

Cuvettes and Caps	66
Disposable Cuvettes	69
Quartz Cuvettes	47, 69
UV Semi-Micro Volume Cuvettes	69

— D —

Dataloggers, SPARK LXi2 & LX Air	112, 123
Demonstration Kit, Smart Cart	102
Diffusion/Osmosis Kit	43
Displacement Sensor, PASPORT	136
Disposable Cuvettes	69
Dissolved CO2 Waterproof Sleeve	78
Dissolved Oxygen Sensor, Wireless	45, 82, 130
Drop Counter, Wireless	59, 127
Dual Pressure Sensor, PASPORT	137
Dynamometer, Wireless	50, 127

— E —

EcoZone System (EcoChamber)	14, 45, 83
EKG Sensor and Electrode Patches –	
PASPORT	136
Wireless	49, 127
Electricity and Magnetism, Physics Lab Station	91
Elementary (K-8) Science	8-14



Elementary Science Lab Stations.....	9-10
OpenSciEd, PASCO Certified Version	118-121
Environmental Science –	
Advanced, Lab Stations, Teacher Guide	74-77
Water Quality Field Guide.....	77
Water Quality Sensors.....	84-85, 137
ESRI ArcGIS	11, 40, 79
Essential Biology Teacher Lab Manual.....	37
Essential Chemistry –	
Curriculum and Equipment.....	53-55, 57
Lab Manual	55
Teacher Resources	52-53, 55
Essential Physics –	
Curriculum	94-96
Student Textbook	95
Ethanol Sensor –	
PASPORT	136
Wireless with Display (OLED)	46, 127
Exercise Heart Rate Sensor, Wireless	48, 128
Eye Model, Human	50
ezSample Snap Vial Water Quality Kits.....	85

— F —

Fast Response Temperature Probe.....	137
Fiber Optic Cable –	
UV-Vis	47, 69
Vis	107
Flow Rate Temperature Sensor, PASPORT	85, 136
Fluids, Physics Lab Station	90
Force Acceleration Sensor, Wireless	12, 111
Force Sensor, PASPORT	136
Force Platforms, 1- & 2-Axis –	
PASPORT	136
Wireless	111, 128

— G —

Galvanometer, PASPORT	136
Geiger Counter, Wireless	64, 109, 129
General Science Sensor, PASPORT	136
Generator, Modular Circuits	97
Goniometer Sensor & Probe, PASPORT	136
GPS, Wireless Weather Sensor	11, 40, 79, 135
Greenhouse Sense & Control Kit.....	26-27, 83
Greenhouse Sensor.....	129

— H —

Hand Dynamometer, Wireless	50, 127
Hand-Grip Heart Rate Sensor, Wireless	48, 128
Heater-Stirrer	60
High-Sensitivity Light Sensor	136

Human Eye Model.....	50
----------------------	----

— I —

Ideal Gas Law Apparatus	61
Infrared Light Sensor, PASPORT	136
Interface –	
550 Universal Interface	113, 122
AirLink.....	85, 113, 122, 137
Comparison Guide	112
SPARK LXi2 & LX Air Dataloggers.....	112, 123

— J-K-L —

K-8 Science (Elementary and Middle School).....	8-14, 118-121
Lab Stations –	
Agricultural/Environmental Science.....	75, 77
Biology.....	37, 39
Chemistry	53, 55, 57
Elementary.....	9
Middle School.....	10
Physics	88-93
Light Sensor –	
Broad Spectrum, High Sensitivity, Infrared	136
Wireless	13, 43, 81, 108, 129
Load Cell & Dual Amplifier Set, PASPORT	136
Load Cell Accelerometer, Wireless.....	129

— M-N —

Magnetic Field Sensor –	
2-Axis, PASPORT	136
3-Axis, Wireless	77, 108, 130
MatchGraph! – Motion-Graphing Software	100
Mechanics, Physics Lab Stations	88-89
Melting Point Apparatus, Wireless	70, 130
Metabolism Chamber	44
Meter Stick Mechanics –	
Rotation Set.....	98
Torque Set	99
Ball Ramp	99
Microscopes.....	14, 51
Mini Launcher	105
Middle School Science	8-14, 118-121
Middle School Science Lab Stations	10
Middle School STEM.....	16-33, 118-121
Model –	
Diffusion/Osmosis	43
Ecosystem	14, 49, 83
Human Eye	50
Molecular	64
Wave Motion.....	13
Modular Circuits & Kits	15, 96-97
Molecular Model Set	64

INDEX

Motion Sensors –

- PASPORT 137
- Wireless 12, 100, 130

Motor –

- Servo 25, 31, 33
- Smart Cart 103

Motorized Structures..... 31-35

Non-Contact Temperature Sensor, PASPORT 85, 137

— O —

- O2 Gas Sensor, Wireless 44, 130
- Ohaus Scout SKX Balance 60
- OpenSciEd, PASCO Certified Version 118-121
- Optical Dissolved O2 Sensor, Wireless 45, 82, 130
- Optics, Physics Lab Station 92
- Optics Complete System, Meter Stick 98
- Oxidation Reduction Potential Probe 57, 71

— P —

PASCObot –

- Gripper, Line Follower, Range Finder, Servo Motor 25
- Sense & Control Kit 24-25
- PASPORT Wired Sensors 136-137
- PASCO Capstone™ Software 114-117
- pH Sensor –
 - Flat Probe 71
 - Wireless 11, 41, 58, 80, 131
 - Wireless with Display (OLED) 131

Photogate –

- Projectile Launcher System 105
- Smart Gate, PASPORT 137
- Smart Gate, Wireless 105, 132

Photosynthesis Chamber 45

Physics 86-117

Physics Lab Stations –

- Electricity and Magnetism 91
- Fluids 90
- Mechanics Extension 89
- Mechanics Starter 88
- Optics 92
- Waves and Sound 93

Physiology Extension Bundle 39

Polarimeter, Wireless 65, 131

Polarizer Demonstrator 65

Power Supply, AC/DC (Smart) 124

Pressure Sensor –

- PASPORT (Dual) 137
- Wireless 42, 62, 109, 131

Projectile Launcher System 105

— Q-R —

Quartz Cuvettes (UV) 47, 69

Robot Car Kit, Motorized Structures 33

Rolling Storage Carts 138

Rotary Motion Sensor –

- PASPORT 137
- Wireless 106, 132

— S —

Salinity Sensor, PASPORT 85, 137

Sense & Control Kits –

- //control.Node Sense & Control Kit 28-29
- Greenhouse Sense & Control Kit 26-27, 83
- PASCObot Sense & Control Kit 24-25

Sensor Charging Station 101, 132, 139

Sensor Index, Wireless 122

Servo Motor 25, 31, 33

Skin Surface/Temperature Probe 137

Smart Ballistic Cart Accessory 104

Smart Cart, Wireless (patented) –

- Cart 12, 101, 132
- Charging Garage 101, 132
- Demo Kit 102
- Motor 103
- Vector Display 102
- Smart Fan Accessory 103

Smart Gate –

- PASPORT (Original) 137
- Wireless 105, 132
- Projectile Launcher System 107

Smart Power Supply, AC/DC 124

Soil Moisture Sensor –

- PASPORT 137
- Wireless 40, 78, 133

Software, Data Collection, Visualization, and Analysis –

- Chemvue® 72-73
- PASCO Capstone™ 114-117
- SPARKvue® 6-7, 18-19
- Spectrometry 69

Sound Sensor, Wireless 13, 23, 93, 107, 133

SPARK LX Air Datalogger 112, 123

SPARK LXi2 Datalogger 112, 123

SPARKvue® Software 6-7, 18-19

Spectrometer –

- Comparison Chart 68
- UV-Vis 47, 69
- Wireless Vis 47, 67, 107, 133

Spectrometry Software 69

Spirometer –

- PASPORT 137



Wireless	49, 133
Stainless Steel Temp Probe, PASPORT	137
Standard Compound Optical Microscope	14, 51
STEM Sense –	
Coding with Sensor Technologies Kit	21
Coding with Sound & Light Sensor Technologies Kit	23
Coding with Vehicle Sensor Technologies Kit	22
Greenhouse Sense & Control Kit	26-27, 83
PASCObot Sense & Control Kit	24-25
Storage –	
Carts & Trays	138-139
Sensors	139

— T —

Temperature Link, Wireless	43, 60, 133
Temperature Sensor –	
Non-Contact	85, 137
PASPORT	137
Wireless	11, 41, 63, 80
Wireless with Display (OLED)	134
Thermocline Sensor	137
Thermocouple, Wireless with Display (OLED)	57, 60, 134

— U —

Universal Interface, 550	113, 122
USB Microscope Cameras	51
UV Quartz Cuvettes	47, 69
UV-Vis –	
Fiber Optic Kit	47, 69
Spectrometer	47, 69

— V —

Velocity Car, Constant	12
Visible Spectrometer	47, 67-69, 107, 133
Voltage Sensor, Wireless	63, 134
Voltage-Current Sensor, Wireless with Display (OLED)	110, 135

— W-X-Y-Z —

Water Quality –	
Colorimeter, Wireless	46, 66, 68, 84, 126
ezSample Snap Vial Kits	85
Field Guide	77
Wave Motion Demonstrator	13
Waves and Sound, Physics Lab Station	93
Weather Sensor with GPS –	
Wireless	11, 40, 79, 135
Weather Vane Accessory	11, 40, 79, 135
Wireless AC/DC Module	97
Wireless Current Sensor Module	97
Wireless Sensor Charging Station	139

Wireless Sensor Index	122
Wireless Sensors –	
3-Axis Acceleration/Altimeter	106, 124
3-Axis Magnetic Field	77, 108, 130
Absolute Temperature-Current with Display (OLED)	61, 131
Air Quality	82, 124
Barometer with Display (OLED)	82, 125
Blood Pressure	48, 125
CO2 Sensor	11, 44, 78, 125
//code.Node	19-20, 31-32, 125
//control.Node	24-33, 83, 126
Colorimeter & Turbidity	46, 66, 68, 84, 126
Conductivity	42, 62, 81, 126
Conductivity with Display (OLED)	126
Current	63, 127
Drop Counter	59, 127
EKG	49, 127
Ethanol Vapor with Display (OLED)	46, 127
Exercise Heart Rate	48, 128
Force Acceleration	12, 111
Force Platforms	111, 128
Geiger Counter	64, 109, 129
Greenhouse	129
Hand Dynamometer	50, 127
Hand-Grip Heart Rate	48, 129
Light and Color	13, 43, 81, 108, 129
Load Cell Accelerometer	129
Magnetic Field, 3-Axis	77, 108, 130
Motion	12, 100, 130
O2 Gas	44, 130
Optical Dissolved O2	45, 82, 130
pH	11, 41, 58, 80, 131
pH with Display (OLED)	131
Polarimeter	65, 131
Pressure	42, 62, 109, 131
Projectile Launcher, Smart Gate System	105
Rotary Motion	106, 132
Smart Cart	12, 101-104, 132
Smart Gate	105, 132
Soil Moisture	40, 78, 133
Sound	13, 107, 133
Spectrometer	47, 67-69, 107, 133
Spirometer	49, 133
Temperature	11, 41, 59, 80
Temperature Link	43, 60, 133
Temperature with Display (OLED)	134
Thermocouple with Display (OLED)	57, 60, 134
Voltage	63, 134
Voltage-Current with Display (OLED)	110, 135
Weather with GPS	11, 40, 79, 135

PART NUMBER INDEX

EB-6331	37	ME-7074	98
EB-6334	36-37, 39	ME-7075	99
EB-6335	37, 39	ME-8270	71
EB-6336	75, 77	NU-3344	64, 109
EB-6337	75, 77	OS-8477A	50
EC-6330	53, 55	OS-8496	13
EC-6350A, EC-6350-EB1	55	OS-8508	92
EC-6352	55	OS-8909	92
EC-6362	53, 55, 57	OS-8910A	92
EC-6363	53, 55, 57	OS-9477A	65
EM-3455	97	PI-9525	124
EM-3533	97	PS-2103A	137
EM-3534	97	PS-2104	136
EM-3535	15, 96-97	PS-2111	136
EM-3536	96-97	PS-2120A	137
EM-3555	97	PS-2130	85, 136
EM-3556	96	PS-2131	137
EM-3557	91	PS-2132	136
EP-3574	138	PS-2135	137
EP-3575	138	PS-2137	136
EP-6323, EP-6323-EB1	94-95	PS-2141	136
EZ-2331	85	PS-2142	136
EZ-2333B	85	PS-2148	136
EZ-2334A	85	PS-2150	136
EZ-2337	85	PS-2151	137
EZ-2338	85	PS-2152	137
EZ-2339A	85	PS-2153	137
EZ-2340	85	PS-2158	137
ME-1240	12, 101, 132	PS-2159	137
ME-1241	12, 101, 132	PS-2160	136
ME-1242	103	PS-2162	136
ME-1243	101, 132	PS-2163	137
ME-1245	104	PS-2168	136
ME-1246	102	PS-2176	136
ME-1247	103	PS-2179	137
ME-1249	104	PS-2180	137
ME-1251	103	PS-2181	137
ME-1252	104	PS-2187	136
ME-1272	102	PS-2189	136
ME-1273	102	PS-2194	136
ME-2040	90	PS-2195	85, 137
ME-3581	30	PS-2197	85, 137
ME-5300	88-89	PS-2204	136
ME-5301	89	PS-2206	136
ME-5302	88	PS-2522	49
ME-6667	45	PS-2548	111
ME-6668	14, 45, 83	PS-2600A	47, 67, 107, 133
ME-6796	105	PS-2601	107
ME-6800	105	PS-2828B	56
ME-6825B	105	PS-2829A	77
ME-6936	44	PS-2852A	38
ME-6942	43	PS-2935D	39
ME-7020	34	PS-2979	77
ME-7021	34	PS-2994	24-25
ME-7022	34	PS-3200	85, 122, 137
ME-7023	34	PS-3201	11, 41, 59, 80, 133
ME-7024	34	PS-3202	12, 111, 128
ME-7025	35	PS-3203	42, 62, 109, 131
ME-7026	35	PS-3204	11, 41, 58, 80, 131
ME-7027	35	PS-3206	48, 129
ME-7028	35	PS-3207	48, 128
ME-7029	33	PS-3208	11, 44, 78, 125
ME-7030	31	PS-3209	11, 40, 79, 135
ME-7033	99	PS-3210A	42, 62, 81, 126
ME-7037	35	PS-3211A	63, 134

PS-3212	63, 127	PS-3521	71
PS-3214	59, 127	PS-3545	44, 78
PS-3215	46, 66, 84, 126	PS-3553	11, 40, 79, 135
PS-3216	129	PS-3585	139
PS-3217	44, 130	PS-3586	139
PS-3218	48, 125	PS-3587	139
PS-3219	12, 100, 130	PS-3588	139
PS-3220	106, 132	PS-3589	139
PS-3221	77, 108, 130	PS-3594	139
PS-3222	43, 60, 133	PS-3595	139
PS-3223	106, 124	PS-3596	139
PS-3225	105, 132	PS-3598	139
PS-3226	84, 124	PS-3599	139
PS-3227	13, 107, 133	PS-3600B	112, 123
PS-3228	40, 78, 133	PS-3620	112-113, 123
PS-3229	111, 128	PS-4201	134
PS-3230	111, 128	PS-4204	131
PS-3231	20, 125	PS-4210	126
PS-3232	126	PS-4252	46, 127
PS-3233	20	PS-4254	110, 135
PS-3234	49, 133	PS-4255	82, 124
PS-3236	49, 127	PS-4256	57, 60, 134
PS-3237	65, 131	PS-4257	61, 131
PS-3238	64, 109, 129	PS-5050	28-29
PS-3239	70, 130	PS-5051	28-29
PS-3240	110, 125	SC-2321	71
PS-3246	45, 82	SE-2952	25
PS-3248	13, 43, 81, 108, 128	SE-2953	25
PS-3251	45	SE-2975	25
PS-3253	50, 127	SE-3607	47, 69
PS-3311	20, 125	SE-3610	69
PS-3312	8, 10	SE-3611	47, 69
PS-3313	10	SE-6201	51
PS-3314	9	SE-6204	51
PS-3315	9	SE-6205	51
PS-3320	25	SE-6213	14, 51
PS-3321	25	SE-6214	14, 51
PS-3322	129	SE-6215	70
PS-3325	25	SE-6216	51
PS-3326	139	SE-7182	47, 69
PS-3327	139	SE-7560	139
PS-3328	139	SE-8028A	12
PS-3329	139	SE-8739	66
PS-3330	11, 41, 59, 80, 133	SE-8821	60
PS-3331	11, 41, 58, 80, 131	SE-8823A	60
PS-3332	42, 62, 81, 126	SE-9444	71
PS-3333	42, 62, 109, 131	SE-9445	71
PS-3334	46, 66, 84, 126	SE-9446	71
PS-3335	63, 134	SE-9601	13
PS-3336	63, 127	ST-2997	26-27, 83
PS-3337	12, 100, 130	ST-7611	14
PS-3338	13, 43, 81, 108, 129	ST-7800	21
PS-3339	12, 111, 128	ST-7801	21
PS-3340	40, 79, 135	ST-7820	22
PS-3341	11, 44, 78, 125	ST-7821	22
PS-3342	13, 107, 133	ST-7830	23
PS-3400	64	ST-7831	23
PS-3401	60	ST-7840	24-25
PS-3514	71	TD-8595	61
PS-3515	57, 71	TD-8596A	61
PS-3516	71	UI-5001	113, 122
PS-3517	71	UI-5400	114-117
PS-3518	71	UI-5430	72-73
PS-3519	71	WA-9515	93
PS-3520	71		

ISO 9001 Certified

PASCO has been supporting educators in over 100 countries around the world since 1964.

ISO 9001 Quality Certification

PASCO scientific meets the highest quality standards, and our quality management system is registered to ISO 9001. For more information, refer to pasco.com/about-us/iso-certification

Free Teacher and Technical Support

We want teachers to be successful with PASCO solutions. Please contact our support team with any questions at pasco.com/support, or via phone: 800-772-8700 (inside US); +1 916-786-3800 (outside US) or email: support@pasco.com

Terms of Purchase

For online access to read FCC, CE MARK, and other product regulations, refer to pasco.com/p/terms-of-purchase

Shipping

Items in stock (if stock is available) will normally be shipped in less than two working days from receipt of that order. Specific request for air shipments or special carriers will be honored at additional cost.

Warranty & Returns

For online access to read PASCO's 90-Day Satisfaction Guarantee, PASCO's 5-Year Limited Warranty for Education, and Returns for inside and outside the US, refer to pasco.com/p/warranty-and-returns

Products manufactured by anyone other than PASCO are subject to the conditions of the warranty supplied by the manufacturer (generally 1 year). Additional warranty information on our products is available upon request.

Trademarks & Patents

For online access to trademarks, registered trademarks, and patents of PASCO scientific in the United States and/or other countries, refer to pasco.com/p/trademarks-and-patents

Software Licenses Agreement

For online access to the complete EULA, refer to pasco.com/p/education-software

eBook Usage Agreement

PASCO eBooks consist of Essential Physics and/or Essential Chemistry curriculum. For online access to the complete usage agreement, refer to pasco.com/p/ebook-eula

PASCO OpenSciEd Agreement

For online access to the complete EULA for the PASCO Certified Version of OpenSciEd K-12 curriculum, refer to pasco.com/p/openscied-eula

PASCO and The Environment

For online access to the PASCO Environmental Policy including RoHS, WEEE-Product End of Life Disposal Instructions, and Battery Replacement and Disposal Instructions, refer to pasco.com/about-us/pasco-and-the-environment



For more complete information, refer to www.pasco.com/legal



NEW!

WIRELESS ABSOLUTE PRESSURE AND TEMPERATURE SENSOR

(See Page 61)



PASCO's wireless absolute pressure-temperature sensor is built to work with the ideal gas law apparatus (TD-8596A), Absolute Zero Sphere (TD-8595), and heat engine apparatus (TD-8572) (Not Included) to monitor pressure changes with increase or decrease of temperature.

Global Coverage & World-Class Support

PASCO

PASCO's global network of factory-trained partners are science specialists who are knowledgeable about PASCO solutions. Contact our team today to see how PASCO can update your labs and provide value for years to come.

Find Your Local Representative
pasco.com/support

Follow PASCO:



Live Contact Hours:
M-Th: 7:00 am-4:30 pm
F: 7:00 am-2:00 pm
Pacific Time



Phone:
+1 916.786.3800 (outside US)
800.772.8700 ext. 1004
(inside US)
Fax: 916.786.7565



Mail:
PASCO Scientific
10101 Foothills Blvd.
Roseville, California
95747-7100 USA
ISO 9001:2015 Certified



Email:
support@pasco.com



Web:
Get quotes and
order online
pasco.com



Chat on pasco.com

Providing educators worldwide with innovative solutions for teaching science.

PASCO

10101 Foothills Blvd.
Roseville, CA 95747-7100

800-772-8700

www.pasco.com

Change Service Requested




PASCO PORTAL FOR SCIENCE EDUCATION



A first-of-its-kind digital environment that brings PASCO's powerful hands-on solutions to your science classroom or lab.

PASCO Portal is a convenient and flexible online platform that hosts your teaching resources and continuous professional development to facilitate all-inclusive instruction for science, STEM, and engineering programs.



Compatible with your Learning &
Device Management Systems

ClassLink Clever

Google Classroom

Canvas Blackboard

D2L

BRIGHTSPACE schooloay



A&P INSTRUMENT CO., LTD.
科藝儀器有限公司

地址：香港九龍灣啟祥道 9 號信和工商中心 1 樓 68 室
Room 68, 1/F Sino Industrial Plaza,
9 Kai Cheung Road, Kowloon Bay, Kowloon
Tel: (852) 2755 6578
Fax: (852) 2755 4549
E-mail: info@anp.com.hk
<http://www.anp.com.hk>